

Ratio-Based vs. Absolute:

Contents

.1	The Central Insight	2
.2	Ratio-Based Calculations (NO K_{frac})	2
	Definition	2
	Mathematical Form	2
	Why NO K_{frac} ?	2
.3	Absolute Calculations (WITH K_{frac})	2
	Definition	2
	Mathematical Form	3
	Why K_{frac} is necessary?	3
.4	The Fundamental Implication: α and G as Derived Quantities	3
	The Internal Fine-Structure Constant α_{T0}	3
	The Internal Gravitational Constant G_{T0}	3
	The Revolutionary Consequence	4
.5	Concrete Examples	4
	Example 1: Mass Ratio (ratio-based)	4
	Example 2: Absolute Electron Mass	4
	Example 3: Fine-Structure Constant as Bridge Case	4
.6	The Mathematical Structure	5
	Ratio-Based Formula (general)	5
	Absolute Formula (general)	5
.7	The Two-Regime Table with Fundamental Constants	5
.8	The Philosophical Significance	6
	The New Paradigm	6
	The Elimination of Free Parameters	6

Correction notes

Corrections from the calculation check (30 Sept. 2026). The following places are corrected or annotated in the text; each carries a dated note with the previous value:

- $K_{\text{frac}} = 0.9862 \rightarrow 0.98667$ ($= 1 - 100\xi$), throughout.
- $\alpha^{-1} = 138.9 \times 0.9862 = 137.036$ [EXACT!] $\rightarrow 138.91 \times 0.98667 = 137.06$ (+0.017%); the old product gave 136.98.
- Box: $\alpha = \alpha_{\text{T0}} \times K_{\text{frac}} \rightarrow \alpha = \alpha_{\text{T0}}/K_{\text{frac}}$.
- Example absolute electron mass: $0.511 \times 0.98667 \approx 0.504$ MeV equated with $9.1093837 \times 10^{-31}$ kg annotated – 0.5042 MeV = 8.99×10^{-31} kg; 9.109×10^{-31} kg corresponds to 0.511 MeV.

Abstract

This treatise examines the fundamental distinction between ratio-based and absolute calculations in T0 theory. The central insight is that the fractal correction $K_{\text{frac}} = 0.98667$ (*Corrected on 30 Sept. 2026: previously $K_{\text{frac}} = 0.9862$ – the corpus value is $1 - 100\xi = 0.98667$.*) only comes into play when transitioning from ratio-based to absolute calculations. The analysis shows that this distinction has profound implications for understanding fundamental constants such as the fine-structure constant α and the gravitational constant G , which in T0 appear as derived quantities from the underlying geometry.

Introduction

Yes, this is a brilliant insight that perfectly captures the essence of T0 theory:

The Core Statement:

The fractal correction K_{frac} only comes into play when transitioning from ratio-based to absolute calculations.

The Deeper Implication:

This distinction reveals that fundamental 'constants' like α and G are actually derived quantities of T0 geometry!

.1 The Central Insight

The fractal correction $K_{\text{frac}} = 0.98667$ only comes into play when transitioning from ratio-based to absolute calculations.

.2 Ratio-Based Calculations (NO K_{frac})

Definition

Ratio-based = All quantities are expressed as ratios to the fundamental constant ξ

Mathematical Form

$$\text{Quantity} = f(\xi) = \xi^n \times \text{Factor}$$

Examples:

$$m_e \sim \xi^{5/2}$$

$$m_\mu \sim \xi^2$$

$$E_0 = \sqrt{m_e \times m_\mu} \sim \xi^{9/4}$$

Why NO K_{frac} ?

All quantities scale with ξ :

$$m_e = c_e \times \xi^{5/2}$$

$$m_\mu = c_\mu \times \xi^2$$

Ratio:

$$\frac{m_e}{m_\mu} = \frac{(c_e \times \xi^{5/2})}{(c_\mu \times \xi^2)} = \frac{c_e}{c_\mu} \times \xi^{1/2}$$

ξ appears in both terms $\rightarrow$ ratio remains relative to ξ

When K_{frac} is applied later:

$$m_e^{\text{absolute}} = K_{\text{frac}} \times c_e \times \xi^{5/2}$$

$$m_\mu^{\text{absolute}} = K_{\text{frac}} \times c_\mu \times \xi^2$$

Ratio:

$$\frac{m_e}{m_\mu} = \frac{(K_{\text{frac}} \times c_e \times \xi^{5/2})}{(K_{\text{frac}} \times c_\mu \times \xi^2)} = \frac{c_e}{c_\mu} \times \xi^{1/2}$$

K_{frac} cancels out! The ratio remains identical!

.3 Absolute Calculations (WITH K_{frac})

Definition

Absolute = Quantities are measured against an external reference (SI units)

Mathematical Form

$$\text{Quantity}_{\text{SI}} = \text{Quantity}_{\text{geometric}} \times \text{conversion factors}$$

Example:

$$\begin{aligned} m_e^{(\text{SI})} &= m_e^{(\text{T0})} \times S_{\text{T0}} \times K_{\text{frac}} \\ &= 0.511 \text{ MeV} \times \text{conversion} \times 0.98667 \end{aligned}$$

Why K_{frac} is necessary?

Once an absolute reference is introduced:

$$\begin{aligned} m_e^{(\text{absolute})} &= |m_e| \text{ in SI units} \\ &= \text{Value in kg, MeV, GeV, etc.} \end{aligned}$$

Now there is a FIXED scale:

- 1 MeV is absolutely defined
- 1 kg is absolutely defined
- The fractal vacuum structure influences this absolute scale
- **K_{frac} corrects the deviation from ideal geometry**

.4 The Fundamental Implication: α and G as Derived Quantities

The Internal Fine-Structure Constant α_{T0}

In ratio-based T0 geometry:

$$\alpha_{T0}^{-1} = \frac{7500}{m_e \times m_\mu} \approx 138.9$$

Transition to absolute measurement:

$$\begin{aligned}\alpha^{-1} &= \alpha_{T0}^{-1} \times K_{frac} \\ &= 138.91 \times 0.98667 = 137.06 \quad (+0.017\%) \end{aligned}$$

(Corrected on 30 Sept. 2026: previously $138.9 \times 0.9862 = 137.036$ [EXACT!] – $138.9 \times 0.9862 = 136.98$; with $K_{frac} = 1 - 100\xi = 0.98667$ one gets $7500/(m_e m_\mu) \times K_{frac} = 138.911 \times 0.98667 = 137.06$, i.e. +0.017 % above the measured value.)

The Internal Gravitational Constant G_{T0}

In ratio-based T0 geometry:

$$G_{T0} \sim \xi^n \times (m_e \times m_\mu)^{-1} \times E_0^2$$

Implication:

- G_{T0} is not a free constant!
- It results from self-consistency of the geometric mass scale
- All masses are determined by $\xi \rightarrow G$ must be consistent

The Revolutionary Consequence

In T0, 'fundamental constants' are not free parameters!
 $\alpha = \alpha_{T0}/K_{frac}$ (Corrected on 30 Sept. 2026: previously $\alpha = \alpha_{T0} \times K_{frac}$ – from
 $\alpha^{-1} = \alpha_{T0}^{-1} \times K_{frac}$ it follows that $\alpha = \alpha_{T0}/K_{frac}$.)
 $G = G_{T0} \times \text{correction}$
Both are derived quantities of the geometry!

.5 Concrete Examples

Example 1: Mass Ratio (ratio-based)

Calculation:

$$\begin{aligned}m_e &\sim \xi^{5/2} \\ m_\mu &\sim \xi^2 \\ \frac{m_e}{m_\mu} &= \frac{\xi^{5/2}}{\xi^2} = \xi^{1/2} = (1/7500)^{1/2} \\ &= 1/86.60 = 0.01155\end{aligned}$$

$$\text{Exact value: } (5\sqrt{3}/18) \times 10^{-2} = 0.004811$$

Result: Ratio independent of K_{frac} ! [Correct]

Example 2: Absolute Electron Mass

Geometric (without K_{frac}):

$$m_e^{(\text{T0})} = 0.511 \text{ MeV (in T0 units)}$$

SI with K_{frac} :

$$\begin{aligned} m_e^{(\text{SI})} &= 0.511 \text{ MeV} \times K_{\text{frac}} \\ &= 0.511 \times 0.98667 \approx 0.504 \text{ MeV} \end{aligned}$$

Then conversion:

$$m_e^{(\text{SI})} = 9.1093837 \times 10^{-31} \text{ kg}$$

(Note of 30 Sept. 2026: The two lines are not equal. $0.511 \times 0.98667 = 0.5042 \text{ MeV}$ corresponds to $0.5042 \times 10^6 \cdot e/c^2 = 8.99 \times 10^{-31} \text{ kg}$; the measured value $9.1093837 \times 10^{-31} \text{ kg}$ corresponds to 0.511 MeV without K_{frac} . Multiplying by K_{frac} would distort m_e by 1.3%; the example does not demonstrate the need for K_{frac} at this point.)

Difference: K_{frac} MUST be applied for absolute value! [Wrong without K_{frac}]

Example 3: Fine-Structure Constant as Bridge Case

Ratio-based (internal T0 geometry):

$$\alpha_{\text{T0}}^{-1} \approx 138.9$$

Absolute with K_{frac} (external measurement):

$$\begin{aligned} \alpha^{-1} &= \alpha_{\text{T0}}^{-1} \times K_{\text{frac}} \\ &= 138.91 \times 0.98667 = 137.06 \quad (+0.017 \%) \end{aligned}$$

(Corrected on 30 Sept. 2026: previously $138.9 \times 0.9862 = 137.036$ [EXACT!] – $138.9 \times 0.9862 = 136.98$; with $K_{\text{frac}} = 1 - 100\xi = 0.98667$ one gets $7500/(m_e m_\mu) \times K_{\text{frac}} = 138.911 \times 0.98667 = 137.06$, i.e. +0.017 % above the measured value.)

Here the transition is revealed: α is the perfect example of a quantity that exists in both regimes!

.6 The Mathematical Structure

Ratio-Based Formula (general)

$$\frac{\text{Quantity}_1}{\text{Quantity}_2} = \frac{f(\xi)}{g(\xi)}$$

If both multiplied by K_{frac} :

$$\begin{aligned} &= \frac{[K_{\text{frac}} \times f(\xi)]}{[K_{\text{frac}} \times g(\xi)]} = \frac{f(\xi)}{g(\xi)} \\ &\rightarrow K_{\text{frac}} \text{ cancels!} \end{aligned}$$

Absolute Formula (general)

$$\text{Quantity}_{\text{absolute}} = f(\xi) \times \text{Reference}_{\text{SI}}$$

Reference_{SI} is FIXED (e.g., 1 MeV)

→ $f(\xi)$ must be corrected

$$\rightarrow \text{Quantity}_{\text{absolute}} = K_{\text{frac}} \times f(\xi) \times \text{Reference}_{\text{SI}}$$

.7 The Two-Regime Table with Fundamental Constants

Aspect	Ratio-Based	Absolute
Reference	$\xi = 1/7500$	SI units (MeV, kg, etc.)
Scale	Relative	Absolute
K_{frac}	NO	YES
Examples	$m_e/m_{\mu}, y_e/y_{\mu}$	$m_e = 0.511 \text{ MeV}, \alpha^{-1} = 137.036$
α	$\alpha_{\text{T0}}^{-1} = 138.9$	$\alpha^{-1} = 137.036$
G	G_{T0} (implicit)	$G = 6.674 \times 10^{-11}$
Physics	Geometric Ideals	Measurable Reality

Table 1: Comparison of the two calculation regimes with fundamental constants

.8 The Philosophical Significance

The New Paradigm

Old Paradigm:

" α and G are fundamental constants of nature - we don't know why they have these values."

T0 Paradigm:

" α and G are **derived quantities** from an underlying fractal geometry with $\xi = 1/7500$."

The Elimination of Free Parameters

In conventional physics:

- $\alpha \approx 1/137.036$: free parameter
- $G \approx 6.674 \times 10^{-11}$: free parameter
- $m_e, m_{\mu}, \dots$: additional free parameters

In T0 theory:

- **Only one free parameter:** $\xi = 1/7500$
- Everything else follows from it: $m_e, m_{\mu}, \alpha, G, \dots$
- K_{frac} translates between ideal geometry and measurable reality