

From the finite field to the Standard Model.

Volume 8 covers Docs. 344 to 389 and brings the collection up to its October 2026 state. From **GF(27)*** follow charge quantisation, the Gell-Mann–Nishijima relation, the generation structure and $SU(2)_L$ chirality.

The lepton masses are approached from several directions: the Koide amplitude $d/c = \sqrt{2}$, $\theta = p_o = 2/9$ as two readings of one quotient, the icosahedron, the matrix-element principle and the Yukawa mechanism as a consequence of **$\tilde{T} \cdot m = 1$** .

Harmonics and algebra turn out to be the same mathematics; the interfaces with other frameworks are fully documented. For an overview: Doc. 384 (summary); for remaining deviations: Doc. 387.

Johann Pascher

Johann Pascher is an independent theoretical physicist and author of FFGFT / T0 theory. In more than 300 documents he develops a geometric framework that derives the fundamental constants of physics from a single dimensionless parameter ξ . All work is openly accessible.

ORCID 0009-0000-6518-4064
github.com/jpascher/T0-Time-Mass-Duality

Fundamental Fractal-Geometric Field Theory (FFGFT) or T0 Theory – Time-Mass Duality

Part 8 of 8



The Standard Model from GF(27), Lepton Masses and Interfaces

Johann Pascher

ORCID 0009-0000-6518-4064