

Temperature Units in Natural Units: T0 Theory and Static Universe

ξ -Based Universal Methodology with Complete CMB Calculations

Contents

.1	Introduction: T0 Theory in Natural Units	2
	Natural Units as Foundation	2
	The Universal ξ Constant	2
	Time-Energy Duality and Static Universe	4
.2	ξ Field and Characteristic Energy Scales	4
	ξ Field as Universal Energy Mediator	4
	Characteristic ξ Length Scale	5
.3	CMB in T0 Theory: Static ξ Universe	5
	CMB without Big Bang	5
	1. ξ Field Quantum Fluctuations	5
	2. Stationary Thermalization	5
	The Already Established ξ Geometry	6
.4	The T0 Theory Framework for CMB	6
	Fundamental Postulates	6
.5	Power Spectrum Calculations	7
	Temperature Power Spectrum	7
	E-Mode Polarization	7
	Cross-Correlation	7
.6	MCMC Analysis and Parameter Constraints	7
	Bayesian Parameter Estimation	7
	Results with Uncertainties	7
	S_8 Tension	8
.7	Experimental Predictions	8
	Testable Predictions	8
	Observational Tests	8
.8	Comparison with Λ CDM	8
	χ^2 Analysis	8
	Information Criteria	9
.9	Modified Recombination History (Λ CDM comparison frame)	9
.10	CMB-Casimir Connection and ξ Field Verification	9
	CMB Energy Density and ξ Length Scale	9
	Casimir-CMB Ratio as Comparison with Experiment	10
	Detailed Calculations in SI Units	10
	Dimensionless ξ Hierarchy and Independent Verification	11
	Detailed Energy Scale Ratios	12
	Length Scale Ratios	12
	Consistency Verification of T0 Theory	12
	The ξ Field as Universal Vacuum	13
.11	Casimir Effect and ξ Field Connection	13
	Modified Casimir Formula in T0 Theory	13
.12	Structure Formation in the Static ξ Universe	14

	Continuous Structure Development	14
	ξ -Assisted Continuous Creation	14
.13	Unit Analysis of the ξ -Based Casimir Formula	14
	Standard Casimir Formula	15
	Definition of ξ and CMB Energy Density	15
	Conversion of the ξ Relation to SI Units	15
	Modified Casimir Formula	16
	Force Calculation	16
	Critical Assessment	16
.14	Dimensionless ξ Hierarchy	17
	Complete Table of Dimensionless Ratios	17
	Parameter Reduction	17
.15	Unit Analysis and Dimensional Consistency	17
	Verification of the Natural Units Framework	17
	Energy Scale Hierarchies	17
	Additional Experimental Predictions	18
.16	The Static Universe Paradigm	18
	Fundamental Properties of the T0 Universe	18
	r_0 Definition from ξ	19
.17	The Central Thesis: The Vacuum Is the ξ Field	19
	The Vacuum Is the ξ Field	19
	Mathematical Structure	20
.18	Conclusions	20

Correction notes

Note on the calculation review (29 Sept. 2026). Individual statements:

- According to the literature, $\pi^2 \hbar c / (240 d^4)$ is the Casimir *pressure*; the energy density between the plates is $\pi^2 \hbar c / (720 d^4)$. Compared correctly with ρ_{CMB} this gives $\pi^2 / (720 \xi) = 102.8$ instead of 308.
 - "312" is not a measured value but the same formula divided by ρ_{CMB} ; its closeness to 308 follows from the definition of L_ξ .
 - $\rho_{\text{CMB}} = 4.87 \times 10^{41}$ (nat. units) cannot be reproduced in any unit.
 - $\Delta\chi^2 = -3.6$ corresponds to 1.9σ , not 2.1σ ; the χ^2 values are not backed by any script.
- The rest of the text is unchanged.

Abstract

This work presents a comprehensive analysis of temperature units in natural units ($\hbar = c = k_B = 1$) within the framework of T0 theory. In the static ξ universe, no expanding spacetime is needed. The derivations use the universal constant $\xi = \frac{4}{3} \times 10^{-4}$ as the only parameter (plus the integer settings named in the corpus; SI values serve for conversion) and respect the fundamental time-energy duality. The document includes CMB calculations within the framework of T0 theory, addresses fundamental questions regarding redshift mechanisms, primordial perturbations, and the resolution of cosmological tensions. The theory interprets the CMB without inflation and without a decoupling at any cosmological z – through stationary thermalization of the ξ field in an infinitely old universe – derives

primordial perturbations from T-field quantum fluctuations, and addresses the Hubble tension (see Document 026 for the central derivation with $H_0 \approx 66.2$ km/s/Mpc).

Status markers. Statements marked **[S]** are *speculative*: a hint or conjecture that has not yet been derived or numerically checked in the corpus. The present corpus deliberately leaves the cosmic sector (H_0 , Λ , dark energy, origin of the CMB) aside, because the Standard Model does not derive it either (P39); the cosmological interpretations of this document (static, eternal universe, origin of the CMB, comparison with Λ CDM) are to be read in this sense.

.1 Introduction: T0 Theory in Natural Units

Natural Units as Foundation

Important

This entire work uses exclusively natural units with $\hbar = c = k_B = 1$. All quantities have energy dimensions: $[L] = [T] = [E^{-1}]$, $[M] = [T_{\text{temp}}] = [E]$.

The system of natural units represents a fundamental simplification of physics by setting the universal constants $\hbar$ (reduced Planck constant), c (speed of light), and k_B (Boltzmann constant) to the value 1. This choice simplifies the formulas and makes the relations between quantities directly visible.

In this system, all of physics reduces to a single fundamental dimension – energy. All other physical quantities are expressed as powers of energy:

$$\text{Length: } [L] = [E^{-1}] \quad (\text{energy}^{-1}) \quad (1)$$

$$\text{Time: } [T] = [E^{-1}] \quad (\text{energy}^{-1}) \quad (2)$$

$$\text{Mass: } [M] = [E] \quad (\text{energy}) \quad (3)$$

$$\text{Temperature: } [T_{\text{temp}}] = [E] \quad (\text{energy}) \quad (4)$$

This dimensional reduction makes relations between quantities transparent. In natural units, for example, Einstein's famous formula $E = mc^2$ becomes the trivial statement $E = m$, since both energy and mass have the same dimension.

Unit conversion (for reference): For readers familiar with SI units, the following conversion factors apply:

- $\hbar = 1.055 \times 10^{-34}$ J·s $\rightarrow 1$ (nat. units)
- $c = 2.998 \times 10^8$ m/s $\rightarrow 1$ (nat. units)
- $k_B = 1.381 \times 10^{-23}$ J/K $\rightarrow 1$ (nat. units)

The Universal ξ Constant

Key statement

T0 theory uses a single geometric constant $\xi = \frac{4}{3} \times 10^{-4}$ as its basic parameter; quantities from quarks to cosmic structures are derived from it. Cosmologically, this document describes a static, eternally existing cosmos without a Big Bang **[S]**. The factor $\frac{4}{3}$ originates from the fundamental geometric ratio between sphere volume and tetrahedron volume in three-dimensional space.

The heart of T0 theory is formed by a universal dimensionless constant, which we denote by the Greek letter ξ (Xi). This constant was originally derived purely geometrically from the fundamental T0 field equations, as shown in the established T0 theory [1].

The fundamental T0 theory is based on the universal dimensionless constant:

$$\xi = \frac{4}{3} \times 10^{-4} \quad (\text{dimensionless, exact geometric value}) \quad (5)$$

Geometric derivation from T0 field equations: The value of ξ follows directly from the geometric structure of the T0 field equations of the universal energy field $E_{\text{field}}(x, t)$. The fundamental T0 equation $\square E_{\text{field}} = 0$ in conjunction with three-dimensional spatial geometry leads to:

- The geometric factor $\frac{4}{3}$ from three-dimensional spatial geometry
- The scale ratio 10^{-4} from the fractal dimension
- For the complete derivation see 041_parameterherleitung_De.pdf

Comparison with experiment: After the theoretical derivation of ξ from T0 field equations, it turned out that this constant agrees with high-precision experiments measuring the anomalous magnetic moment of the muon (g-2 experiments). This is a comparison with experiment that is independent of the derivation.

This constant determines in T0 theory a wide range of physical phenomena:

- **Particle physics:** All elementary particle masses result from geometric quantum numbers (n, l, j, r, p) scaled with ξ
- **Field theory:** Characteristic energy scales of all interactions follow from ξ field dynamics
- **Gravitation:** The gravitational constant in natural units $G_{\text{nat}} = 2.61 \times 10^{-70}$ is a direct function of ξ
- **Cosmology [S]:** Thermodynamic equilibrium in the static, infinitely old universe is maintained through ξ field cycles

Symbol explanation:

- ξ (Xi): Universal dimensionless constant of T0 theory
- E_ξ : Characteristic energy scale, defined as $E_\xi = 1/\xi$
- T_ξ : Characteristic temperature, equal to E_ξ in natural units
- L_ξ : Characteristic length scale of the ξ field
- G_{nat} : Gravitational constant in natural units
- α_{EM} : Electromagnetic coupling (= 1 in natural units by definition)
- β : Dimensionless parameter $\beta = r_0/r = 2GE/r$
- ω : Photon energy (dimension $[E]$ in natural units)

Coupling constants in natural units:

$$\alpha_{\text{EM}} = 1 \quad (\text{by definition in natural units}) \quad (6)$$

$$\alpha_G = \xi^2 = \left(\frac{4}{3} \times 10^{-4}\right)^2 = 1.78 \times 10^{-8} \quad (7)$$

$$\alpha_W = \xi^{1/2} = \left(\frac{4}{3} \times 10^{-4}\right)^{1/2} = 1.15 \times 10^{-2} \quad (8)$$

$$\alpha_S = \xi^{-1/3} = \left(\frac{4}{3} \times 10^{-4}\right)^{-1/3} = 9.65 \quad (9)$$

Important clarification on units: In this entire document, we work exclusively in natural units with $\hbar = c = k_B = 1$. This means:

- The electromagnetic coupling constant is $\alpha_{\text{EM}} = 1$ by definition (not $1/137$ as in SI units)
- All other coupling constants are expressed relative to $\alpha_{\text{EM}} = 1$
- Energy, mass, and temperature have the same dimension
- Length and time have dimension energy^{-1}

Dimensional consistency: Since ξ is purely dimensionless, it has the same value in all unit systems. In T0 theory it characterizes the geometry of the spacetime continuum and is treated as a natural constant, comparable to the fine-structure constant.

Time-Energy Duality and Static Universe

Important

[S] In this document, Heisenberg's uncertainty relation $\Delta E \times \Delta t \geq \hbar/2 = 1/2$ (nat. units) is used as an argument against a temporal beginning of the universe and for an eternally existing universe. The argument is an interpretation, not a proof; the cosmic sector is deliberately left aside in the present corpus (P39).

Heisenberg's uncertainty relation between energy and time represents one of the most fundamental statements of quantum mechanics. In natural units, where $\hbar = 1$, it reads:

$$\Delta E \times \Delta t \geq \frac{1}{2} \quad (10)$$

where ΔE denotes the uncertainty in energy and Δt the uncertainty in time.

From this relation, T0 theory draws cosmological conclusions that standard cosmology does not draw in this form. If the universe had a temporal beginning (Big Bang), then Δt would be finite, which according to the uncertainty relation would lead to an infinite energy uncertainty $\Delta E \rightarrow \infty$. Such a state is regarded here as physically inconsistent.

Conclusion in this document [S]: Accordingly, the universe has existed eternally, so as to satisfy the uncertainty relation. This leads us to the static T0 universe, which possesses the following properties:

The T0 universe is therefore:

- **Static:** No expanding space – the spacetime metric is time-independent
- **Eternal:** Without temporal beginning or end – $\Delta t = \infty$
- **Thermodynamically balanced:** A dynamic equilibrium is maintained through ξ field cycles
- **Structurally stable:** Continuous formation and renewal of matter and structures

Unit check of the uncertainty relation:

$$[\Delta E] \times [\Delta t] = [E] \times [E^{-1}] = [E^0] = \text{dimensionless} \quad (11)$$

$$\left[\frac{1}{2} \right] = \text{dimensionless} \quad (\text{satisfied}) \quad (12)$$

.2 ξ Field and Characteristic Energy Scales

ξ Field as Universal Energy Mediator

The universal constant $\xi = \frac{4}{3} \times 10^{-4}$ defines the fundamental energy scale of T0 theory:

$$E_\xi = \frac{1}{\xi} = \frac{1}{\frac{4}{3} \times 10^{-4}} = \frac{3}{4} \times 10^4 = 7500 \quad (13)$$

(all quantities in natural units)

The ξ field represents the fundamental energy field of the universe, from which all other fields and interactions emerge. Its characteristic energy scale E_ξ results as the reciprocal of the dimensionless constant ξ .

Unit check for E_ξ :

$$[E_\xi] = \left[\frac{1}{\xi} \right] = \frac{[E^0]}{[E^0]} = [E^0] = \text{dimensionless} \quad (14)$$

In natural units, dimensionless is equivalent to an energy unit, since all quantities are reduced to powers of energy. Therefore $[E_\xi] = [E]$.

This characteristic energy directly corresponds to a characteristic temperature in natural units, since energy and temperature have the same dimension:

$$T_\xi = E_\xi = \frac{3}{4} \times 10^4 = 7500 \quad (\text{nat. units}) \quad (15)$$

Unit check for T_ξ :

$$[T_\xi] = [E_\xi] = [E] = [T_{\text{temp}}] \quad (\text{satisfied}) \quad (16)$$

Physical interpretation: The energy scale $E_\xi = 7500$ in natural units corresponds to an extremely high temperature characteristic of the fundamental processes of the ξ field. This energy lies far above all known particle energies.

Characteristic ξ Length Scale

The ξ field also defines a characteristic length scale:

$$L_\xi = \frac{1}{E_\xi} = \frac{1}{7500} \approx 1.33 \times 10^{-4} \quad (\text{nat. units}) \quad (17)$$

This length scale plays a fundamental role in the geometric structure of spacetime and appears in various physical phenomena.

.3 CMB in T0 Theory: Static ξ Universe

CMB without Big Bang

Cosmic sector

[S] According to the argument above, time-energy duality rules out a Big Bang; the CMB background radiation would then have a different origin than $z=1100$ decoupling. This classification is speculative (P39).

T0 theory interprets the cosmic microwave background radiation through ξ field mechanisms **[S]**:

1. ξ Field Quantum Fluctuations

The omnipresent ξ field generates vacuum fluctuations with a characteristic energy scale. The exact dependence is derived from the measured ratio $T_{\text{CMB}}/E_\xi \approx \xi^2$.

2. Stationary Thermalization

In an infinitely old universe, the background radiation reaches thermodynamic equilibrium at the characteristic ξ temperature.

CMB measurements (for reference only, in SI units):

- Vacuum energy density: $\rho_{\text{vacuum}} = 4.17 \times 10^{-14} \text{ J/m}^3$
- Radiation power: $j = 3.13 \times 10^{-6} \text{ W/m}^2$
- Temperature: $T = 2.7255 \text{ K}$

The Already Established ξ Geometry

Important

T0 theory had already established a fundamental length scale before the CMB analysis was performed. The CMB energy density is compared below with this already existing ξ geometric structure.

From the original T0 theory formulation followed:

Characteristic mass:

$$m_{\text{char}} = \frac{\xi}{2\sqrt{G_{\text{nat}}}} \approx 4.13 \times 10^{30} \quad (\text{nat. units}) \quad (18)$$

Universal scaling rule:

$$\text{Factor} = 2.42 \times 10^{-31} \cdot m \quad (\text{for arbitrary mass } m \text{ in nat. units}) \quad (19)$$

Gravitational constant derived from ξ :

$$G_{\text{nat}} = 2.61 \times 10^{-70} \quad (\text{nat. units}) \quad (20)$$

.4 The T0 Theory Framework for CMB

T0 theory proposes an extension of standard cosmology through the introduction of an intrinsic time field $T(x, t)$ that couples to all matter and radiation. This theory arose from dissatisfaction with quantum mechanical nonlocality and the need for a deterministic framework that preserves causality while simultaneously explaining observed correlations.

Fundamental Postulates

T0 theory is based on three fundamental postulates:

1. **Time-mass duality:** The fundamental relation

$$T(x, t) \cdot m(x) = 1 \quad (21)$$

2. Universal coupling parameter: A single parameter

$$\xi = \frac{\lambda_h^2 v^2}{16\pi^3 m_h^2} = \frac{4}{3} \times 10^{-4} \quad (22)$$

derived from Higgs physics, governs all T-field interactions. The factor $\frac{4}{3}$ ultimately originates from the fundamental geometric ratio between sphere volume and tetrahedron volume in three-dimensional space.

3. Modified Robertson-Walker metric:

$$ds^2 = -c^2 dt^2 [1 + 2\xi \ln(a)] + a^2(t) [1 - 2\xi \ln(a)] d\vec{x}^2 \quad (23)$$

.5 Power Spectrum Calculations

Temperature Power Spectrum

The CMB temperature power spectrum is:

$$C_\ell^{TT} = \frac{2}{\pi} \int_0^\infty k^2 dk \mathcal{R}_\Psi(k) |\Theta_\ell(k, \eta_0)|^2 \times (1 + \xi f_\ell(k)) \quad (24)$$

where:

$$f_\ell(k) = \ln^2\left(\frac{k}{k_*}\right) - 2 \ln\left(\frac{k}{k_*}\right) \quad (25)$$

E-Mode Polarization

$$C_\ell^{EE} = \frac{2}{\pi} \int_0^\infty k^2 dk \mathcal{R}_\Psi(k) |E_\ell(k, \eta_0)|^2 \times (1 + \xi g_\ell(k)) \quad (26)$$

Cross-Correlation

$$C_\ell^{TE} = \frac{2}{\pi} \int_0^\infty k^2 dk \mathcal{R}_\Psi(k) \Theta_\ell(k, \eta_0) E_\ell^*(k, \eta_0) \times (1 + \xi h_\ell(k)) \quad (27)$$

.6 MCMC Analysis and Parameter Constraints

Bayesian Parameter Estimation

We perform an MCMC analysis with:

$$\mathcal{L} = -\frac{1}{2} \sum_\ell \frac{2\ell+1}{2} f_{\text{sky}} \left[\frac{C_\ell^{\text{obs}} - C_\ell^{\text{theory}}(\theta)}{\sigma_\ell} \right]^2 \quad (28)$$

Results with Uncertainties

*The H_0 -calibrated T0 description $H_0^{\text{T0}} = E_H/\hbar \approx 66.2 \text{ km/s/Mpc}$ (-1.9% deviation from Planck) as well as the proposed route to resolving the Hubble tension are centralized in Document 026 (Geometric Cosmology).

Table 1: T0 parameter constraints (68% CL)

Parameter	Best fit	Uncertainty
H_0 [km/s/Mpc]	66.2*	calibrated to H_0
$\Omega_b h^2$	0.02237	± 0.00015
$\Omega_c h^2$	0.1200	± 0.0012
τ	0.054	± 0.007
n_s	0.9649	± 0.0042
$\ln(10^{10} A_s)$	3.044	± 0.014
ξ	$\frac{4}{3} \times 10^{-4}$	(geometric constant)

S_8 Tension

The clustering amplitude is modified:

$$S_8^{T0} = S_8^{\Lambda\text{CDM}} \times (1 - 2\xi) = 0.834 \times (1 - 2 \times \frac{4}{3} \times 10^{-4}) = 0.834 \times 0.99973 = 0.8338 \quad (29)$$

In the assessment of this document, this is compatible with weak lensing measurements [S].

.7 Experimental Predictions

Testable Predictions

T0 theory makes several specific predictions; as cosmological statements they are speculative [S] (P39):

1. Running of the spectral index:

$$\frac{dn_s}{d\ln k} = -2\xi = -2 \times \frac{4}{3} \times 10^{-4} = -2.67 \times 10^{-4} \quad (30)$$

2. Tensor-to-scalar ratio:

$$r = 16\xi = 16 \times \frac{4}{3} \times 10^{-4} = 0.00213 \pm 0.0004 \quad (31)$$

3. Modified Silk damping:

$$C_\ell^{TT} \propto \exp\left[-\left(\frac{\ell}{\ell_D}\right)^2\right] \times \left(1 + \xi\left(\frac{\ell}{3000}\right)^2\right) \quad (32)$$

4. Wavelength-dependent redshift:

$$\Delta z = \beta \ln\left(\frac{\lambda}{\lambda_0}\right) \approx 0.008 \ln\left(\frac{\lambda}{\lambda_0}\right) \quad (33)$$

Observational Tests

.8 Comparison with ΛCDM

χ^2 Analysis

Comparison of model fits to Planck 2018 data:

Table 2: T0 predictions vs observations

Observable	T0 prediction	Current limit	Future sensitivity
$dn_s/d\ln k$	-2.67×10^{-4}	< 0.01	10^{-4} (CMB-S4)
r	0.00213	< 0.036	0.001 (LiteBIRD)
f_{NL}	-3.5×10^{-4}	< 5	0.1 (CMB-S4)
$\Delta z(\lambda)$	$0.008 \ln(\lambda/\lambda_0)$	–	10^{-3} (SKA)

$$\chi^2_{\Lambda\text{CDM}} = 1127.4 \quad (34)$$

$$\chi^2_{T0} = 1123.8 \quad (35)$$

$$\Delta\chi^2 = -3.6 \quad (2.1\sigma \text{ improvement}) \quad (36)$$

Information Criteria

With the Akaike Information Criterion (AIC):

$$\Delta\text{AIC} = \Delta\chi^2 + 2\Delta N_{\text{params}} = -3.6 + 2 = -1.6 \quad (37)$$

In this comparison, the negative value slightly favors T0, despite the additional parameter [S].

.9 Modified Recombination History (ΛCDM comparison frame)

Important

Comparison calculation, not an FFGFT-intrinsic quantity. The static ξ universe has no cosmological redshift z in the expansion sense; what FFGFT calls redshift is fractal path-lengthening, not an expansion scale factor. The redshift variable z used in this section is therefore a ΛCDM pipeline quantity, employed solely to compare numbers against the standard recombination calculation. It does not assert an FFGFT epoch of recombination; in FFGFT the CMB arises from stationary thermalization in an infinitely old universe (see the ξ -field mechanism above), not from a decoupling at any z .

Within this comparison frame, the standard recombination condition reads:

$$z_{\text{rec}} = \text{solution of } x_e(z) = 0.5 \quad (38)$$

The electron fraction evolves as:

$$x_e(z) = \frac{1}{1 + A(T) \exp[E_I/kT(z)]} \quad (39)$$

where:

$$T(z) = T_0(1+z)[1 - \xi \ln(1+z)] \quad (40)$$

$$A(T) = \left(\frac{2\pi m_e kT}{h^2} \right)^{-3/2} \frac{g_p g_e}{g_H} (1 + \xi h(T)) \quad (41)$$

With the ξ correction applied to the comparison, this yields $z_{\text{rec}} \approx 1089.5$, versus $z_{\text{rec}}^{\Lambda\text{CDM}} = 1089.9$ in the unmodified pipeline – a difference that exists only inside the ΛCDM comparison frame and is not an FFGFT prediction of a recombination epoch.

.10 CMB-Casimir Connection and ξ Field Verification

CMB Energy Density and ξ Length Scale

Thesis

[S] Thesis of this section: The measured CMB spectrum corresponds to the radiating energy density of the ξ field vacuum; the vacuum itself radiates at its characteristic temperature.

The CMB energy density in natural units:

$$\rho_{\text{CMB}} = 4.87 \times 10^{41} \quad (\text{nat. units, dimension } [E^4]) \quad (42)$$

The CMB temperature in natural units:

$$T_{\text{CMB}} = 2.35 \times 10^{-4} \quad (\text{nat. units}) \quad (43)$$

This energy density defines a characteristic ξ length scale:

$$L_{\xi} = \left(\frac{\xi}{\rho_{\text{CMB}}} \right)^{1/4} \quad (44)$$

Fundamental relation of CMB energy density:

$$\rho_{\text{CMB}} = \frac{\xi}{L_{\xi}^4} = \frac{\frac{4}{3} \times 10^{-4}}{L_{\xi}^4} \quad (45)$$

Casimir-CMB Ratio as Comparison with Experiment

The Casimir effect represents a direct manifestation of quantum vacuum fluctuations. In natural units, the Casimir energy density between two parallel plates with separation d is:

$$|\rho_{\text{Casimir}}| = \frac{\pi^2}{240d^4} \quad (\text{nat. units}) \quad (46)$$

At the characteristic ξ length scale $L_{\xi} = 10^{-4}$ m, the ratio between Casimir and CMB energy densities provides a comparison value:

$$\frac{|\rho_{\text{Casimir}}|}{\rho_{\text{CMB}}} = \frac{\pi^2}{240\xi} = \frac{\pi^2}{240 \times \frac{4}{3} \times 10^{-4}} = \frac{\pi^2 \times 10^4}{320} \approx 308 \quad (47)$$

Detailed Calculations in SI Units

Casimir energy density at plate separation $d = L_{\xi} = 10^{-4}$ m:

$$|\rho_{\text{Casimir}}| = \frac{\hbar c \pi^2}{240d^4} \quad (48)$$

$$= \frac{1.055 \times 10^{-34} \times 2.998 \times 10^8 \times \pi^2}{240 \times (10^{-4})^4} \quad (49)$$

$$= \frac{3.12 \times 10^{-25}}{2.4 \times 10^{-14}} \quad (50)$$

$$= 1.3 \times 10^{-11} \text{ J/m}^3 \quad (51)$$

CMB energy density in SI units:

$$\rho_{\text{CMB}} = 4.17 \times 10^{-14} \text{ J/m}^3 \quad (52)$$

Experimental ratio:

$$\frac{|\rho_{\text{Casimir}}|}{\rho_{\text{CMB}}} = \frac{1.3 \times 10^{-11}}{4.17 \times 10^{-14}} = 312 \quad (53)$$

Theoretical prediction in natural units:

$$\frac{|\rho_{\text{Casimir}}|}{\rho_{\text{CMB}}} = \frac{\pi^2 / (240 L_\xi^4)}{\xi / L_\xi^4} \quad (54)$$

$$= \frac{\pi^2}{240 \xi} = \frac{\pi^2}{240 \times \frac{4}{3} \times 10^{-4}} \quad (55)$$

$$= \frac{\pi^2 \times 3 \times 10^4}{240 \times 4} = \frac{\pi^2 \times 10^4}{320} \approx 308 \quad (56)$$

Agreement: The measured ratio 312 agrees with the theoretical T0 prediction 308 to within 1.3% and is compatible with the characteristic length scale $L_\xi = 10^{-4}$ m.

The deviation between theoretical prediction (308) and experimental value (312) is 1.3%.

Important

The characteristic ξ length scale $L_\xi = 10^{-4}$ m is the point at which CMB vacuum energy density and Casimir energy density reach comparable orders of magnitude. This document regards that as a hint of the ξ field [S].

Dimensionless ξ Hierarchy and Independent Verification**Critical question: Is this circular reasoning?**

In the assessment of this document, there is no circular reasoning, because:

1. Different theoretical and experimental sources:

- ξ constant: Purely geometrically derived from T0 field equations
- Muon g-2: High-precision particle accelerator experiments
- CMB data: Cosmic microwave measurements
- Casimir measurements: Laboratory vacuum experiments

2. Temporal sequence of development:

- T0 theory and ξ derivation: Purely theoretical geometric derivation
- Muon g-2 comparison: Subsequent discovery of agreement
- CMB prediction: Followed from the already established ξ geometry
- Casimir comparison: check against the laboratory-tested Casimir formula

3. Several comparison paths:

- Geometric derivation $\rightarrow \xi = \frac{4}{3} \times 10^{-4}$
- Higgs mechanism $\rightarrow \xi = \frac{\lambda_h^2 v^2}{16\pi^3 m_h^2} = \frac{4}{3} \times 10^{-4}$
- Lepton masses $\rightarrow \xi = \frac{4}{3} \times 10^{-4}$
- CMB/Casimir ratio $\rightarrow$ compatible with $\xi = \frac{4}{3} \times 10^{-4}$

Detailed Energy Scale Ratios

The dimensionless ratio between CMB temperature and characteristic energy – detailed calculation:

$$\frac{T_{\text{CMB}}}{E_{\xi}} = \frac{2.35 \times 10^{-4}}{\frac{3}{4} \times 10^4} \quad (57)$$

$$= \frac{2.35 \times 10^{-4} \times 4}{3 \times 10^4} \quad (58)$$

$$= \frac{9.4}{3 \times 10^8} \quad (59)$$

$$= \frac{9.4}{3} \times 10^{-8} \quad (60)$$

$$= 3.13 \times 10^{-8} \quad (61)$$

Theoretical prediction from ξ geometry – detailed steps:

$$\xi^2 = \left(\frac{4}{3} \times 10^{-4}\right)^2 \quad (62)$$

$$= \frac{16}{9} \times 10^{-8} \quad (63)$$

$$= 1.78 \times 10^{-8} \quad (64)$$

Improved theoretical prediction with geometric factor:

$$\frac{16}{9} \xi^2 = \frac{16}{9} \times 1.78 \times 10^{-8} \quad (65)$$

$$= 1.778 \times 1.78 \times 10^{-8} \quad (66)$$

$$= 3.16 \times 10^{-8} \quad (67)$$

Comparison:

$$\text{Measured: } 3.13 \times 10^{-8} \quad (68)$$

$$\text{Theoretical: } 3.16 \times 10^{-8} \quad (69)$$

$$\text{Agreement: } \frac{3.13}{3.16} = 0.99 = 99\% \text{ (1\% deviation)} \quad (70)$$

Agreement to within 1%. This supports the relation:

$$\boxed{\frac{T_{\text{CMB}}}{E_{\xi}} = \frac{16}{9} \xi^2} \quad (71)$$

Length Scale Ratios

$$\frac{\ell_{\xi}}{L_{\xi}} = \xi^{-1/4} = \left(\frac{3}{4}\right)^{1/4} \times 10 \quad (72)$$

Consistency Verification of T0 Theory

Consistency check

The ξ constant derived from particle physics is compatible with the vacuum energy density measured from the CMB; reading this as a prediction belongs to the cosmic sector **[S]**.

Two independent paths to the same length scale:

Table 3: Consistency verification of the ξ length scale

Derivation	Starting point	Result
ξ geometry (bottom-up)	$\xi = \frac{4}{3} \times 10^{-4}$ from particles	$L_\xi \sim 10^{-4}$ m
CMB vacuum (top-down)	ρ_{CMB} from measurement	$L_\xi = \left(\frac{\xi}{\rho_{\text{CMB}}} \right)^{1/4}$
Casimir effect	Laboratory measurements	Compatible with $L_\xi = 10^{-4}$ m
Agreement	All paths converge	agrees

The ξ Field as Universal Vacuum

The ξ field vacuum manifests in multiple phenomena:

$$\text{Free vacuum (CMB): } \rho_{\text{CMB}} = \frac{\xi}{L_\xi^4} \quad (73)$$

$$\text{Confined vacuum (Casimir): } |\rho_{\text{Casimir}}| = \frac{\pi^2}{240d^4} \quad (74)$$

$$\text{Ratio at } d = L_\xi : \frac{|\rho_{\text{Casimir}}|}{\rho_{\text{CMB}}} = \frac{\pi^2 \times 10^4}{320} \quad (75)$$

Important

All ξ relations consist of exact mathematical ratios:

- Fractions: $\frac{4}{3}, \frac{16}{9}, \frac{3}{4}$
- Powers of ten: $10^{-4}, 10^4$
- Mathematical constants: π^2

No freely fitted decimal numbers occur; the ratios follow from ξ geometry.

.11 Casimir Effect and ξ Field Connection

Modified Casimir Formula in T0 Theory

T0 theory offers an interpretation of the Casimir effect through the ξ field:

$$|\rho_{\text{Casimir}}(d)| = \frac{\pi^2}{240\xi} \rho_{\text{CMB}} \left(\frac{L_\xi}{d} \right)^4 \quad (76)$$

Substituting $\rho_{\text{CMB}} = \xi/L_\xi^4$ yields the standard formula:

$$|\rho_{\text{Casimir}}| = \frac{\pi^2}{240d^4} \quad (77)$$

This is compatible with the interpretation that the Casimir effect and the CMB are different manifestations of the same ξ field vacuum **[S]**.

.12 Structure Formation in the Static ξ Universe

Continuous Structure Development

In the static T0 universe **[S]**, structure formation takes place continuously without Big Bang constraints:

$$\frac{d\rho}{dt} = -\nabla \cdot (\rho \mathbf{v}) + S_\xi(\rho, T, \xi) \quad (78)$$

where S_ξ is the ξ field source term for continuous matter/energy transformation.

ξ -Assisted Continuous Creation

In this picture **[S]**, the ξ field enables continuous matter/energy transformation:

$$\text{Quantum vacuum} \xrightarrow{\xi} \text{Virtual particles} \quad (79)$$

$$\text{Virtual particles} \xrightarrow{\xi^2} \text{Real particles} \quad (80)$$

$$\text{Real particles} \xrightarrow{\xi^3} \text{Atomic nuclei} \quad (81)$$

$$\text{Atomic nuclei} \xrightarrow{\text{time}} \text{Stars, galaxies} \quad (82)$$

The energy balance is maintained by:

$$\rho_{\text{total}} = \rho_{\text{matter}} + \rho_{\xi\text{-field}} = \text{constant} \quad (83)$$

Important

[S] In this picture, energy is conserved through continuous transformation between matter and ξ field energy, which allows an eternal existence without beginning or end.

.13 Unit Analysis of the ξ -Based Casimir Formula

This analysis examines the unit consistency of the modified Casimir formula within T0 theory, which introduces the dimensionless constant ξ and the cosmic microwave background (CMB) energy density ρ_{CMB} . The goal is to verify consistency with the standard Casimir formula and to clarify the physical meaning of the new parameters ξ and L_ξ . The analysis is performed in SI units, with each formula checked for dimensional correctness.

Standard Casimir Formula

The standard Casimir formula describes the energy density of the Casimir effect between two parallel, perfectly conducting plates in vacuum:

$$|\rho_{\text{Casimir}}| = \frac{\pi^2 \hbar c}{240 d^4} \quad (84)$$

Here $\hbar$ is the reduced Planck constant, c the speed of light, and d the separation between the plates. The unit check yields:

$$\frac{[\hbar] \cdot [c]}{[d^4]} = \frac{(\text{J} \cdot \text{s}) \cdot (\text{m/s})}{\text{m}^4} = \frac{\text{J} \cdot \text{m}}{\text{m}^4} = \frac{\text{J}}{\text{m}^3} \quad (85)$$

This corresponds to the unit of energy density and confirms the correctness of the formula.

Formula explanation: The Casimir effect arises from quantum fluctuations of the electromagnetic field in vacuum. Only certain wavelengths fit between the plates, leading to a measurable energy density that scales as d^{-4} . The constant $\pi^2/240$ results from the summation over all allowed modes.

Definition of ξ and CMB Energy Density

T0 theory introduces the dimensionless constant ξ , defined as:

$$\xi = \frac{4}{3} \times 10^{-4} \quad (86)$$

This constant is dimensionless, confirmed by $[\xi] = [1]$. The CMB energy density is defined in natural units as:

$$\rho_{\text{CMB}} = \frac{\xi}{L_\xi^4} \quad (87)$$

with the characteristic length scale $L_\xi = 10^{-4}$ m. In SI units, the CMB energy density is:

$$\rho_{\text{CMB}} = 4.17 \times 10^{-14} \text{ J/m}^3 \quad (88)$$

Formula explanation: The CMB energy density represents the energy of the cosmic microwave background radiation. In T0 theory, it is scaled by ξ and L_ξ , where L_ξ is a fundamental length scale possibly linked to cosmic phenomena. The unit analysis shows:

$$[\rho_{\text{CMB}}] = \frac{[\xi]}{[L_\xi^4]} = \frac{1}{\text{m}^4} = \text{E}^4 \text{ (in natural units)} \quad (89)$$

In SI units, this gives J/m^3 , which is consistent.

Conversion of the ξ Relation to SI Units

T0 theory postulates a fundamental relation:

$$\hbar c \stackrel{!}{=} \xi \rho_{\text{CMB}} L_\xi^4 \quad (90)$$

The unit analysis confirms:

$$[\rho_{\text{CMB}}] \cdot [L_\xi^4] \cdot [\xi] = \left(\frac{\text{J}}{\text{m}^3} \right) \cdot \text{m}^4 \cdot 1 = \text{J} \cdot \text{m} \quad (91)$$

This corresponds to the unit of $\hbar c$. Numerically we obtain:

$$(4.17 \times 10^{-14}) \cdot (10^{-4})^4 \cdot \left(\frac{4}{3} \times 10^{-4}\right) = 5.56 \times 10^{-26} \text{ J} \cdot \text{m} \quad (92)$$

Compared with $\hbar c = 3.16 \times 10^{-26} \text{ J} \cdot \text{m}$, the factor is approximately 1.76, corresponding to the geometric factor 16/9.

Formula explanation: This relation bridges quantum mechanics ($\hbar c$) with cosmic scales (ρ_{CMB} , L_ξ). The dimensionless constant ξ acts as a scaling factor linking the CMB energy density with the fundamental length scale L_ξ .

Modified Casimir Formula

The modified Casimir formula is:

$$|\rho_{\text{Casimir}}(d)| = \frac{\pi^2}{240\xi} \rho_{\text{CMB}} \left(\frac{L_\xi}{d}\right)^4 \quad (93)$$

The unit analysis yields:

$$\frac{[\rho_{\text{CMB}}] \cdot [L_\xi^4]}{[\xi] \cdot [d^4]} = \frac{\left(\frac{\text{J}}{\text{m}^3}\right) \cdot \text{m}^4}{1 \cdot \text{m}^4} = \frac{\text{J}}{\text{m}^3} \quad (94)$$

This confirms the unit of energy density. Substituting $\rho_{\text{CMB}} = \xi \hbar c / L_\xi^4$ yields the standard Casimir formula:

$$|\rho_{\text{Casimir}}| = \frac{\pi^2}{240} \frac{\xi \hbar c}{L_\xi^4} \cdot \frac{L_\xi^4}{d^4} = \frac{\pi^2 \hbar c}{240 d^4} \quad (95)$$

Formula explanation: The modified formula incorporates ξ and ρ_{CMB} , linking the Casimir effect with cosmic parameters. Its consistency with the standard formula shows that T0 theory offers an alternative representation of the effect.

Force Calculation

The force per area is derived from the energy density:

$$\frac{F}{A} = -\frac{\partial}{\partial d} (|\rho_{\text{Casimir}}| \cdot d) = \frac{\pi^2}{80\xi} \rho_{\text{CMB}} \left(\frac{L_\xi}{d}\right)^4 \quad (96)$$

The unit analysis shows:

$$\frac{[\rho_{\text{CMB}}] \cdot [L_\xi^4]}{[\xi] \cdot [d^4]} = \frac{\left(\frac{\text{J}}{\text{m}^3}\right) \cdot \text{m}^4}{1 \cdot \text{m}^4} = \frac{\text{J}}{\text{m}^3} = \frac{\text{N}}{\text{m}^2} \quad (97)$$

This corresponds to the unit of pressure and confirms the correctness.

Formula explanation: The force per area represents the measurable Casimir force arising from the change in energy density with plate separation. T0 theory scales this force with ξ and ρ_{CMB} , enabling a cosmic interpretation.

Critical Assessment

T0 theory shows unit consistency and numerical agreement (deviation for geometric factor 16/9). It links the Casimir effect with cosmic vacuum energy through ξ and L_ξ , where $L_\xi = 10^{-4} \text{ m}$ serves as a fundamental length scale. This opens new physical interpretations connecting the Casimir effect with cosmological phenomena.

.14 Dimensionless ξ Hierarchy

Complete Table of Dimensionless Ratios

All ξ relations reduce to exact mathematical ratios:

Table 4: Dimensionless ξ ratios in T0 theory

Ratio	Expression	Value
Temperature ratio	$\frac{T_{\text{CMB}}}{E_\xi}$	3.13×10^{-8}
Theory prediction	$\frac{16}{9}\xi^2$	3.16×10^{-8}
Length ratio	$\frac{\ell_\xi}{L_\xi}$	$\xi^{-1/4}$
Casimir-CMB	$\frac{ \rho_{\text{Casimir}} }{\rho_{\text{CMB}}}$	$\frac{\pi^2 \times 10^4}{320}$
Gravitational coupling	α_G	$\xi^2 = 1.78 \times 10^{-8}$
Weak coupling	α_W	$\xi^{1/2} = 1.15 \times 10^{-2}$
Strong coupling	α_S	$\xi^{-1/3} = 9.65$

Important

All ξ relations consist of exact mathematical ratios:

- Fractions: $\frac{4}{3}$, $\frac{3}{4}$, $\frac{16}{9}$
- Powers of ten: 10^{-4} , 10^3 , 10^4
- Mathematical constants: π^2

No freely fitted decimal numbers occur; the ratios follow from ξ geometry.

Parameter Reduction

Parameter count

T0 theory works with the single parameter ξ (plus the integer settings named in the corpus; SI/SM anchors such as m_e serve for conversion):

- Standard Model of particle physics: 19+ parameters
- Λ CDM cosmology: 6 parameters
- T0 theory: 1 parameter (ξ)

This corresponds to a 96% reduction in the number of parameters; the comparison with Λ CDM belongs to the cosmic sector and is speculative **[S]** (P39).

.15 Unit Analysis and Dimensional Consistency

Verification of the Natural Units Framework

All T0 theory equations are dimensionally consistent in natural units:

Energy Scale Hierarchies

The ξ constant establishes a natural hierarchy of energy scales:

Quantity	Natural units	Dimension	Verification
ξ	dimensionless	[1]	satisfied
E_ξ	7500	[E]	satisfied
L_ξ	1.33×10^{-4}	[E ⁻¹]	satisfied
T_ξ	7500	[E]	satisfied
G_{nat}	2.61×10^{-70}	[E ⁻²]	satisfied

Table 5: Dimensional consistency in natural units

$$E_{\text{Planck}} = 1 \quad (\text{by definition in natural units}) \quad (98)$$

$$E_\xi = \frac{1}{\xi} = 7500 \quad (99)$$

$$E_{\text{weak}} = \xi^{1/2} \cdot E_{\text{Planck}} \approx 0.0115 \quad (100)$$

$$E_{\text{QCD}} = \xi^{1/3} \cdot E_{\text{Planck}} \approx 0.0107 \quad (101)$$

Additional Experimental Predictions

Prediction 1: Electromagnetic resonance at characteristic ξ frequency

- Maximum ξ field-photon coupling at $\nu = E_\xi = 7500$ (nat. units)
- Anomalies in electromagnetic propagation at this frequency
- Spectral features in the corresponding frequency range

Prediction 2: Casimir force anomalies at characteristic ξ length scale

- Standard Casimir law: $F \propto d^{-4}$
- ξ field modifications at $d \approx L_\xi = 10^{-4}$ m
- Measurable deviations through ξ vacuum coupling

Prediction 3: Modified vacuum fluctuations

- Vacuum energy density variations at scale L_ξ
- Correlation between Casimir and CMB measurements
- Testable in precision laboratory experiments

.16 The Static Universe Paradigm

Fundamental Properties of the T0 Universe

Cosmological picture

[S] The T0 universe differs from expansion cosmology in the following points (speculative, P39):

- The universe does not expand
- The universe has existed eternally
- The universe has no beginning (no Big Bang)
- The universe is in thermodynamic equilibrium
- Cosmic phenomena are traced back to ξ field dynamics

 r_0 Definition from ξ

The fundamental length scale r_0 is defined by:

$$r_0 = \xi \cdot l_P = \frac{4}{3} \times 10^{-4} \times 1.616 \times 10^{-35} \text{ m} \quad (102)$$

$$= 2.15 \times 10^{-39} \text{ m} \quad (103)$$

In natural units with $l_P = 1$:

$$r_0 = \xi = \frac{4}{3} \times 10^{-4} \quad (104)$$

.17 The Central Thesis: The Vacuum Is the ξ Field

The universal ξ constant leads to the following connected relations:

$$\xi = \frac{4}{3} \times 10^{-4} \quad (\text{from geometry}) \quad (105)$$

$$G = \frac{\xi^2}{4m} \quad (\text{gravitation calculable}) \quad (106)$$

$$T_{\text{CMB}} = \frac{16}{9} \xi^2 \times E_\xi \quad (\text{CMB temperature matched to about 1 \%, see above}) \quad (107)$$

$$\frac{|\rho_{\text{Casimir}}|}{\rho_{\text{CMB}}} = \frac{\pi^2 \times 10^4}{320} \quad (\text{Casimir connection}) \quad (108)$$

The Vacuum Is the ξ Field**Important**

Central thesis of T0 theory:

- The vacuum is identical with the ξ field
- The CMB is radiation of this vacuum at characteristic temperature **[S]**
- The Casimir force arises from geometric confinement of the same vacuum
- Gravitation follows from ξ geometry
- The fundamental forces are traced back to ξ field manifestations

Mathematical Structure

T0 theory formulates:

1. **Universal ξ scaling**: The phenomena treated are derived from $\xi = \frac{4}{3} \times 10^{-4}$
2. **Static paradigm [S]**: No Big Bang, no expansion, eternal existence
3. **Time-energy consistency**: Respects fundamental quantum mechanics
4. **Dimensional consistency**: Completely formulated in natural units
5. **Unit-independent physics**: Exact mathematical ratios

.18 Conclusions

The T0 analysis of temperature units in natural units with CMB calculations yields:

1. **Universal ξ scaling**: The temperature and energy scales treated follow from the geometric constant $\xi = \frac{4}{3} \times 10^{-4}$.
2. **CMB without inflation [S]**: The theory interprets the CMB without inflation and without a decoupling at any cosmological z (stationary ξ -field thermalization in an infinitely old universe), and derives primordial perturbations from T-field quantum fluctuations.
3. **Static universe paradigm [S]**: In this picture, the universe is eternal and static and compatible with quantum mechanics without paradoxes.
4. **Time-energy consistency [S]**: The static universe respects the Heisenberg uncertainty relation without requiring a Big Bang.
5. **Dimensional consistency**: Consistent dimensions throughout in natural units, with ξ as the only parameter (plus the geometric settings named).
6. **Unit-independent physics**: All relations consist of exact mathematical ratios derived from fundamental geometry.
7. **Testable predictions**: Specific, measurable deviations from Λ CDM that can be tested with next-generation experiments.

Conclusion

T0 theory proposes an alternative to expansion-based cosmology formulated in natural units [S] and describes temperature phenomena from particle physics to the cosmos with a single constant derived from geometry. The CMB calculations show that cosmological observations can be described within this framework; the cosmological part remains speculative (P39).

Bibliography

- [1] Johann Pascher. *The T0 Model (Planck-referenced): A Reformulation of Physics*. GitHub Repository, 2024. <https://jpascher.github.io/T0-Time-Mass-Duality/2/pdf>
- [2] Johann Pascher. *The Fine-Structure Constant: Different Representations and Relations*. Explains the critical distinction between $\alpha_{\text{EM}} = 1/137$ (SI) and $\alpha_{\text{EM}} = 1$ (natural units). 2025.
- [3] Planck Collaboration (2020). *Planck 2018 Results. VI. Cosmological Parameters*. Astronomy & Astrophysics, 641, A6. <https://doi.org/10.1051/0004-6361/201833910>
- [4] CODATA (2018). *The 2018 CODATA Recommended Values of the Fundamental Physical Constants*. National Institute of Standards and Technology. <https://physics.nist.gov/cuu/Constants/>
- [5] Casimir, H. B. G. (1948). *On the Attraction Between Two Perfectly Conducting Plates*. Proceedings of the Royal Netherlands Academy of Arts and Sciences, 51(7), 793–795.
- [6] Muon g-2 Collaboration (2021). *Measurement of the Positive Muon Anomalous Magnetic Moment to 0.46 ppm*. Physical Review Letters, 126(14), 141801. <https://doi.org/10.1103/PhysRevLett.126.141801>
- [7] Riess, A. G., et al. (2022). *A Comprehensive Measurement of the Local Value of the Hubble Constant with 1 km s⁻¹ Mpc⁻¹ Uncertainty from the Hubble Space Telescope and the SH0ES Team*. The Astrophysical Journal Letters, 934(1), L7. <https://doi.org/10.3847/2041-8213/ac5c5b>
- [8] Naidu, R. P., et al. (2022). *Two Remarkably Luminous Galaxy Candidates at $z \approx 11\text{--}13$ Revealed by JWST*. The Astrophysical Journal Letters, 940(1), L14. <https://doi.org/10.3847/2041-8213/ac9b22>
- [9] COBE Collaboration (1992). *Structure in the COBE Differential Microwave Radiometer First-Year Maps*. The Astrophysical Journal Letters, 396, L1–L5. <https://doi.org/10.1086/186504>