	EM Ordering Result													
	MMSE (1) -	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			1.0
	PCC-FCI (2) -	0.00	0.41	0.00	0.00	0.57	0.03	0.00	0.00	0.00	0.00			0.0
	FUS-FCI (3) -	0.00	0.08	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00			- 0.8
A۱	VLT-Sum (4) -	0.00	0.08	0.05	0.84	0.00	0.00	0.00	0.03	0.00	0.00			0.6
arker	HIP-FCI (5) -	0.00	0.00	0.00	0.03	0.38	0.00	0.00	0.03	0.54	0.03			- 0.6 Pillity
Biomarker	AB (6) -	0.00	0.00	0.00	0.00	0.00	0.35	0.00	0.59	0.00	0.05			Probability
	ADAS (7) -	0.00	0.00	0.00	0.00	0.03	0.14	0.11	0.00	0.14	0.59			- 0.4
	HIP-GMI (8) -	0.00	0.03	0.03	0.14	0.00	0.03	0.57	0.19	0.00	0.03			
F	FUS-GMI (9) -	0.00	0.41	0.00	0.00	0.03	0.03	0.00	0.03	0.27	0.24			- 0.2
	P-Tau (10) -	0.00	0.00	0.00	0.00	0.00	0.43	0.32	0.14	0.05	0.05			
1 2 3 4 5 6 7 8 9 Stage Position											10			- 0.0