EM Ordering Result														
P-	Tau (1) -	0.86	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00			2.0
MM	/ISE (2) -	0.08	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.0
HIP-C	GMI (3) -	0.03	0.00	0.30	0.27	0.00	0.00	0.00	0.00	0.00	0.41			- 0.8
PCC-	FCI (4) -	0.00	0.00	0.57	0.43	0.00	0.00	0.00	0.00	0.00	0.00			0.5
AVLT-S	um (5) -	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00			6.0 -
Biomarker SONA	GMI (6) -	0.00	0.03	0.00	0.16	0.00	0.14	0.54	0.00	0.00	0.14			Probability
FUS-	FCI (7) -	0.00	0.05	0.00	0.00	0.00	0.78	0.16	0.00	0.00	0.00			0.4
HIP-	·FCI (8) -	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00			
ΑГ	DAS (9) -	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.97	0.00			0.2
A	\B (10) -	0.03	0.00	0.00	0.14	0.00	0.05	0.30	0.00	0.03	0.46			
1 2 3 4 5 6 7 8 9 10 Stage Position													0.0	