	EM Ordering Result													
	AB (1) -	0.58	0.40	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Biomarker	HIP-GMI (2) -	0.11	0.43	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
	AVLT-Sum (3) -	0.29	0.17	0.53	0.00	0.02	0.00	0.00	0.00	0.00	0.00			- 0.8
	ADAS (4) -	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00			
	P-Tau (5) -	0.00	0.00	0.00	0.00	0.98	0.02	0.00	0.00	0.00	0.00			- 0.6 Pillity
	FUS-GMI (6) -	0.00	0.00	0.00	0.00	0.00	0.49	0.48	0.02	0.00	0.00			Probability
	PCC-FCI (7) -	0.00	0.00	0.00	0.00	0.00	0.48	0.51	0.02	0.00	0.00			- 0.4
	MMSE (8) -	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.95	0.05	0.00			
	FUS-FCI (9) -	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.02	0.94	0.01			- 0.2
	HIP-FCI (10) -	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.99			
- 0.0 1 2 3 4 5 6 7 8 9 10 Stage Position													- 0.0	