Juan Pablo Cartin Esquivel:



después de crear la imagen



después de hacer el docker run y de ejecutar el docker ps



https://localhost:3000

Update



docker volume inspect todo-db



docker network ls

**docker container ls**

```
jpce@jpcepc:~/Lab_Docker/getting-started-app$ docker compose up -d
[+] Running 4/4
 ✔ Network getting-started-app_default          Created          0.0s
 ✔ Volume "getting-started-app_todo-mysql-data"  Created          0.0s
 ✔ Container getting-started-app-app-1           Created          0.1s
 ✔ Container getting-started-app-mysql-1         Started          0.1s
Error response from daemon: driver failed programming external connectivity on endpoint getting-started-app-app-1 (4b5c4cd4483f164ff2ec8dd28f4
f07a859b7493ed10205e095f6e2e2b28764be): Bind for 127.0.0.1:3000 failed: port is already allocated
```

docker compose up -d

```
jpce@jpcepc:~/Lab_Docker/getting-started-app$ docker container ls
CONTAINER ID   IMAGE           COMMAND                  CREATED          STATUS          PORTS                       NAMES
a93b38300b32   mysql:8.0       "docker-entrypoint.s…"   3 minutes ago    Up 3 minutes    3306/tcp, 33060/tcp         getting-started-app-mysql-1
b95fdbd727f3   mysql:8.0       "docker-entrypoint.s…"   39 minutes ago   Up 39 minutes   3306/tcp, 33060/tcp         wizardly_dewdney
3fa3b145b6be   getting-started "docker-entrypoint.s…"   57 minutes ago   Up 57 minutes   127.0.0.1:3000->3000/tcp    infallible_leakey
```

**docker container ls**