```
term variable
 x
           type variable
 \alpha
 T
           type
 n
 t
                                                                             term
                                                                                   variable
                   \begin{vmatrix} \lambda \\ \lambda(x:\tau) \to t \\ \lambda\{\alpha:\kappa\} \to t \\ | t_1 t_2 \\ | t[\tau] \\ | t:\tau \end{vmatrix}
                                                                                   abstraction
                                                                                  type abstraction
                                                                                  application
                                                                                   type application
                                                                                   type annotation
                                                              S
                                                                                   parenthesis
                                                                            value
                           \lambda(x:\tau) \to t
                                                                                   abstraction
                                                                            kind
 \kappa
                                                                                  star
                                                                                  kind arrow
                                                                                   parenthesis
                                                                             type
                \begin{array}{c|cccc} & & & & & & \\ & & \alpha & & & \\ & & T & & \\ & & \tau_1 \to \tau_2 & & \\ & & \lambda(\alpha:\kappa), \tau & & \\ & & \forall (\alpha:\kappa), \tau & & \\ & & \tau_1 \tau_2 & & \\ & & (\tau) & & S \end{array}
                                                                                   type variable
                                                                                   type
                                                                                  arrow
                                                                                  operator abstraction
                                                                                  forall
                                                                                   operator application
                                                                                   parenthesis
 Γ
                                                                             typing environment
                    | \quad \emptyset \\ | \quad \Gamma, x : \tau \\ | \quad \Gamma, T : \kappa \\ | \quad \Gamma, \alpha : \kappa 
                                                                                  empty
                                                                                   variable
                                                                                   abstract type
                                                                                   type variable
[\alpha \mapsto \tau_1]\tau_2 \rhd \tau_3 Type substitution
                                                                                \overline{[\alpha \mapsto \tau]\alpha \rhd \tau} \quad \text{SubstT_Var1}
                                                                               \frac{1}{[\alpha \mapsto \tau]\alpha \rhd \alpha} \quad \text{SubstT_Var2}
\frac{1}{[\alpha \mapsto \tau]T \rhd T} \quad \text{SubstT_TYPE}
                                                              \begin{array}{ll} [\alpha \mapsto \tau_1] \tau_2 \rhd \tau_2' \\ [\alpha \mapsto \tau_1] \tau_3 \rhd \tau_3' \\ \overline{[\alpha \mapsto \tau_1] \tau_2 \to \tau_3 \rhd \tau_2' \to \tau_3'} \end{array} \text{ SubstT\_Arrow} 
                                                         \overline{[\alpha \mapsto \tau_1]\lambda(\alpha : \kappa), \tau_2 \rhd \lambda(\alpha : \kappa), \tau_2} \quad \text{SubstT\_Abs1}
                                                         \frac{[\alpha \mapsto \tau_1]\tau_2 \rhd \tau_2'}{[\alpha \mapsto \tau_1]\lambda(\alpha : \kappa), \tau_2 \rhd \lambda(\alpha : \kappa), \tau_2'} \quad \text{SubstT\_Abs2}
```

$|\Gamma \vdash t : \tau|$ Typing rules

$$\frac{x:\tau\in\Gamma}{\Gamma\vdash x:\tau}\quad \text{T-VAR}$$

$$\frac{\Gamma,x:\tau_1\vdash t:\tau_2}{\Gamma\vdash\tau_1:*}\quad \text{T-Abs}$$

$$\frac{\Gamma\vdash t_1:\tau_2\to\tau_1}{\Gamma\vdash t_2:\tau_2}\quad \text{T-App}$$

$$\frac{\Gamma\vdash t_2:\tau_2}{\Gamma\vdash t_1\,t_2:\tau_1}\quad \text{T-App}$$

$$\frac{\Gamma,\alpha:\kappa\vdash t:\tau}{\alpha\notin\Gamma}$$

$$\frac{\alpha\notin\Gamma}{\Gamma\vdash\lambda\{\alpha:\kappa\}\to t:\forall\,(\alpha:\kappa),\tau}\quad \text{T-TyAbs}$$

$$\frac{\Gamma\vdash t:\forall\,(\alpha:\kappa),\tau_2}{\Gamma\vdash\tau_1:\kappa}$$

$$\frac{[\alpha\mapsto\tau_1]\tau_2\rhd\tau_2'}{\Gamma\vdash t[\tau_1]:\tau_2'}\quad \text{T-TyApp}$$

$$\frac{\Gamma\vdash t:\tau_2}{\Gamma\vdash t:\tau_1}$$

$$\frac{\tau_1\equiv\tau_2}{\Gamma\vdash(t:\tau_1):\tau_1}\quad \text{T-Annot}$$

$\Gamma \vdash \tau : \kappa$ Kinding

$$\frac{\alpha:\kappa\in\Gamma}{\Gamma\vdash\alpha:\kappa}\quad \text{K_-VAR}$$

$$\frac{T:\kappa\in\Gamma}{\Gamma\vdash T:\kappa}\quad \text{K_-AbsType}$$

$$\frac{\Gamma,\alpha:\kappa_1\vdash\tau:\kappa_2}{\Gamma\vdash\lambda(\alpha:\kappa_1),\tau:\kappa_1\to\kappa_2}\quad \text{K_-Abs}$$

$$\frac{\Gamma\vdash\tau_1:\kappa_2\to\kappa_1}{\Gamma\vdash\tau_2:\kappa_2}\quad \text{K_-App}$$

$$\frac{\Gamma\vdash\tau_1:*}{\Gamma\vdash\tau_1:*}\quad \text{K_-App}$$

$$\frac{\Gamma\vdash\tau_1:*}{\Gamma\vdash\tau_1\to\tau_2:*}\quad \text{K_-Arrow}$$

$$\frac{\Gamma,\alpha:\kappa\vdash\tau:*}{\Gamma\vdash\tau_1\to\tau_2:*}\quad \text{K_-Forall}$$

 $\tau_1 \equiv \tau_2$ Type equivalence

 $[x \mapsto v]t_1 \rhd t_2$ substitution

$$\frac{[x \mapsto v]x \triangleright v}{[x_1 \mapsto v]x_2 \triangleright x_2} \quad \text{SUBST_VAR2}$$

$$\frac{[x \mapsto v]\lambda(x : \tau) \to t \triangleright \lambda(x : \tau) \to t}{[x_1 \mapsto v]t_1 \triangleright t_2} \quad \text{SUBST_ABS2}$$

$$\frac{[x_1 \mapsto v]t_1 \triangleright t_2}{[x_1 \mapsto v]\lambda(x_2 : \tau) \to t_1 \triangleright \lambda(x_2 : \tau) \to t_2} \quad \text{SUBST_ABS2}$$

$$\frac{[x \mapsto v]t_1 \triangleright t_2}{[x \mapsto v]\lambda\{\alpha : \kappa\} \to t_1 \triangleright \lambda\{\alpha : \kappa\} \to t_2} \quad \text{SUBST_TABS}$$

$$\frac{[x \mapsto v]t_1 \triangleright t_1'}{[x \mapsto v]t_2 \triangleright t_2'} \quad \text{SUBST_TAPP}$$

$$\frac{[x \mapsto v]t_1 \triangleright t_2}{[x \mapsto v]t_1 \vdash t_2 \vdash t_1' \vdash t_2'} \quad \text{SUBST_TAPP}$$

$$\frac{[x \mapsto v]t_1 \triangleright t_2}{[x \mapsto v]t_1 \vdash t_2 \vdash t_2 \vdash \tau} \quad \text{SUBST_ANNOT}$$

 $t_1 \longrightarrow t_2$ Evaluation

$$\frac{t_2 \longrightarrow t_2'}{t_1 t_2 \longrightarrow t_1 t_2'} \quad \text{E-APP1}$$

$$\frac{t_1 \longrightarrow t_1'}{t_1 v \longrightarrow t_1' v} \quad \text{E-APP2}$$

$$[x \mapsto v]t \rhd t'$$

$$t' \longrightarrow t''$$

$$\overline{(\lambda(x : \tau) \to t) v \longrightarrow t''} \quad \text{E-APPABS}$$

$$\frac{t \longrightarrow t'}{\lambda\{\alpha : \kappa\} \to t \longrightarrow t'} \quad \text{E-TABS}$$

$$\frac{t \longrightarrow t'}{t[\tau] \longrightarrow t'} \quad \text{E-TAPP}$$

$$\frac{t \longrightarrow t'}{(t : \tau) \longrightarrow t'} \quad \text{E-ANNOT}$$

Definition rules: 45 good 0 bad Definition rule clauses: 94 good 0 bad