



NZMPTA AutoRep

Super Administrator Work Instructions

Accounts, companies, national records, and the reference data behind every test

Document	AUTOREP-WI-03
Version	1.0 (draft for review)
Date	27 August 2026
Applies to	AutoRep admin area (August 2026)
Prepared by	Pedersen Group for NZMPTA

Contents

1 Your role in AutoRep.....	3
1.1 Signing in	3
1.2 The Admin Portal.....	3
2 Testers — every user account	5
2.1 Creating an account.....	5
2.2 Managing an account	6
3 Testing companies	9
4 Farms and All tests — national view.....	10
5 Reference data.....	12
5.1 Test standards	12
5.2 Equipment catalogs	13
5.3 Fault observations.....	14
5.4 Regions and Milk supply companies	15
6 Privacy & Terms.....	17
7 Operational notes	17
8 Troubleshooting	18

If the contents list appears empty or out of date, right-click it in Word and choose “Update field”.

1 Your role in AutoRep

As a **Super Administrator** you run the platform for the association: every user account, every testing company, the national farm and test records, and — most importantly — the reference data the whole system tests against: the **test standards**, the **equipment catalogues** and the **standard fault wording**. Changes you make to reference data flow to every tester's device the next time it syncs.

Everything a Company Administrator can do (their company's tests and farm book — see the separate Company Administrator work instructions), you can do for **every** company, unscoped.

Important Reference-data edits change how future tests pass or fail nationwide. Historical tests are never re-marked — they keep the results as recorded — but treat standards edits with the same care as a change to the Testing Standards Manual itself.

1.1 Signing in

Sign in with your email address and password. First sign-in comes from the welcome email's set-password link, then accepting the Terms of Use — as described in section 2 of the Company Administrator instructions. Set up two-factor authentication from **Account settings** (your email in the header) — strongly recommended for this role.

1.2 The Admin Portal

Your header covers every area: **Home, All tests, Farms, Testers, Companies, Regions, Milk companies** — and the portal tiles add **Test standards, Equipment catalogs** and **Fault observations**.




Figure 1. The Admin Portal as a Super Administrator.

2 Testers — every user account

Testers is the account register for the whole platform: testers, company administrators and super administrators alike. Filter by company, search by name or email, and read each account's roles, licence state and status at a glance.

Testers
Every user account on the platform.

All companies Search testers...

EMAIL	NAME	COMPANY	ROLE	LICENCE	STATUS	
admin@local	Alex Admin	Waikato Plant Testing Ltd	Super Administrator	—	Active	Edit
casey@waikatoplant.example.nz	Casey Morgan	Waikato Plant Testing Ltd	Company Administrator	—	Active	Edit
tester@local	Sam Tester	Waikato Plant Testing Ltd	Tester	31/05/2027	Active	Edit

+ New tester

© 2026 NZMPTA · Built by Pedersen Group

Figure 2. Every account on the platform, with role, licence badge and status.

2.1 Creating an account

1. Press **+ New tester**.
2. Enter the **email address** (it is also the sign-in name) and a **display name** — the name appears on test sign-offs and reports.
3. Tick the **roles**. One account can hold several — e.g. a Company Administrator who also runs tests. Untick Tester for a pure administrator.
4. Pick the **testing company**. Testers must belong to one; administrators may be unassigned.
5. For testers, set the **licence expiry date** (they cannot sign in once it has passed) and the **certificate number** (printed on the report sign-off). Leave both blank for pure admins.
6. Press **Create tester**. The person receives a welcome email with a set-password link — no passwords ever pass through you.

MPNZ AutoRep App Home All tests Farms Testers Companies Regions Milk companies admin@local Sign out

New tester

The user receives an email with a password-reset link to set their own password.

Email
casey@waikatoplant.example.nz

Display name
Casey Morgan

Roles
☐ Tester
☒ Company Administrator
☐ Super Administrator
 A user can hold more than one role — e.g. a Company Administrator who is also a Tester.

Testing company
Waikato Plant Testing Ltd

Testers must belong to a Testing Company; admins may be unassigned.

Licence expiry date
dd/mm/yyyy

Required for Testers — they can't sign in if expired. Leave blank for admins.

Figure 3. Creating a Company Administrator — roles ticked, company set, licence left blank.

2.2 Managing an account

Open an account with **Edit**. The page is four tabs, each with its own save:

Tab	What you do there
Details	Display name, certificate number, roles, testing company.
Licence	The licence expiry date — plus a read-only view of the tester's three equipment-calibration dates (maintained by the tester in the app; expired calibration warns them but never blocks testing).
Security	Send a password-reset email (link lasts 1 hour), or Force sign out to end every session and device token the account holds.
Account	Deactivate / Reactivate the account.




Figure 4. The Licence tab — licence date, and the tester's calibration dates read-only.




Figure 5. Security — reset email and Force sign out.

- **Deactivating** an account blocks sign-in immediately but keeps every test and record it created. Use Force sign out as well if the person is currently signed in on a device.
- The app will not let you remove or deactivate the **last Super Administrator** — there is always at least one.

- Licence renewals: update the expiry date on the Licence tab. The tester's app picks it up at their next sign-in (they re-accept the terms after a renewal).

3 Testing companies

Companies lists the testing companies whose staff use AutoRep, with live counts of their testers and tests — the counts link straight to the filtered Testers and All-tests lists.

The screenshot shows the 'Testing companies' page in the MPNZ AutoRep App. The page has a dark blue header with the MPNZ logo and 'AutoRep App' text. Navigation links include Home, All tests, Farms, Testers, Companies, Regions, and Milk companies. A user profile 'A admin@local' and a 'Sign out' button are in the top right. The main content area has a title 'Testing companies' and a subtitle 'Companies whose testers use AutoRep.' A '+ New company' button is in the top right. Below the title is a search bar labeled 'Search companies...'. A table lists the companies:

NAME	STATUS	TESTERS	TESTS	CREATED	
Southern Dairy Services Ltd	Active	0	0	26 Aug 2026	Edit
Waikato Plant Testing Ltd	Active	3	0	23 Aug 2026	Edit

© 2026 NZMPTA · Built by Pedersen Group

Figure 6. Testing companies, with tester and test counts.

1. Press **+ New company**, enter the name (address and contact details are optional), and **Create**.
2. Assign people to the company from their account's Details tab (section 2.2).
3. To retire a company, open it and use **Deactivate** — records are kept, and its testers can be moved to another company from their accounts.

Figure 7. Editing a company — details on the left, deactivate/reactivate below.

4 Farms and All tests — national view

Your **Farms** and **All tests** pages are the same tools described in the Company Administrator work instructions (sections 4–5 there), with two differences: you see **every** company's records, and All tests adds an **All companies** filter. Farm review works the same — field-created farms are flagged and float to the top; either the company's own administrator or you can approve them.

MPNZ/ AutoRep App

[Home](#)[All tests](#)[Farms](#)[Testers](#)[Companies](#)[Regions](#)[Milk companies](#)

A

admin@local

Sign out

All tests

2 machine tests synced from the field.

Search by farm or tester email...

All companies

All testers

Search

TESTER	FARM	CREATED	STATUS	
tester@local	Tui Downs	26 Aug 2026, 23:17	Complete	View
tester@local	Tui Downs	26 Aug 2026, 23:12	Complete	View

Page 1 of 1 · 2 total

© 2026 NZMPTA · Built by Pedersen Group

Figure 8. All tests, unscoped — with the company filter.

5 Reference data

Note Reference data is what keeps every tester's device honest: standards, catalogues and fault wording sync to devices automatically. Deactivate items rather than deleting them — deactivation hides them from new tests without touching historical records.

5.1 Test standards

The pass/fail thresholds and formula parameters used live in the test wizard, organised by category (vacuum system, reserve, leakage, ancillary, cluster air, pulsation). Each standard records its value, its kind (maximum, minimum, range, tolerance or formula parameter), its unit and its source reference in the Testing Standards Manual / ISO 6690.

1. Open **Test standards** from the portal, expand the category, and press **Edit** on the standard.
2. Change the value (or limits) and check the source reference still matches the manual.
3. Save. Testers' devices pick the change up at their next sync, and the app shows them a notice that the standards have been updated. Tests already signed off are never re-marked.

MPNZ AutoRep App Home All tests Farms Testers Companies Regions Milk companies admin@local Sign out

Test standards

Pass/fail thresholds and formula parameters used by the test wizard, verified against the NZMPTA Testing Standards Manual and ISO 6690:2007. Changes sync to testers' devices the next time they're online; testers see an in-app notice that the standards have changed.

[+ New standard](#)

STANDARD	VALUE	KEY	SOURCE	UPDATED	
ACR / milk-meter allowance per unit	7.5 L/min	param.ancillary.perUnit	Manual p41	3 Aug 2026	Edit
ACR / milk-meter minimum total allowance	30 L/min	param.ancillary.minTotal	Manual p41	3 Aug 2026	Edit
Peak regulator load — max increase	≤ 2 kPa	add.regulatorLoad	Manual p61	3 Aug 2026	Edit
Pulsator consumption per 10 units	30 L/min	param.pulsator.consumptionPer10	Manual p41	3 Aug 2026	Edit
Teat spray / vacuum-gate allowance per cluster	10 L/min	param.perCluster.tenLpm	Manual p41	3 Aug 2026	Edit

Ancillary 5 standards ▾

Cluster air 5 standards ▸

Leakage 3 standards ▸

Figure 9. Test standards by category — value, kind, source and last-updated.

MPNZ AutoRep App Home All tests Farms Testers Companies Regions Milk companies A admin@local Sign out

Edit standard

Key: param.ancillary.perUnit — referenced by the wizard; the key itself can't change.

Standard
ACR / milk-meter allowance per unit

Category Ancillary Kind Formula parameter

Value 7.5 Unit L/min

Source reference
Manual p41

Save Back Delete

© 2026 NZMPTA · Built by Pedersen Group

Figure 10. Editing a standard — kind, limits, unit and source reference.

Note A short list of fixed standards (hard-wired test logic) is shown read-only at the foot of the page — changing one of those is a software release, not an edit here.

5.2 Equipment catalogs

The brand/model lists behind the Machine Configuration dropdowns — pulsator models (grouped by brand), shells, liners, milkline sizes and pulsator configurations. **+ New item** adds to a catalogue; **Deactivate** hides an item from new tests while historical tests keep it.

Equipment catalogs + New item

The brand/model lists behind the Machine Configuration dropdowns — shells, liners, pulsator models, milkline sizes and pulsator configurations. Changes sync to testers' devices the next time they're online. Deactivate an item to hide it from new tests without affecting historical tests.

Shells 61 active

NAME	STATUS	
140x20 14 gauge DL Short	Active	Edit
140x20 18 gauge DL Short	Active	Edit
ADF Milking	Active	Edit
Boumatic Stainless Steel	Active	Edit
Dairymaster Moulded	Active	Edit
Dairymaster Stainless	Active	Edit
Delaval 140x20 14 gauge	Active	Edit

Figure 11. Equipment catalogues — pulsators nest by brand.

5.3 Fault observations

The standard fault wording testers pick from when a visual check fails — each with its CMM severity (Critical / Major / Minor) and the default recommendation that pre-fills the tester's Fault Summary. Keep the wording tight: it prints on farmer-facing reports.

Fault observations + New observation

The standard fault wording a tester picks when a visual check fails, with its CMM severity and the default recommendation that pre-fills the Fault Summary. Grouped by the check it belongs to. Changes sync to testers' devices on their next sync.

Filter checks... (e.g. wick, liner, receiver)

ACRAirRamCondition 4 observation(s)

OBSERVATION	SEVERITY	DEFAULT RECOMMENDATION	STATUS	
Hard To Pull Down	Minor		Active	Edit
Ram Condition Is Poor	Minor		Active	Edit
Ropes Broken	Minor		Active	Edit
Ropes Frayed	Minor		Active	Edit


ACRFloatCondition 1 observation(s)

ACRTubingCondition 1 observation(s)

Figure 12. Fault observations by check, with severity and default recommendation.

5.4 Regions and Milk supply companies

Regions ships with the 16 official NZ regions (name, island, display order) used on farm records. **Milk companies** is the list of dairy processors farms supply — each can carry a **logo**, which testers see when picking a farm and which helps confirm they have the right one.



LOGO	NAME	STATUS	FARMS	CREATED	
	Fonterra	Active	1	03 Aug 2026	Edit
	Goodman Fielder	Active	0	03 Aug 2026	Edit
	Green Valley Dairies	Active	0	03 Aug 2026	Edit
	Mataura Valley Milk	Active	0	03 Aug 2026	Edit
	Miraka	Active	0	03 Aug 2026	Edit
	Oceania Dairy	Active	0	03 Aug 2026	Edit
	Open Country Dairy	Active	1	03 Aug 2026	Edit
	Synlait	Active	0	03 Aug 2026	Edit

Figure 13. Milk supply companies — logo, status and farm counts.

MPNZ/ AutoRep App

[Home](#) [All tests](#) [Farms](#) [Testers](#) [Companies](#) [Regions](#) [Milk companies](#)

A admin@local

Sign out

Fonterra

2 farm(s) supply this processor

Back

Details

Name

Fonterra

Logo

Choose File

No file chosen

Upload to add the logo. PNG, JPG or SVG, up to 1 MB.

Address line 1

Address line 2

Town / city

Post code

Figure 14. Editing a processor — details and logo upload.

6 Privacy & Terms

The legal text of the app lives at **/Admin/Privacy** — type the address into the browser; it is deliberately not linked in the navigation. It holds the Terms of Use, the farmer-data collection notice shown wherever farmer contact details are collected (Privacy Act IPP3), the privacy footer printed on reports, and the privacy contact details.

Important Changing the **Terms version** field forces every user to re-accept the terms at their next sign-in. Change the version only when the terms text has genuinely changed.

MPNZ AutoRep App Home All tests Farms Testers Companies Regions Milk companies admin@local Sign out

Privacy & Terms

Edit the Terms of Use, the farmer-data collection notice (shown where farmer details are entered), and the privacy footer printed on reports. Changing the **Terms version** forces every tester to re-accept the terms at their next sign-in. Testers' devices pick up notice/footer changes on their next online sync.

Terms version

2026-05-01

Any change here re-prompts all testers to accept (e.g. a date like 2026-05-01).

Terms of Use

By using AutoRep you agree to: (1) carry out milking-machine tests in accordance with NZMPTA standards; (2) handle the farm and farmer personal information you collect only for testing, reporting and compliance, keep it secure, and not use or disclose it for any other purpose; and (3) keep your login credentials confidential. [DRAFT wording — NZMPTA to finalise.]

Farmer-data collection notice (Privacy Act IPP3A)

The farm and farmer contact details entered here are collected by your testing company and NZMPTA to perform and report this milking-machine test and for compliance records, and are stored securely in New Zealand. The farmer may request access to or correction of their information. Please make sure the farmer is aware of this. [DRAFT]

Report privacy footer

Personal information in this report is held under the Privacy Act 2020 for milking-machine test reporting and compliance. To access or correct it, contact privacy@nzmpta.co.nz. [DRAFT]

Figure 15. Privacy & Terms — reached by typing `/Admin/Privacy` into the address bar.

7 Operational notes

- **Emails the system sends:** welcome/set-password emails, password-reset emails, and “Farm awaiting review” notices to a company’s administrators. If mail is not arriving, check with Pedersen Group that the sending mailbox is healthy.
- **Audit trail:** sign-ins, record changes and colleagues viewing each other’s tests are all logged server-side. There is no admin screen for the audit log yet — ask Pedersen Group when an extract is needed.
- **Migrated history:** tests imported from the previous AutoRep open read-only and reprint with their original as-recorded results.
- **Standards vs history:** standards changes apply from the moment a device syncs; nothing already signed off is ever re-marked.

8 Troubleshooting

Symptom	What to do
A new user says no welcome email arrived.	Open their account → Security → Send reset email. Check the address on the account first.
A tester's device shows old standards.	The device updates when it syncs — have them sign in with a connection and press Sync now.
Someone left a company.	Deactivate the account (Account tab) and Force sign out (Security tab). Their tests remain in the record.
A company admin can't open Test standards.	Correct — that area is Super Administrator only. If they genuinely need it, that is a role change on their account.
I can't remove a Super Administrator role.	You are looking at the last one — appoint another Super Administrator first.