

[Company name]

[Document title]

[Document subtitle]

Confidentiality Statement

This document contains confidential and proprietary information of SettleMint. By reading this document, you agree not to disclose the confidential information contained herein to any third party without the prior written consent of SettleMint, except to those agents, principals, representatives, or consultants who require access for the purpose of evaluating this document. You further agree to inform such persons of the confidential nature of this document and to obtain their agreement to preserve its confidentiality to the same extent as yours.

This confidentiality statement shall remain binding on the parties for a period of five (5) years from the date stated on the front cover, unless superseded by confidentiality provisions detailed in a subsequent agreement.

Terms and Conditions

This proposal is valid until [DD Month YYYY]. In the absence of confirmation to proceed, SettleMint and [the Company] acknowledge and agree to abide by the Mutual NDA as the governing agreement.

SettleMint reserves the right to vary the terms of this proposal in response to changes in specifications or information made available at a later date. Submission of this proposal does not convey any right, title, interest, or license in any intellectual property rights (including, but not limited to, patents, copyrights, trade secrets, or trademarks) contained herein.

All rights are reserved. This proposal and the information contained within it are provided on an “as is” basis, without any warranties of any kind, express or implied.

All contracts with SettleMint will be governed by Belgian Law and subject to the exclusive jurisdiction of Belgian courts.

Contact Details

For any enquiries regarding this document, please contact:

[Full Name]

[Job Title]

Email: [email@example.com]

Phone: [Country Code - Number]

Table of Contents

Technical Proposal Blueprint: Full.....	3
Blueprint Rules: MANDATORY COMPLIANCE.....	4
Structural Compliance.....	5
Consistency Anchors.....	6
Pre-Write Checklist (complete before drafting any section).....	7
Output Quality Gates (validate before delivery).....	8
MANDATORY DIAGRAMS (Gyan directive, 2026-04-03).....	9
Original Skeleton-Specific Rules.....	10
Global Writer Guidance.....	11
Proposal Objective.....	12
Global Source Priority.....	13
Global Visual System.....	14
Visual Element Policy.....	15
Section-to-Screenshot Map.....	16
Cover Page and Front Matter.....	17
Cover Page.....	18
Table of Contents.....	19
Executive Summary.....	20
Executive Summary > Context and Strategic Drivers.....	21
Executive Summary > Why This Programme Is Hard.....	22
Executive Summary > Proposed Response.....	23
Executive Summary > Why SettleMint.....	24
Executive Summary > Why DALP.....	25
Executive Summary > Reference Fit Snapshot.....	26
Executive Summary > Tone and Avoidance.....	27
About SettleMint.....	28
About SettleMint > Company Overview.....	29
About SettleMint > History and Market Position.....	30
About SettleMint > Production Credentials.....	31
About SettleMint > Regulatory Readiness.....	32
About SettleMint > Team and Delivery Capability.....	33
About SettleMint > Ecosystem and Partnerships.....	34
About SettleMint > Why Relevant to This Bid.....	35

About SettleMint > Visuals.....	36
About SettleMint > Avoid.....	37
About DALP.....	38
About DALP > Platform Overview.....	39
About DALP > Core Lifecycle Pillars.....	40
About DALP > Platform Foundations.....	41
About DALP > Supported Asset Classes and Operating Scope.....	42
About DALP > Standards and Protocols.....	43
About DALP > Key Differentiators.....	44
About DALP > Relevance to Client Scope.....	45
About DALP > Visuals.....	46
About DALP > Avoid.....	47
Customer References.....	48
Customer References > Summary Table.....	49
Customer References > Relevance Selection Logic.....	50
Customer References > Expanded Reference 1.....	51
Customer References > Expanded Reference 2.....	52
Customer References > Expanded Reference 3.....	53
Customer References > Reference Fit Matrix.....	54
Customer References > Avoid.....	55
Understanding of Requirements.....	56
Understanding of Requirements > Client Context.....	57
Understanding of Requirements > Requirement Domains.....	58
Understanding of Requirements > Key Challenges Identified.....	59
Understanding of Requirements > Requirement Prioritization.....	60
Understanding of Requirements > Response Principles.....	61
Understanding of Requirements > Visuals.....	62
Understanding of Requirements > Avoid.....	63
Proposed Solution and Functional Capabilities.....	64
Proposed Solution and Functional Capabilities > Solution Overview.....	65
Proposed Solution and Functional Capabilities > Issuance and Asset Configuration.....	66
Proposed Solution and Functional Capabilities > Identity and Eligibility.....	67
Proposed Solution and Functional Capabilities > Compliance Enforcement.....	68
Proposed Solution and Functional Capabilities > Transfer, Settlement, and Cash-Leg Coordination	69
Proposed Solution and Functional Capabilities > Lifecycle Servicing and Corporate Actions	70

Proposed Solution and Functional Capabilities > Integration and Interoperability.....	71
Proposed Solution and Functional Capabilities > Functional Fit Matrix.....	72
Proposed Solution and Functional Capabilities > Avoid.....	73
Technical Architecture.....	74
Technical Architecture > Architectural Principles.....	75
Technical Architecture > Layered Architecture.....	76
Technical Architecture > Data Architecture.....	77
Technical Architecture > Network and Chain Topology.....	78
Technical Architecture > Multi-Tenancy and Environment Segregation.....	79
Technical Architecture > Operational Architecture.....	80
Technical Architecture > Visuals.....	81
Technical Architecture > Avoid.....	82
Security.....	83
Security > Security Model Overview.....	84
Security > Authentication and Access Control.....	85
Security > Key Management and Custody Integration.....	86
Security > Data Protection and Encryption.....	87
Security > Compliance Controls and Auditability.....	88
Security > Testing and Assurance.....	89
Security > Security Responsibility Matrix.....	90
Security > Visuals.....	91
Security > Avoid.....	92
Project Implementation & Delivery.....	93
Project Implementation & Delivery > Delivery Overview.....	94
Project Implementation & Delivery > Phase Plan.....	95
Project Implementation & Delivery > Governance and Decision Structure.....	96
Project Implementation & Delivery > Resource Model.....	97
Project Implementation & Delivery > Risks to Delivery and Mitigations.....	98
Project Implementation & Delivery > Visuals.....	99
Project Implementation & Delivery > Avoid.....	100
Deployment.....	101
Deployment > Deployment Principles.....	102
Deployment > Recommended Deployment Model.....	103
Deployment > Deployment Options Considered.....	104
Deployment > Infrastructure Requirements.....	105
Deployment > Availability, Resilience, and DR Approach.....	106

Deployment > Data Residency and Sovereignty.....	107
Deployment > Visuals.....	108
Deployment > Avoid.....	109
Training and Knowledge Transfer.....	110
Training and Knowledge Transfer > Training Strategy.....	111
Training and Knowledge Transfer > Administrator Track.....	112
Training and Knowledge Transfer > Developer / Integration Track.....	113
Training and Knowledge Transfer > End-User / Operations Track.....	114
Training and Knowledge Transfer > Knowledge Transfer Method.....	115
Training and Knowledge Transfer > Visuals.....	116
Training and Knowledge Transfer > Avoid.....	117
Support & SLA.....	118
Support & SLA > Support Model Overview.....	119
Support & SLA > Support Tiers.....	120
Support & SLA > Severity and Response Matrix.....	121
Support & SLA > Escalation and Incident Management.....	122
Support & SLA > Maintenance and Update Policy.....	123
Support & SLA > Service Reporting.....	124
Support & SLA > Avoid.....	125
Risk Management.....	126
Risk Management > Risk Management Approach.....	127
Risk Management > Risk Register.....	128
Risk Management > Governance of Risks.....	129
Risk Management > Avoid.....	130
Compliance Matrix.....	131
Compliance Matrix > Usage Instructions.....	132
Compliance Matrix > Status Legend.....	133
Compliance Matrix > Detailed Matrix.....	134
Compliance Matrix > Example Completed Row.....	135
Compliance Matrix > Avoid.....	136
Support Appendix.....	137
Support Appendix (400-700 words, appendix-style).....	138
Writer's Checklist.....	139
Writer's Checklist > Structural Checks.....	140
Writer's Checklist > Evidence Checks.....	141
Writer's Checklist > Customization Checks.....	142

Writer's Checklist > Tone Checks.....	143
Writer's Checklist > Production Checks.....	144
Appendix Guidance.....	145

skeleton-type: technical

variant: full

target-pages: "80-100"

target-words: "25000-30000"

version: "BM-TS-01-v2.0"

last-updated: "2026-03-19"

1. Technical Proposal Blueprint: Full

> **Version:** BM-TS-01-v2.0 (TITAN)

> **Last updated:** 2026-03-19

2. Blueprint Rules: MANDATORY COMPLIANCE

> **This skeleton MUST be followed exactly.** No section may be skipped, reordered, merged, or shortened below its stated word-count floor. Deviation requires explicit written approval from Gyan (URGPRND7Z) before proceeding.

2.1 Structural Compliance

- Follow every section in the order listed, no reordering
- Every section with a word target MUST hit its stated floor (minimum word count)
- Every `[VARIABLE: ...]` placeholder MUST be resolved before the draft is considered complete
- Every `[REUSABLE BLOCK: slug]` tag MUST be expanded from the referenced reusable file
- Every visual spec MUST produce an actual diagram, table, or matrix, not a placeholder description

2.2 Consistency Anchors

- Heading hierarchy: H1 = document title, H2 = major section, H3 = subsection, H4 = sub-subsection
- No manual numbering in headings, the DOCX template handles numbering
- Table structure: always include a header row; no merged cells; keep columns consistent throughout
- Confidence tags: ● Native | ● Partial | Gap | N/A, apply at section level AND at claim level
- Voice: third person ("SettleMint provides", "DALP enables"), never first person
- Tense: present tense for capabilities, future tense for delivery phases

2.3 Pre-Write Checklist (complete before drafting any section)

- [] `feedback/lessons.md` read and internalized
- [] `setup/core-positioning.md` read
- [] `setup/writing-style.md` read
- [] `setup/ip-protection.md` read
- [] `setup/mermaid-diagram-standards.md` read
- [] All source files in "Global Source Priority" confirmed accessible
- [] All `[VARIABLE: ...]` placeholders identified and sourced from RFP/brief

2.4 Output Quality Gates (validate before delivery)

- [] Cover page: all placeholders resolved, no placeholder text remaining
- [] TOC: auto-generated, not hand-typed
- [] Word count: total output within target range ($\pm 10\%$; below floor = failure)
- [] Screenshot minimum: include at least 12 DALP screenshots sourced from `../shared/brand/dalp-screenshots/` or the catalog/registry references below



- [] Screenshot distribution: spread screenshots across at least 4 major sections; do not dump them into one section or appendix
- [] Screenshot variety: cover at least 4 screenshot categories unless the bid is narrowly focused on one asset class
- [] Screenshot captions: every screenshot is followed immediately by a ``Figure X: ...`` caption explaining what the screenshot proves
- [] Visual count: include diagrams, tables, and screenshots wherever they reinforce the narrative or help the evaluator understand faster than prose alone. There is no upper limit; use as many as the section content warrants
- [] Confidence tags: present on every substantive DALP capability claim
- [] No unsupported claims: every capability assertion maps to a source file
- [] No roadmap language: "coming soon", "planned", "will support" prohibited unless marked [ROADMAP]
- [] Prose quality: no section >50% bullets, rewrite to prose if needed
- [] Final sweep: run 7-sweep copy-editing framework (clarity, voice, structure, persuasion, specificity, rhythm, polish)
- [] No emoji in output: all emoji characters (confidence dots, status indicators, any Unicode emoji) stripped and replaced with text equivalents before delivery
- [] Mermaid diagram count: minimum 30 mermaid code blocks in the markdown output (see mandatory diagrams rule below)
- [] Validation script: run ``scripts/validate_proposal.py output.md full`` and confirm PASS before DOCX conversion

2.5 MANDATORY DIAGRAMS (Gyan directive, 2026-04-03)

Every technical proposal MUST include mermaid diagram code blocks in the markdown output.

Minimum count for full variant: 15 mermaid blocks.

See ``setup/diagram-manifest.md`` for the required diagram list per section.

A proposal without mermaid blocks in the markdown is INCOMPLETE and must not proceed to DOCX conversion.

The DOCX conversion script (``scripts/markdown2docx.py``) renders mermaid to PNG automatically.

Do NOT replace mermaid blocks with text placeholders or descriptions of what a diagram would show.

Do NOT skip diagrams to save tokens or reduce output length.

Mandatory validation: Run ``scripts/validate_proposal.py <output.md> full`` before DOCX conversion.

If the script returns FAIL, revise the markdown to add missing diagrams before proceeding.

2.6 Original Skeleton-Specific Rules

- Purpose: proposal-writing blueprint only
- Output type: structural instructions only
- Prohibited: finished narrative, persuasive prose, claims without source support, client-specific facts without evidence, duplicated content across sections without purpose

- Heading rule: no manual numbering in headings
- Placeholder rule: replace all client- or bid-specific items with `[VARIABLE: ...]`
- Evidence rule: every substantive claim must map to one or more listed source files
- Tone rule: institutional, precise, evidence-led, calm, confident, non-promotional
- Writer stance: describe platform capabilities and delivery approach; do not speculate; do not imply custom development beyond platform configuration/integration
- DALP naming rule: use **DALP** only; if legacy source says ATK, update terminology

3. Global Writer Guidance

3.1 Proposal Objective

- Demonstrate fit for `[VARIABLE: buyer / authority / programme]`
- Show controlled understanding of `[VARIABLE: asset class / market structure / deployment scope / regulatory perimeter]`
- Prove production readiness across architecture, security, operations, implementation, and support
- Reduce perceived implementation risk through structure, evidence, references, and explicit control model

3.2 Global Source Priority

- (i) `templates/technical-proposal-part1.md`
- (ii) `templates/technical-proposal-part2.md`
- (iii) `reusable/about-settlemint.md`
- (iv) `reusable/about-dalp.md`
- (v) `reusable/reference-projects.md`
- (vi) `reusable/implementation-plan.md`
- (vii) `reusable/deployment-options.md`
- (viii) `reusable/support-sla.md`
- (ix) `content/01-company-profile/main.md`
- (x) `content/02-architecture/main.md`
- (xi) `content/03-asset-lifecycle/main.md`
- (xii) `content/03-integrations/main.md`
- (xiii) `content/04-deployment/main.md`
- (xiv) `content/05-security/main.md`
- (xv) `content/06-implementation/main.md`
- (xvi) `content/06-technical-proposal/main.md`
- (xvii) `content/07-references/main.md`
- (xviii) `content/07-support-sla/main.md`

3.3 Global Visual System

- Use clean enterprise diagrams, matrices, timelines, and comparison tables
- Include diagrams, tables, and screenshots wherever they reinforce the narrative or help the evaluator understand faster than prose alone. There is no upper limit; use as many as the section content warrants
- Every visual needs:

- title
- purpose
- source basis
- preferred format
- suggested placement
- note on what not to overcomplicate
- No decorative visuals
- Include DALP platform screenshots wherever they reinforce the narrative. Select from the screenshot catalog (`shared/brand/dalp-screenshots/CATALOG.md`) and the screenshot registry (`setup/screenshot-registry.md`). Choose screenshots that show exactly what the section discusses
- Prefer editable shapes/tables over pasted images where possible in Word, but use screenshots when they communicate faster than prose

3.4 Visual Element Policy

> **Directive (Gyan, 2026-04-05):** Screenshots are mandatory proof assets in every proposal skeleton. They are not optional decoration.

- **Minimum DALP screenshots for this variant:** 12
- **Section spread minimum:** use screenshots in at least 4 distinct major sections
- **Category variety minimum:** use screenshots from at least 4 screenshot categories unless the request is deliberately limited to one asset class or one workflow
- **Proof plan before prose:** before drafting, assign each planned screenshot to the section where the capability is first introduced
- **Inline placement only:** place each screenshot immediately after the paragraph it proves. Never batch screenshots at the end of a section or in a screenshot gallery
- **Caption rule:** every screenshot must be followed on the next line by a `Figure X: ...` caption that states what the evaluator is seeing and why it matters
- **Use the catalog and registry:** select screenshots from `../shared/brand/dalp-screenshots/CATALOG.md` and `setup/screenshot-registry.md`
- **Distribute proof:** after one section receives two screenshots, the next screenshot should usually land in another relevant section unless the section is an asset-class deep dive that genuinely needs more proof
- **No upper limit:** there is no cap on diagrams, tables, or screenshots when they materially improve evaluator understanding
- **Validation:** `scripts/validate\_proposal.py` checks screenshot count, caption coverage, section distribution, and screenshot-category variety

3.4.1 Section-to-Screenshot Map

Section Topic	Primary Screenshot Files From Catalog	Use In These Sections	Placement Rule
Executive Summary /	`02 - Dashboard/Dashboard 1.png`; `02 - Dashboard/Dashboard - Map and Statistics.png`	Executive summary, opening platform	Use one overview screenshot only, directly after the paragraph that

Opportunity Framing		proof, operating-model context	introduces the platform and buyer context
Platform Overview / About DALP	`04 - Asset Designer/Asset Designer.png`; `21 - Insights/Insights - Asset Overview.png`	Platform overview, DALP breadth, lifecycle coverage	Pair with platform description, not in a later gallery
Asset Creation / Issuance	`04 - Asset Designer/Asset Designer.png`; `04 - Asset Designer/Asset Designer - Step 4 - Instrument Details.png`; `04 - Asset Designer/Asset Designer Review and Deploy 1.png`	Issuance workflow, product configuration, deployment controls	Place next to the first asset-creation explanation
Compliance / Policy Controls	`04 - Asset Designer/Asset Designer - Step 6 - Compliance Modules.png`; `14 - Compliance and Policy Templates/Compliance Policy Templates.png`; `14 - Compliance and Policy Templates/Policy Template - Expression Builder.png`	Compliance, transfer rules, regulatory controls, policy governance	Use in the compliance section itself, not in a generic appendix
Identity / Eligibility / KYC	`15 - Identity and Verification/Onchain Identity.png`; `15 - Identity and Verification/Verification Topics.png`; `04 - Asset Designer/Asset Designer Compliance Identity.png`	Identity, eligibility, investor verification, trusted issuer workflows	Keep beside the identity discussion and caption the control being evidenced
Permissions / Governance / Access Control	`04 - Asset Designer/Asset Designer - Step 7 - Asset Permissions Config.png`; `04 - Asset Designer/Asset Designer Permissions.png`; `19 - Settings and Admin/Activity Log.png`	Governance, RBAC, segregation of duties, auditability	Use where governance or access control is described
Settlement / DvP / XvP	`16 - XVP Settlement/XVP Setup 1.png`; `16 - XVP Settlement/XVP Details 1.png`; `16 - XVP Settlement/XvP API Light.png`	Settlement, post-trade workflow, atomic exchange, integration-backed	Place inside the settlement section, not clustered with monitoring

		settlement	
Operations / Monitoring / Support	`20 - Monitoring/Blockchain Monitoring.png`; `20 - Monitoring/API Monitoring - Overview.png`; `19 - Settings and Admin/Activity.png`	Operations, observability, SLA proof, production supervision	Use in the operations, deployment, or support section that cites runtime control
Asset-Class Proof	Bonds: `06 - Bonds/Bonds Detail 2.png`; Equity: `07 - Equity/Equity Detail 1.png`; Funds: `08 - Funds/Fund Detail 1.png`; Deposits: `09 - Deposits/Deposits Listing.png`; Stablecoins: `10 - Stablecoins/Stablecoin Detail 1.png`; Precious Metals: `11 - Precious Metal 1.png`; Real Estate: `12 - Real Estate/Real Estate - Doha Business Towers - Asset Details.png`	Asset-class-specific sections, solution fit, use-case proof	Prefer the asset class requested by the buyer before reusing generic dashboard screenshots
Integration / API / Extensibility	`19 - Settings and Admin/API Keys.png`; `16 - XVP Settlement/XvP API Light.png`; `19 - Settings and Admin/Addons.png`	API, integration, extensibility, workflow automation	Use only where APIs or extensibility are discussed
Branding / White-Label	`19 - Settings and Admin/Theme 1.png`; `19 - Settings and Admin/Theme 2.png`	White-label, branding, tenant experience	Keep in branding sections only, not as generic filler

4. Cover Page and Front Matter

Consistency anchor: All placeholders resolved. No body prose beyond labels. Template styling only.

4.1 Cover Page

- Word target: 0-50
- Include placeholders only:
 - `[VARIABLE: proposal title]`
 - `[VARIABLE: client name]`
 - `[VARIABLE: submission date]`
 - `[VARIABLE: version]`
 - `[VARIABLE: confidentiality level]`
 - `[VARIABLE: primary contact]`
- Source references:
 - `templates/technical-proposal-part1.md`
- Writer instructions:
 - keep minimal
 - no body prose beyond placeholders/labels
- Visual spec:
 - none beyond template styling

4.2 Table of Contents

- Word target: 0
- Writer instructions:
 - auto-generated only
 - do not hand-edit

> **Section complete when:** All placeholders present and clearly labeled. No body prose.

5. Executive Summary

- Word target: 1800-2400
- Purpose:
 - summarize buyer context, problem framing, proposed response, differentiators, delivery confidence
- Source references:
 - `templates/technical-proposal-part1.md`
 - `reusable/about-settlemint.md`
 - `reusable/about-dalp.md`
 - relevant references from `reusable/reference-projects.md`
- Required subsections:

Consistency anchor: Always opens with the client's stated challenge before introducing the solution. No bullet lists, prose only.

5.1 Executive Summary > Context and Strategic Drivers

- Word target: 250-350
- Visual elements (use where relevant):
 - Screenshot: Dashboard overview screenshots showing DALP operational context for the client's domain
- Include:
 - `[VARIABLE: client mandate]`
 - `[VARIABLE: programme objectives]`
 - `[VARIABLE: regulatory / operational / market drivers]`
- Writer instructions:
 - tailor tightly to bid language
 - use buyer terminology where known
 - do not copy requirement text verbatim

5.2 Executive Summary > Why This Programme Is Hard

- Visual elements (use where relevant):
 - Table: Challenge summary matrix (challenge, complexity, implication)
- Word target: 200-300
- Include instruction themes:
 - lifecycle complexity
 - governance and compliance burden
 - operationalization gap between pilot and production

- integration burden across custody, payments, identity, reporting
- Writer instructions:
 - frame the challenge without fearmongering
 - set up DALP as control plane, not as abstract tech stack

5.3 Executive Summary > Proposed Response

- Word target: 450-600
- Include:
 - `[VARIABLE: deployment model]`
 - `[VARIABLE: target asset scope]`
 - `[VARIABLE: compliance approach]`
 - `[VARIABLE: custody model]`
 - `[VARIABLE: integration perimeter]`
 - `[VARIABLE: phased delivery summary]`
- Key messages:
 - unified lifecycle coverage
 - ex-ante compliance
 - deployment flexibility
 - integration with existing institutional stack
- Visual spec:
 - one 5-box solution summary graphic
 - format: horizontal operating model diagram

5.4 Executive Summary > Why SettleMint

- Visual elements (use where relevant):
 - Table: Key credentials and proof-points summary
- Word target: 350-500
- Pull from sources only:
 - market tenure
 - production record
 - regulated delivery experience
 - sovereign / bank / market infrastructure relevance
- Writer instructions:
 - do not overstuff with all credentials here; reserve detail for company section

5.5 Executive Summary > Why DALP

- Word target: 350-500
- Focus:
 - platform breadth
 - lifecycle model
 - control plane positioning
 - interoperability and operations
- Visual spec:
 - one lifecycle wheel or layered stack
 - source basis: `reusable/about-dalp.md`

5.6 Executive Summary > Reference Fit Snapshot

- Visual elements (use where relevant):
 - Table: Reference summary (name, geography, asset class, relevance)
- Word target: 150-250
- Include:
 - 3 most relevant reference names as placeholders or selected projects
 - one-line relevance note for each
- Writer instructions:
 - map by geography, asset class, or operating model

5.7 Executive Summary > Tone and Avoidance

- Tone guidance:
 - specific
 - executive-technical
 - confident
 - low-hype
- Avoid:
 - full technical deep dive
 - detailed implementation tables
 - repeated feature catalogues

> **Section complete when:** Client name and programme name appear in opening paragraph. At least two named differentiators present. Reference snapshot included. No bullet lists, prose only throughout.

6. About SettleMint

- Word target: 2200-2800
- Source references:
 - `reusable/about-settlemint.md`
 - `content/01-company-profile/main.md`
- Required subsections:

Consistency anchor: Company facts table present in every variant. No claims beyond approved source material.

6.1 About SettleMint > Company Overview

- Visual elements (use where relevant):
 - Table: Company facts and positioning summary
- Word target: 250-350
- Cover:
 - positioning
 - mission
 - target institutional segments

6.2 About SettleMint > History and Market Position

- Visual elements (use where relevant):
 - Table: Evolution timeline (era, focus, outcome)
- Word target: 300-400
- Cover:
 - evolution narrative
 - production maturity
 - institutional focus

6.3 About SettleMint > Production Credentials

- Word target: 350-450
- Include proof-point table
- Visual spec:
 - credential summary table
 - 2-column format

6.4 About SettleMint > Regulatory Readiness

> MANDATORY DIAGRAM: Regulatory Compliance Framework (block/matrix: jurisdiction mapping, regulatory templates). Include as ``mermaid code block.

- Visual elements (use where relevant):
 - Table: Jurisdiction-to-framework mapping
 - Screenshot: Compliance Policy Templates showing regulatory configuration capabilities
- Word target: 250-350
- Include jurisdiction/framework table
- Writer instructions:
 - present supported regulatory alignment carefully
 - avoid implying legal advice

6.5 About SettleMint > Team and Delivery Capability

- Visual elements (use where relevant):
 - Table: Team composition and domain expertise summary
- Word target: 250-350
- Focus:
 - engineering depth
 - financial domain depth
 - enterprise delivery discipline

6.6 About SettleMint > Ecosystem and Partnerships

- Visual elements (use where relevant):
 - Table: Partner ecosystem categories
- Word target: 200-300
- Focus:
 - custody

- infrastructure
- SI / partner ecosystem

6.7 About SettleMint > Why Relevant to This Bid

- Word target: 250-350
- Include placeholders:
 - `[VARIABLE: buyer type]`
 - `[VARIABLE: geography]`
 - `[VARIABLE: programme risk profile]`
- Writer instructions:
 - connect credentials to evaluator concerns

6.8 About SettleMint > Visuals

- Visual 1: company proof-points table
- Visual 2: geographic / sector footprint matrix
- Visual 3: three-pillar credibility diagram

6.9 About SettleMint > Avoid

- avoid founder-story prose
- avoid investor detail unless procurement cares
- avoid unverified numbers beyond source docs

> **Section complete when:** Company facts table present with 6+ approved metrics. Regulatory readiness table included. No unapproved claims.

7. About DALP

- Word target: 3000-3800
- Source references:
 - `reusable/about-dalp.md`
 - `templates/technical-proposal-part1.md`
 - `content/02-architecture/main.md`
 - `content/03-asset-lifecycle/main.md`
 - `content/03-integrations/main.md`
- Required subsections:

Consistency anchor: Lifecycle pillar count (5) and names (Create, Comply, Custody, Settle, Service) consistent across all proposals.

7.1 About DALP > Platform Overview

> **MANDATORY DIAGRAM:** Platform Architecture Overview (4-layer block diagram). Include as ``mermaid code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `platform-architecture-layers.mmd` for layered platform view
 - Screenshot: Dashboard showing DALP platform overview
 - Screenshot: Asset Designer showing configuration interface

- Word target: 300-400
- Position DALP as lifecycle platform and control plane

7.2 About DALP > Core Lifecycle Pillars

> MANDATORY DIAGRAM: Asset Lifecycle State Machine (state diagram: issuance, active, paused, frozen, redeemed). Include as `mermaid` code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `token-lifecycle-states.mmd` for lifecycle state flow
 - Screenshot: Asset Operations screenshots showing lifecycle management
 - Screenshot: Bonds detail screenshots for bond servicing examples
 - Table: Lifecycle pillars summary with capabilities per pillar
- Word target: 900-1200 total
- Use one subsection per pillar:
 - Issuance
 - Compliance
 - Custody
 - Settlement
 - Servicing
- Writer instructions:
 - 150-220 words per pillar
 - structure each as capability + operational outcome + evidence anchor
- Visual spec:
 - lifecycle architecture graphic

7.3 About DALP > Platform Foundations

> MANDATORY DIAGRAM: Integration Architecture (block/flow diagram: DALP to core banking, custody, KYC, payments). Include as `mermaid` code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `identity-access-model.mmd` for IAM model
 - Mermaid diagram: Use `integration-architecture.mmd` for interoperability view
 - Screenshot: Identity & Verification screenshots for identity/access
 - Screenshot: Monitoring screenshots for observability/operations
- Word target: 600-800
- Subsections:
 - Identity and Access
 - Integration and Interoperability
 - Observability and Operations

7.4 About DALP > Supported Asset Classes and Operating Scope

- Visual elements (use where relevant):
 - Table: Asset class comparison matrix
 - Screenshot: Asset-specific screenshots from Bonds, Equity, Funds, Deposits, Stablecoins, Precious Metals, or Real Estate categories
- Word target: 300-450

- Include asset-class table
- Include placeholders if bid requires prioritization:
 - `[VARIABLE: in-scope assets]`
 - `[VARIABLE: phase-2 assets]`

7.5 About DALP > Standards and Protocols

- Visual elements (use where relevant):
 - Table: Standards/protocol support matrix (standard, version, DALP coverage)
- Word target: 250-350
- Use standards matrix

7.6 About DALP > Key Differentiators

- Visual elements (use where relevant):
 - Table: Differentiator comparison (DALP vs generic alternatives)
- Word target: 350-500
- Compare DALP approach against generic alternatives only
- Avoid naming competitors unless required by bid

7.7 About DALP > Relevance to Client Scope

- Visual elements (use where relevant):
 - Table: DALP strength-to-bid-priority mapping
- Word target: 300-400
- Map DALP strengths to `[VARIABLE: bid priorities]`

7.8 About DALP > Visuals

- Visual 1: lifecycle pillar diagram
- Visual 2: standards/support matrix
- Visual 3: differentiator comparison table

7.9 About DALP > Avoid

- avoid dumping every feature from source docs
- avoid developer-level jargon without operational translation
- avoid repeating company profile content

> **Section complete when:** All five lifecycle pillars named and described. Asset class table or diagram present. Differentiator comparison included.

8. Customer References

- Word target: 2200-3000
- Source references:
 - `reusable/reference-projects.md`
 - `content/07-references/main.md`
- Required subsections:

Consistency anchor: Summary table uses identical column structure across all proposals. Only approved reference names used.

8.1 Customer References > Summary Table

- Visual elements (use where relevant):
 - Table: Reference summary (client, use case, relevance, geography, asset theme)
- Word target: 150-250
- Mandatory instruction:
 - include all available named references in one summary table
 - columns: client / use case / relevance / geography / asset theme

8.2 Customer References > Relevance Selection Logic

- Visual elements (use where relevant):
 - Table: Selection criteria mapping
- Word target: 100-150
- Include placeholder:
 - `[VARIABLE: why these examples were selected]`

8.3 Customer References > Expanded Reference 1

- Visual elements (use where relevant):
 - Table: Reference detail (context, challenge, solution pattern, outcome)
- Word target: 400-550
- Structure:
 - context
 - challenge
 - solution pattern
 - outcome / relevance
 - transferability to this bid

8.4 Customer References > Expanded Reference 2

- Word target: 400-550
- Same structure

8.5 Customer References > Expanded Reference 3

- Word target: 400-550
- Same structure

8.6 Customer References > Reference Fit Matrix

- Word target: 250-350
- Table fields:
 - reference
 - buyer requirement area
 - why relevant
 - what evidence it supports
- Visual spec:

- one matrix only; no case-study infographics unless client requests

8.7 Customer References > Avoid

- avoid inventing outcomes not in source files
- avoid too many expanded case studies unless highly relevant
- avoid vague “similar to your needs” claims without explicit link

> **Section complete when:** Summary table includes all approved references. Expanded references follow context/challenge/solution/outcome structure. Selection rationale stated.

9. Understanding of Requirements

- Word target: 2200-3000
- Source references:
 - `templates/technical-proposal-part1.md`
 - RFP / bid documents `[VARIABLE: source path]`
- Required subsections:

Consistency anchor: Requirement domains map to the same category labels used in the compliance matrix.

9.1 Understanding of Requirements > Client Context

- Visual elements (use where relevant):
 - Table: Client context summary (mandate, drivers, stakeholders)
- Word target: 250-350
- Use bid-specific placeholders:
 - `[VARIABLE: institution mandate]`
 - `[VARIABLE: transformation drivers]`
 - `[VARIABLE: target users / participants]`

9.2 Understanding of Requirements > Requirement Domains

- Visual elements (use where relevant):
 - Table: Requirement-domain mapping matrix
- Word target: 700-900
- Use domain mapping table
- Mandatory domains:
 - Product / Asset Scope
 - Identity / Onboarding
 - Compliance / Control
 - Settlement / Cash Leg
 - Integration / Reporting
 - Infrastructure / Operations

9.3 Understanding of Requirements > Key Challenges Identified

- Visual elements (use where relevant):
 - Table: Challenge blocks (buyer need, complexity, implication)

- Word target: 500-700
- Use 4-6 challenge blocks
- Each block structure:
 - buyer need
 - implied complexity
 - why it matters

9.4 Understanding of Requirements > Requirement Prioritization

- Visual elements (use where relevant):
 - Table: MoSCoW or priority matrix
- Word target: 250-350
- Use MoSCoW or equivalent matrix if helpful
- Include placeholders for mandatory vs optional evaluation criteria

9.5 Understanding of Requirements > Response Principles

- Word target: 250-350
- Use 4-6 principles such as:
 - control before speed
 - reuse before fragmentation
 - phased delivery
 - evidence-led compliance

9.6 Understanding of Requirements > Visuals

- Visual 1: requirement-domain matrix
- Visual 2: challenge-to-solution bridge graphic

9.7 Understanding of Requirements > Avoid

- avoid repeating full RFP wording
- avoid solution detail too early
- avoid unstructured laundry lists

> **Section complete when:** Requirement domains mapped to table. Key challenges identified with implied complexity. Response principles stated.

10. Proposed Solution and Functional Capabilities

- Word target: 4200-5200
- Source references:
 - `templates/technical-proposal-part1.md`
 - `reusable/about-dalp.md`
 - `content/03-asset-lifecycle/main.md`
 - `content/03-integrations/main.md`
- Required subsections:

Consistency anchor: Every capability claim carries a confidence tag (●/●/●). Solution boundary stated before detail.

10.1 Proposed Solution and Functional Capabilities > Solution Overview

- Word target: 300-450
- Include:
 - solution boundary
 - platform components in scope
 - actors / participants
 - `[VARIABLE: deployment assumption]`
- Visual spec:
 - end-to-end solution context diagram

10.2 Proposed Solution and Functional Capabilities > Issuance and Asset Configuration

> MANDATORY DIAGRAM: Composable Token Architecture (3-layer: DALPAsset + Features + Compliance). Include as ``mermaid code block.

> MANDATORY DIAGRAM: Token Feature Execution Pipeline (hooks, rewrite, execute, post-hooks). Include as ``mermaid code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `data-flow-asset-creation.mmd` for asset creation flow
 - Screenshot: Asset Designer wizard steps showing configuration interface
 - Table: Asset configuration options
- Word target: 500-650
- Cover:
 - asset setup
 - lifecycle logic
 - factory/configuration model
 - governance before activation

10.3 Proposed Solution and Functional Capabilities > Identity and Eligibility

- Visual elements (use where relevant):
 - Mermaid diagram: Use `identity-access-model.mmd` for identity model
 - Screenshot: Identity & Verification screenshots showing onboarding workflow
 - Table: Role/claims matrix
- Word target: 450-600
- Cover:
 - OnchainID role
 - claims model
 - issuer trust model
 - onboarding workflow

10.4 Proposed Solution and Functional Capabilities > Compliance Enforcement

> MANDATORY DIAGRAM: Compliance Evaluation Flow (flowchart: transfer request, module checks, pass/fail). Include as ``mermaid code block.

- Word target: 600-750
- Cover:
 - ex-ante checks
 - module composition
 - transfer controls
 - auditability
- Visual spec:
 - transaction compliance flow

10.5 Proposed Solution and Functional Capabilities > Transfer, Settlement, and Cash-Leg Coordination

- Visual elements (use where relevant):
 - Screenshot: XVP Settlement screenshots showing settlement interface
 - Table: Settlement model comparison (DvP, XvP, HTLC)
- Word target: 500-650
- Cover:
 - transfer path
 - DvP/XvP model
 - failure behavior
 - determinism

10.6 Proposed Solution and Functional Capabilities > Lifecycle Servicing and Corporate Actions

- Visual elements (use where relevant):
 - Mermaid diagram: Use `token-lifecycle-states.mmd` for lifecycle state transitions
 - Screenshot: Asset Operations, Bonds detail screenshots showing servicing interface
 - Table: Lifecycle event types
- Word target: 450-600
- Cover:
 - coupon/dividend/yield
 - maturity/redemption
 - governance events
 - operational servicing

10.7 Proposed Solution and Functional Capabilities > Integration and Interoperability

> MANDATORY DIAGRAM: Integration Architecture (block/flow: APIs, core banking, custody, payments, feeds). Include as ``mermaid code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `integration-architecture.mmd` for integration topology
 - Table: Integration matrix (system, protocol, direction, status)
- Word target: 550-700
- Cover:
 - API / SDK / CLI

- core-system integration
- custody and payments
- feeds / reporting / events

10.8 Proposed Solution and Functional Capabilities > Functional Fit Matrix

- Word target: 300-450
- Table with columns:
 - functional requirement
 - DALP capability
 - source reference
 - response status
 - notes / assumptions

10.9 Proposed Solution and Functional Capabilities > Avoid

- avoid repeating architecture internals in full
- avoid turning section into pure feature brochure

> **Section complete when:** Solution boundary diagram present. Every functional area has a confidence-tagged response. Fit matrix complete.

11. Technical Architecture

- Word target: 3000-3800
- Source references:
 - `templates/technical-proposal-part1.md`
 - `content/02-architecture/main.md`
 - `content/04-deployment/main.md`
- Required subsections:

Consistency anchor: Four-layer naming convention consistent across all architecture sections and diagrams.

11.1 Technical Architecture > Architectural Principles

- Visual elements (use where relevant):
 - Table: Architecture principles summary
- Word target: 250-350
- Use principle list:
 - lifecycle-first
 - durable execution
 - defense-in-depth
 - separation of concerns
 - provider abstraction

11.2 Technical Architecture > Layered Architecture

> **MANDATORY DIAGRAM:** 4-Layer Architecture diagram (on-chain, execution, API, presentation). Include as `mermaid` code block.

- Word target: 700-900
- Subsections:
 - On-chain layer
 - Execution/orchestration layer
 - API/integration layer
 - Presentation/operations layer
- Visual spec:
 - 4-layer architecture diagram

11.3 Technical Architecture > Data Architecture

> MANDATORY DIAGRAM: Data Flow / Privacy Architecture (flowchart: chain state, app state, indexed, audit). Include as `mermaid` code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `data-flow-asset-creation.mmd` for data flow patterns
 - Table: Data layer inventory (chain state, app state, indexed, audit)
- Word target: 450-600
- Cover:
 - chain state
 - application state
 - indexed / analytical state
 - audit evidence model

11.4 Technical Architecture > Network and Chain Topology

- Visual elements (use where relevant):
 - Table: Network type comparison (public, private, multi-chain)
- Word target: 350-500
- Cover:
 - supported EVM options
 - private/public decision framing
 - multi-chain note if relevant
- Placeholder:
 - `[VARIABLE: preferred chain model]`

11.5 Technical Architecture > Multi-Tenancy and Environment Segregation

- Visual elements (use where relevant):
 - Table: Environment segregation model
- Word target: 300-450
- Cover:
 - tenant isolation
 - environment separation
 - governance boundaries

11.6 Technical Architecture > Operational Architecture

> MANDATORY DIAGRAM: Observability Stack (block/layered: metrics, logs, traces, dashboards, alerting). Include as `mermaid` code block.

- Visual elements (use where relevant):
 - Screenshot: Monitoring screenshots showing operational dashboards
 - Table: Workflow durability and execution model
- Word target: 350-450
- Cover:
 - execution reliability
 - workflow durability
 - transaction lifecycle
 - indexer/read-model behavior

11.7 Technical Architecture > Visuals

- Visual 1: 4-layer stack
- Visual 2: environment topology
- Visual 3: transaction lifecycle/state flow
- Visual 4: data architecture / evidence path

11.8 Technical Architecture > Avoid

- avoid excessive code-level detail
- avoid vendor-deep cloud implementation unless asked

> **Section complete when:** Layered architecture diagram present. All four layers described. Data architecture and environment topology covered.

12. Security

- Word target: 2600-3400
- Source references:
 - `templates/technical-proposal-part2.md`
 - `content/05-security/main.md`
- Required subsections:

Consistency anchor: Security control descriptions match approved source wording. Certification claims cite exact scope.

12.1 Security > Security Model Overview

> **MANDATORY DIAGRAM:** Security Architecture (layered defense-in-depth diagram). Include as ``mermaid code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `security-layers.mmd` for defense-in-depth model
- Word target: 250-350
- Cover:
 - security posture
 - three-domain trust model
 - defense-in-depth

12.2 Security > Authentication and Access Control

> MANDATORY DIAGRAM: RBAC / Access Control Model (flowchart: roles, permissions, verification gates). Include as `mermaid` code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `identity-access-model.mmd` for access control model
 - Table: Authentication method comparison (session, API key, CLI)
- Word target: 500-650
- Cover:
 - session vs API auth boundary
 - RBAC
 - verification gates
 - separation of duties

12.3 Security > Key Management and Custody Integration

> MANDATORY DIAGRAM: Custody and Key Management Flow (flowchart: Key Guardian tiers, signing, maker-checker). Include as `mermaid` code block.

- Visual elements (use where relevant):
 - Table: Key storage backend comparison (tiers, providers, use cases)
- Word target: 450-600
- Cover:
 - Key Guardian tiers
 - DFNS / Fireblocks patterns
 - maker-checker
 - HSM / secret manager options

12.4 Security > Data Protection and Encryption

- Visual elements (use where relevant):
 - Table: Data protection controls (at rest, in transit, field-level)
- Word target: 350-500
- Cover:
 - at rest
 - in transit
 - field-level secrets handling

12.5 Security > Compliance Controls and Auditability

- Visual elements (use where relevant):
 - Table: Audit evidence model and SIEM compatibility
- Word target: 350-500
- Cover:
 - immutable evidence
 - event logs
 - SIEM compatibility
 - reporting implications

12.6 Security > Testing and Assurance

- Visual elements (use where relevant):
 - Table: Testing/assurance approach summary
- Word target: 250-350
- Cover:
 - penetration testing
 - remediation approach
 - evidence sharing model

12.7 Security > Security Responsibility Matrix

- Word target: 200-300
- Table columns:
 - control area
 - SettleMint responsibility
 - client responsibility
 - shared notes

12.8 Security > Visuals

- Visual 1: security-domain diagram
- Visual 2: layered control model
- Visual 3: responsibility matrix

12.9 Security > Avoid

- avoid unsupported certification claims
- avoid generic cyber boilerplate disconnected from DALP

> **Section complete when:** Security domain diagram or responsibility matrix present. Authentication, key management, and data protection all addressed. No unsupported certification claims.

13. Project Implementation & Delivery

- Word target: 2400-3200
- Source references:
 - ``reusable/implementation-plan.md``
 - ``templates/technical-proposal-part2.md``
 - ``content/06-implementation/main.md``
- Required subsections:

Consistency anchor: Phase names and sequence identical across all proposal variants. Gate criteria stated for every phase.

13.1 Project Implementation & Delivery > Delivery Overview

> **MANDATORY DIAGRAM:** Implementation Timeline (Gantt-style: 6 phases with milestones). Include as ```mermaid` code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `implementation-timeline.mmd` for phase overview
- Word target: 200-300
- State phased methodology and governance logic

13.2 Project Implementation & Delivery > Phase Plan

- Word target: 1100-1400 total
- Include one subsection per phase:
 - Discovery and Requirements
 - Foundation and Setup
 - Configuration and Compliance
 - Integration and Testing
 - Go-Live
 - Hypercare
- For each phase include:
 - objective
 - key activities
 - outputs
 - dependencies
 - acceptance gate

13.3 Project Implementation & Delivery > Governance and Decision Structure

- Visual elements (use where relevant):
 - Table: RACI matrix
- Word target: 250-350
- Include RACI / governance diagram guidance

13.4 Project Implementation & Delivery > Resource Model

- Visual elements (use where relevant):
 - Table: Resource allocation by phase (SettleMint/client roles)
- Word target: 250-350
- Table for SettleMint and client roles by phase

13.5 Project Implementation & Delivery > Risks to Delivery and Mitigations

- Visual elements (use where relevant):
 - Table: Delivery risk register (risk, likelihood, impact, mitigation, owner)
- Word target: 300-450
- Reference risk table but keep delivery-specific risks here

13.6 Project Implementation & Delivery > Visuals

- Visual 1: implementation timeline / gantt
- Visual 2: phase-gate model
- Visual 3: resource / governance matrix

13.7 Project Implementation & Delivery > Avoid

- avoid unrealistic timelines
- avoid phase descriptions without gate criteria

> **Section complete when:** Phase table with gate criteria present. RACI or role matrix included. All six phases covered.

14. Deployment

- Word target: 1800-2400
- Source references:
 - `reusable/deployment-options.md`
 - `templates/technical-proposal-part2.md`
 - `content/04-deployment/main.md`
- Required subsections:

Consistency anchor: Deployment model comparison uses identical criteria columns across all variants.

14.1 Deployment > Deployment Principles

- Visual elements (use where relevant):
 - Table: Deployment principle summary
- Word target: 150-250
- Focus:
 - portability
 - same platform capabilities across models
 - security and residency alignment

14.2 Deployment > Recommended Deployment Model

> **MANDATORY DIAGRAM:** Deployment Architecture (Kubernetes/cloud topology). Include as ``mermaid code block.

- Visual elements (use where relevant):
 - Mermaid diagram: Use `deployment-topology-saas.mmd` or `deployment-topology-onprem.mmd`
 - Screenshot: Monitoring screenshots showing deployment health
 - Screenshot: Settings screenshots showing environment configuration
- Word target: 300-450
- Placeholder-driven:
 - `[VARIABLE: selected model]`
 - `[VARIABLE: reasons selected]`
 - `[VARIABLE: key assumptions]`

14.3 Deployment > Deployment Options Considered

- Word target: 350-500
- Comparison table:

- Managed SaaS
- Dedicated/Private Cloud
- On-Premises
- Hybrid

14.4 Deployment > Infrastructure Requirements

- Visual elements (use where relevant):
 - Table: Infrastructure component inventory
- Word target: 350-450
- Cover:
 - Kubernetes/OpenShift
 - PostgreSQL
 - Redis
 - object storage
 - ingress/network

14.5 Deployment > Availability, Resilience, and DR Approach

> **MANDATORY DIAGRAM:** Disaster Recovery Architecture (block diagram: zones, failover, backup/restore). Include as `mermaid` code block.

- Visual elements (use where relevant):
 - Table: RTO/RPO targets and recovery approach
- Word target: 350-450
- Cover:
 - zone distribution
 - backups
 - failover
 - RTO/RPO placeholders if needed

14.6 Deployment > Data Residency and Sovereignty

- Visual elements (use where relevant):
 - Table: Residency requirements mapping
- Word target: 200-300
- Include placeholders for jurisdiction requirements

14.7 Deployment > Visuals

- Visual 1: deployment comparison table
- Visual 2: logical topology diagram
- Visual 3: HA/DR pattern graphic

14.8 Deployment > Avoid

- avoid overcommitting to a model not chosen by bid
- avoid infra detail deeper than evaluator needs

> **Section complete when:** Recommended model stated with rationale. Comparison table present. Infrastructure requirements listed.

15. Training and Knowledge Transfer

- Word target: 900-1300
- Source references:
 - `reusable/training.md`
 - `templates/technical-proposal-part2.md`
- Required subsections:

Consistency anchor: Training audience categories consistent across proposals. No certification promises unless offered.

15.1 Training and Knowledge Transfer > Training Strategy

- Word target: 150-220

15.2 Training and Knowledge Transfer > Administrator Track

- Word target: 180-240

15.3 Training and Knowledge Transfer > Developer / Integration Track

- Word target: 180-240

15.4 Training and Knowledge Transfer > End-User / Operations Track

- Word target: 180-240

15.5 Training and Knowledge Transfer > Knowledge Transfer Method

- Word target: 180-260
- Include:
 - shadowing
 - guided labs
 - runbooks
 - operational readiness assessment

15.6 Training and Knowledge Transfer > Visuals

- one training-track table
- optional week-by-week handover timeline

15.7 Training and Knowledge Transfer > Avoid

- avoid generic LMS language
- avoid promising formal certification unless offered

> **Section complete when:** Training track table present. All audience types covered. Knowledge transfer method described.

16. Support & SLA

- Word target: 1400-1900
- Source references:
 - `reusable/support-sla.md`

- `templates/technical-proposal-part2.md`
- `content/07-support-sla/main.md`
- Required subsections:

Consistency anchor: SLA figures match approved source exactly. Tier names and coverage hours never modified without approval.

16.1 Support & SLA > Support Model Overview

- Visual elements (use where relevant):
 - Screenshot: Monitoring screenshots showing support dashboard
- Word target: 150-220

16.2 Support & SLA > Support Tiers

- Word target: 350-500
- Use tier comparison table

16.3 Support & SLA > Severity and Response Matrix

- Word target: 250-350
- Use severity table + response/resolution table

16.4 Support & SLA > Escalation and Incident Management

- Visual elements (use where relevant):
 - Table: Escalation path with levels, contacts, and thresholds
- Word target: 250-350
- Include escalation path visual or table

16.5 Support & SLA > Maintenance and Update Policy

- Visual elements (use where relevant):
 - Table: Maintenance window schedule and update cadence
- Word target: 250-350

16.6 Support & SLA > Service Reporting

- Word target: 120-180
- Cover uptime reports / review cadence / postmortem practice

16.7 Support & SLA > Avoid

- avoid changing SLA numbers without approval
- avoid custom support commitments unless bid-approved

> **Section complete when:** Support tier comparison table present. Severity/response matrix included. Escalation path defined.

17. Risk Management

- Word target: 800-1200
- Source references:

- `reusable/implementation-plan.md`
- bid-specific risks `[VARIABLE: source]`
- Required subsections:

Consistency anchor: Risk register uses identical column structure. Every risk has an owner and mitigation.

17.1 Risk Management > Risk Management Approach

- Visual elements (use where relevant):
 - Table: Risk management framework summary
- Word target: 150-220

17.2 Risk Management > Risk Register

- Word target: 450-700
- Table columns:
 - ID
 - risk
 - likelihood
 - impact
 - mitigation
 - owner
 - status / trigger
- Minimum categories:
 - regulatory change
 - integration complexity
 - client dependency delay
 - security review timeline
 - third-party provider dependency
 - deployment/environment readiness

17.3 Risk Management > Governance of Risks

- Word target: 120-180

17.4 Risk Management > Avoid

- avoid generic enterprise risk waffle
- avoid separating risks from concrete mitigations

> **Section complete when:** Risk register table present with all required columns. Minimum risk categories covered. Every risk has owner and mitigation.

18. Compliance Matrix

- Word target: 1200-1800
- Source references:
 - bid requirements
 - all relevant master/reusable/content sources

- Required subsections:

Consistency anchor: Status codes consistent with legend. Every row traces to a specific RFP requirement ID.

18.1 Compliance Matrix > Usage Instructions

- Word target: 80-120
- Explain status coding only

18.2 Compliance Matrix > Status Legend

- Word target: 0-50
- Suggested codes:
 - Full
 - Partial
 - Configurable
 - Assumption
 - Out of Scope

18.3 Compliance Matrix > Detailed Matrix

- Word target: 900-1400
- Table columns:
 - requirement ID
 - requirement summary
 - response status
 - DALP / SettleMint response
 - source references
 - assumptions / notes
- Writer instructions:
 - keep concise and traceable
 - no sales prose
 - cross-check with main body wording

18.4 Compliance Matrix > Example Completed Row

- Word target: 100-150
- Include one generic example using placeholders only

18.5 Compliance Matrix > Avoid

- avoid contradictory status labels
- avoid long paragraph answers inside cells

> **Section complete when:** Status legend defined. Matrix table covers all RFP requirements. No contradictory status labels.

19. Support Appendix

Consistency anchor: Only included when bid requires it. Source-backed and compact.

19.1 Support Appendix (400-700 words, appendix-style)

- Write about: support tiers, SLA commitments, severity definitions, escalation paths, maintenance/update policy, reporting cadence, and service-credit rules where approved.
- Include: 1 support-tier comparison table and 1 severity/response/resolution table.
- Cover explicitly: named channels, coverage hours, incident escalation path, maintenance windows, and any service credit mechanics approved for proposal use.
- Tone: operational, precise, contract-aware.
- Reference: ``bid-manager/content/07-support-sla/main.md``, ``bid-manager/templates/sla-framework.md``.
- Do not: change SLA values, uptime targets, or service-credit terms without approval.

> **Section complete when:** Support tier comparison table present. Severity/response matrix included. Escalation path defined.

20. Writer's Checklist

- Word target: 600-900
- Structure as checklist only

Consistency anchor: All checklist items verified before submission. No items skipped.

20.1 Writer's Checklist > Structural Checks

- front matter correct
- no manual numbering in headings
- section order matches chosen variant
- word targets approximately met
- visuals specified for major sections

20.2 Writer's Checklist > Evidence Checks

- every factual claim source-backed
- references aligned to actual source files
- no invented metrics/outcomes
- named examples only from approved reference file

20.3 Writer's Checklist > Customization Checks

- all placeholders resolved where required
- client name, programme name, and scope consistent
- selected references match bid context
- deployment model consistent across document

20.4 Writer's Checklist > Tone Checks

- no hype language
- no consultant-speak
- no roadmap-as-reality
- no duplicate DALP definitions

20.5 Writer's Checklist > Production Checks

- tables render cleanly in Word
- diagrams labeled and editable where possible
- TOC auto-build works
- appendix / compliance references consistent

> **Section complete when:** All structural, evidence, customization, tone, and production checks listed.

21. Appendix Guidance

- Include only if bid requires:
 - glossary
 - certification summary
 - API reference summary
 - additional matrices
- Use source-backed, compact appendices only
- Do not hide missing core content in appendices

Consistency anchor: Only included when bid requires it. Source-backed and compact.