

10 x 10 Deck

Prepared for the owner · CO · September 21, 2026

CHECK OR ACH	FINANCED	MONTHLY
\$12,261	\$13,184 no money down	\$153 6.99% · 10 years



A 10' x 10' deck ten feet off the ground, ledgered to the house on one side and carried on two 6x6 Douglas fir posts under a 4x10 Douglas fir beam. TimberTech Prime+ composite decking in Sea Salt Gray with a picture frame in the same board, hidden fasteners in the field and color-matched screws at the frame. Cinch steel rail in black on the three open sides, and a Hardie skirt around the frame.

AT A GLANCE



From the yard



Isometric from the open corner

- Deck

96 SF · 10'-0" above grade · 9'-11 1/8" x 9'-8 1/16" over fascia
- Decking

TimberTech Prime+ Sea Salt Gray, picture frame in Prime+ Sea Salt Gray · Camo EdgeClip fasteners
- Rail

TimberTech Cinch Satin Black, 36" · 29 LF
- Structure

2x8 pressure-treated frame at 16" on centre, 4x10 Douglas fir beams; 2 x 6x6 on DP-50/50
- Design load

50 psf (40 psf live governs), stamped by a Colorado engineer

WHAT IT IS included in the price

ELEMENT SELECTION

Decking	TimberTech Composite Prime+, Sea Salt Gray; picture frame in Prime+ Sea Salt Gray. Grooved boards, 3/16" gaps, matching fascia. Not rated for fire zones; 25-yr product / 25-yr fade & stain.
Railing	TimberTech Cinch Rail, Satin Black, 36". 29 LF.
Frame	8 2x8 #1 True Frame Joist SYP GC @ 16" OC x 9'-2 1/2"; 2-ply 2x8 front and sides; 4x10 Douglas fir beams.
Foundation	DP-50/50.
Design load	30 psf snow, stamped by a Colorado engineer.
Hardware	Simpson ZMAX galvanized connectors. Camo EdgeClip fasteners.



From the front corner



Standing on the deck



Low isometric




Under the deck — posts, beams, footings

ISOMETRICS the model from four corners



Isometric from the stair corner



Isometric from the open corner




Isometric from under the frame




Plan from above


EXPLODED VIEWS every layer pulled apart



Exploded — every layer




Exploded — from the open corner




Exploded — from the front corner



Exploded — low angle



Posts and beams on the footings



Frame only — joists, rims, beams, ledger

PRICE

Total investment \$13,184 — financed, no money down

- 12 months no payments, no down payment
- 18 months no payments, no down payment
- 6.99% for 10 years — about \$153/month

Check or ACH: \$12,261 (7% savings)

WHAT THE PRICE INCLUDES

ITEM	VALUE
Foundation & structure	\$4,600
Decking & fascia	\$4,222
Railing	\$3,055
Site & project services	\$384
Total, check or ACH	\$12,261
Total, financed	\$13,184

Engineering — \$1,800 to \$3,000. Stamped drawings by a Colorado engineer (30 psf snow). GSX provides the engineer and bills the engineering at cost, with no markup. You own the stamped set. It is separate from the deck price above.

NEXT STEP

Engineering first. This is a quote: the numbers depend on the stamped engineering, so the first step is engineering. GSX provides the Colorado engineer and supplies the design package; you pay GSX the engineer's cost at no markup and you own the stamped set. When the stamped set is in hand, GSX issues a fixed-price proposal on these numbers with the payment terms.

Quote, not a contract: a fixed-price proposal follows the stamped engineering. Quote numbers hold 30 days. Renders and plan are design intent; the stamped engineering set governs structure, dimensions and locations.



The interactive 3D model lives at the online version of this document.

GS Exterior Experts · Deck Division

Renders and drawings are design intent; dimensions on the sheets govern. Numbers hold 30 days.