CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No.:	8110-2042:0001
CATEGORY:	8110 - DECKING FOR WILDLAND URBAN INTERFACE (W.U.I)
LISTEE:	AZEK BUILDING PRODUCTS 894 Prairie Ave, Wilmington, OH, 45177 Contact: Fiume, Michael 3306188514 Email: michael.fiume@azekco.com
DESIGN:	“AZEK Vintage Deck” composite deck board, all colors, 1” thick x 5.5” width. Refer to the manufacturer's installation instructions and product data sheets.
RATING:	Class *A Flame Spread.
INSTALLATION:	In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.
MARKING:	Listee name. Model number, rating and SFM label.
APPROVAL:	Listed as decking materials for use in the Wildland Urban Interface areas.
NOTES:	Test Protocol SFM 12-7A-4A

*Revision 05-02-2017 dcc

This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: 05/31/2026

Listing Expires: 06/30/2027

Authorized By: **Michael Huang**, Program Coordinator
Fire Engineering & Investigations Division