CALIFORNIA DEPARTMENT of FORESTRY and FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL

STATE FIRE MARSHAL LISTED WILDLAND-URBAN INTERFACE (WUI) PRODUCTS HANDBOOK

Published by ***CAL FIRE***

FIRE ENGINEERING AND INVESTIGATIONS DIVISION

BUILDING MATERIALS LISTING PROGRAM

September 2, 2025

Decking for Wildland-Urban Interface (SFM Standard 12-7A-4 and 12-7A-4A, OSFM Listing Category 8110)

LISTING No. 8110-2041:0002
CATEGORY: 8110 -- DECKING FOR WILDLAND-URBAN INTERFACE
LISTEE: American Wood Council
222 Catoctin Circle, SE, Suite 201, Leesburg, VA 20175
Contact: Jason Smart (804) 650-9396 (703) 771-4079
Email: jsmart@awc.org
DESIGN: Solid “Wood” decking, when installed over minimum 2” x 6” solid “Douglas Fir” or better joists, spaced 24” or less on center, and decking and joists complying with American Softwood Lumber Standard PS 20 as follows:
Minimum nominal 5/4” thick and nominal 6” wide decking boards with a maximum 3/8” radius edges made of solid wood species “Redwood”, “Western Red Cedar”, “Incense Cedar”, “Port Orford Cedar”, or “Alaska Yellow Cedar” having a Class B Flame Spread rating when tested in accordance with ASTM E84. Lumber grades: construction common, commercial, or better grades for Redwood; 3 common, commercial, or better grades for Cedars. Refer to the manufacturer's installation instructions and product data sheets.
TEST PROTOCOL: SFM 12-7A-4A
RATING: Class B Flame Spread

LISTING No. 8110-2042:0001
CATEGORY: 8110 -- DECKING FOR WILDLAND-URBAN INTERFACE
LISTEE: AZEK BUILDING PRODUCTS
894 Prairie Ave, Wilmington, OH 45177
Contact: Michael Fiume (330)-618-8514
Email: michael.fiume@azekco.com
DESIGN: “AZEK Vintage Deck” composite deck board, all colors, 1” thick x 5.5” width. Refer to the manufacturer's installation instructions and product data sheets.
TEST PROTOCOL: SFM 12-7A-4A
RATING: Class A Flame Spread

LISTING No. 8110-2042:0003
CATEGORY: 8110 -- DECKING FOR WILDLAND-URBAN INTERFACE
LISTEE: AZEK BUILDING PRODUCTS
894 Prairie Ave, Wilmington, OH 45177
Contact: Michael Fiume (330)-618-8514
Email: michael.fiume@azekco.com
DESIGN: “AZEK Porch” tongue and groove composite deck board, all colors, 1” thick x 3 1/8” width. Refer to the manufacturer's installation instructions and product data sheets.
TEST PROTOCOL: SFM 12-7A-4A
RATING: Class B Flame Spread

LISTING No. 8110-2042:0004
CATEGORY: 8110 -- DECKING FOR WILDLAND-URBAN INTERFACE

Ignition-Resistant Materials (ASTM E84 with extended 20-minute, OSFM Listing Category 8170)

LISTING No. 8170-2029:0005
CATEGORY: 8170 – IGNITION-RESISTANT MATERIALS
LISTEE: NICHIHA USA, INC.
6465 E Johns Crossing, Suite 250, Johns Creek, GA 30097-1560
Contact: Max Rietschier (404) 472-7358
Email: mrietschier@nichiha.com
DESIGN: AWP Panels, 17-7/8" wide by 5/8" minimum thickness fiber cement boards. Refer to manufacturer's installation instructions and product data sheets for additional detailed product description and construction.
TEST PROTOCOL: ASTM E84 with extended 20-minute

LISTING No. 8170-2029:0006
CATEGORY: 8170 – IGNITION-RESISTANT MATERIALS
LISTEE: NICHIHA USA, INC.
6465 E Johns Crossing, Suite 250, Johns Creek, GA 30097-1560
Contact: Max Rietschier (404) 472-7358
Email: mrietschier@nichiha.com
DESIGN: Sierra/Savannah Lap Siding, 1/2" thick fiber cement boards. Refer to manufacturer's installation instructions and product data sheets for additional detailed product description and construction.
TEST PROTOCOL: ASTM E84 with extended 20-minute

LISTING No. 8170-2029:0007
CATEGORY: 8170 – IGNITION-RESISTANT MATERIALS
LISTEE: NICHIHA USA, INC.
6465 E Johns Crossing, Suite 250, Johns Creek, GA 30097-1560
Contact: Max Rietschier (404) 472-7358
Email: mrietschier@nichiha.com
DESIGN: Nichiproducts series Nichipanel, 5/16" thick fiber cement boards. Refer to manufacturer's installation instructions and product data sheets for additional detailed product description and construction.
TEST PROTOCOL: ASTM E84 with extended 20-minute

LISTING No. 8170-2042:0504
CATEGORY: 8170 – IGNITION-RESISTANT MATERIALS
LISTEE: AZEK BUILDING PRODUCTS
894 Prairie Ave, Wilmington, OH, 45177
Contact: Michael Fiume (330) 618-8514
Email: michael.fiume@azekco.com
DESIGN: Vintage and Landmark materials, 5-1/2 in width x 1 in thick are PVC composite boards for exterior use only. Refer to manufacturer's installation, maintenance, operations guide for complete product details.