

Preguntas

- 1) MOMENTO 1 PASO 8: ¿Qué paso con el directorio db?
- 2) MOMENTO 2 PASO 6: ¿Se guardo lo importante?
- 3) MOMENTO 4 PASO 1: ¿Esta bien el nombre del commit?
- 4) MOMENTO 5 PASO 3: ¿Qué hace este paso?
- 5) MOMENTO 5 PASO 6: ¿Qué pasó acá?

- 1) Se guardo dentro del repositorio Ecommerce.
- 2) No se guardó lo importante, hasta el momento 2 solo llega hasta el commit, y no se guarda hasta momento 3.
- 3) Si está bien el nombre del commit, porque guarda las carpetas que no fueron guardadas en el momento 2.
- 4) Se desechan los cambios hechos en el directorio de trabajo.
- 5) Se hace la actualización todas las modificaciones que se realizaron desde el momento cuanto al finalizar el momento cinco con el commit. Se modifica la nota con "Sacando la configuración".

```
MINGW64~/c:/Users/user/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ touch config.js

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ mkdir db

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git init
Initialized empty Git repository in C:/Users/user/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/.git/

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git add .

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git commit -m "Primer commit"
[main (root-commit) 62085cb] Primer commit
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 app.js
 create mode 100644 config.js

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git status
On branch main
nothing to commit, working tree clean

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ cd ./db

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ touch productos_db.js

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  ./

nothing added to commit but untracked files present (use "git add" to track)

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ cd ../

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  db/
```

Grupo 11

```
MINGW64/c/Users/user/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db
(use "git add <file>..." to include in what will be committed)
./
nothing added to commit but untracked files present (use "git add" to track)
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ cd ../
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    db/
nothing added to commit but untracked files present (use "git add" to track)
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ cd ./db
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ touch carrito_db.js
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ cd ../
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ ls
app.js  config.js  db/
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ nano app.js
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git commit -m "Guardando lo importante"
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   app.js
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    db/
no changes added to commit (use "git add" and/or "git commit -a")
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git add .
warning: in the working copy of 'app.js', LF will be replaced by CRLF the next time Git touches it
```

Grupo 11

MINGW64:/c:/Users/user/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db

```
user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ git commit -m "Guardando una parte del proyecto"
[main 2e7782a] Guardando una parte del proyecto
3 files changed, 1 insertion(+)
create mode 100644 db/carrito_db.js
create mode 100644 db/productos_db.js

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce (main)
$ cd ./db

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ rm productos_db.js

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ ls
carrito_db.js

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ git restore .

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ rm ../config.js

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ git status
On branch main
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    ../config.js

no changes added to commit (use "git add" and/or "git commit -a")

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ git add .

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ git commit -m "Sacando la configuracion"
On branch main
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    ../config.js

no changes added to commit (use "git add" and/or "git commit -a")

user@DESKTOP-I6E01SP MINGW64 ~/OneDrive/Escritorio/DH INTRODUCCION/clase 4/Ecommerce/db (main)
$ |
```