
```
×
   MINGW64:/c/Users/user/Desktop/dh/repaso_clase1y2
   user@DESKTOP-V9AEPOG MINGW64 ~/Desktop
  $ mkdir dh
  user@DESKTOP-V9AEPOG MINGW64 ~/Desktop
  $ cd dh
  user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh
  $ mkdir repaso_clase1y2
  user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh
  $ cd repaso_clase1y2
user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh/repaso_clase1y2

$ mkdir historia_de_la_contabilidad que_haremos_hoy servidores interfaces_de_usu
  ario infraestructura
  user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh/repaso_clase1y2
  bash: 1s-R: command not found
 user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh/repaso_clase1y2
$ 1s -R
historia_de_la_contabilidad/ interfaces_de_usuario/ servidores/
infraestructura/
                                    que_haremos_hoy/
./historia_de_la_contabilidad:
 ./infraestructura:
 ./interfaces_de_usuario:
  /que_haremos_hoy:
  /servidores:
user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh/repaso_clase1y2
$ touch ./historia_de_la_contabilidad/repaso.txt ./infraestructura/repaso.jpg ./
interfaces_de_usuario/repaso.pdf ./que_haremos_hoy/repaso.ppt ./servidores/repas
user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh/repaso_clase1y2
 $ cd ./dh
bash: cd: ./dh: No such file or directory
 user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh/repaso_clase1y2
$ cd c:/Users/user/Desktp/dh
bash: cd: c:/Users/user/Desktp/dh: No such file or directory
 user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh/repaso_clase1y2
$ cd c:/Users/user/Desktop/dh
 user@DESKTOP-V9AEPOG MINGW64 ~/Desktop/dh
```



## Con visual code

