


PROJECT LOCATION



6701 EVANSTAD DR N
MAPLE GROVE, MN 55369

This drawing is for client / customer evaluation purposes only.
The information contained within is proprietary and may not be reproduced, distributed, or used in its complete form or any portion of it in any way as it may be detrimental to Creative Design & Machine, Inc.'s best interest.





Lift Data

LIFT CAPACITY: 4,500lbs(2045kg) IBC & PRODUCT @CENTER OF DISCHARGE FRAME
LIFT SPEED: 15 FT/MIN
ELECTRIC: 460 VAC, 3PH, 60Hz
30 AMP STANDARD
PNEUMATIC: 90 PSI
HORSEPOWER: 5 HP LIFTING
1/8 HP SLUE
EXTERNAL MATERIAL: 304SS
FINISH: 180 GRIT POLISH (#4 POLISH)




CEILING PLATE DETAIL



BASE PLATE DETAIL

VENDOR DRAWING NO.	REV	SHEET	MANUFACTURER
5124-1000	2013/01/17	1 OF 2	CREATIVE DESIGN & MACHINE



KEYPLAN

CLIENT

UPSHER-SMITH

Partners in Health Since 1919

CONSULTING ENGINEER

Horwitz

7400 49th AVENUE NORTH
NEW HOPE, MN 55428
(763) 533-1900
www.horwitzinc.com

PROJECT TITLE

PROJECT KEystone - PHASE 1

REV	BY	DATE	DESCRIPTION
A	RS	11/06/21	FOR RECORD
0	RS	05/25/22	AS RECORDED

LICENSEE

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

Date 05/25/22 LIC NO

CONFIDENTIAL - THIS DRAWING IS THE PROPERTY OF UPSHER-SMITH. THE INFORMATION CONTAINED HEREIN MAY NOT BE USED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF THE OWNER.

PROJ. NO.	2022.1720	DESIGNED BY:	Designer
SCALE:	12" = 1'-0"	CHECKED BY:	Checker
SHEET SIZE:	30x42	APPROVED BY:	Approver

DRAWING TITLE

BL03-PH-001 VENDOR P&ID SHEET 1

DRAWING NUMBER

PID-4015.1