

## Internet Key Exchange Version 2 (IKEv2) Parameters

Created

2005-01-18

Last Updated

2018-08-21

Available Formats

[IMG]

XML [IMG]

HTML [IMG]

Plain text

Registries included below

- \* IKEv2 Exchange Types
- \* IKEv2 Payload Types
- \* Transform Type Values
  - \* IKEv2 Transform Attribute Types
  - \* Transform Type 1 - Encryption Algorithm Transform IDs
  - \* Transform Type 2 - Pseudorandom Function Transform IDs
  - \* Transform Type 3 - Integrity Algorithm Transform IDs
  - \* Transform Type 4 - Diffie-Hellman Group Transform IDs
  - \* Transform Type 5 - Extended Sequence Numbers Transform IDs
- \* IKEv2 Identification Payload ID Types
- \* IKEv2 Certificate Encodings
- \* IKEv2 Authentication Method
- \* IKEv2 Notify Message Types - Error Types
- \* IKEv2 Notify Message Types - Status Types
- \* IKEv2 Notification IPCOMP Transform IDs (Value 16387)
- \* IKEv2 Security Protocol Identifiers
- \* IKEv2 Traffic Selector Types
- \* IKEv2 Configuration Payload CFG Types
- \* IKEv2 Configuration Payload Attribute Types
- \* IKEv2 Gateway Identity Types
- \* ROHC Attribute Types
- \* IKEv2 Secure Password Methods
- \* IKEv2 Hash Algorithms

IKEv2 Exchange Types

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]

CSV

Value	Exchange Type	Reference
0-33	Reserved	[RFC7296]
34	IKE_SA_INIT	[RFC7296]
35	IKE_AUTH	[RFC7296]
36	CREATE_CHILD_SA	[RFC7296]
37	INFORMATIONAL	[RFC7296]
38	IKE_SESSION_RESUME	[RFC5723]
39	GSA_AUTH	[draft-yeung-g-ikev2]

40	GSA_REGISTRATION	[draft-yeung-g-ikev2]
41	GSA_REKEY	[draft-yeung-g-ikev2]
42-239	Unassigned	
240-255	Private use	[RFC7296]

## IKEv2 Payload Types

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference  
[RFC7296]

Available Formats  
[IMG]  
CSV

Value	Next Payload Type	Notation	Reference
0	No Next Payload		[RFC7296]
1-32	Reserved		[RFC7296]
33	Security Association	SA	[RFC7296]
34	Key Exchange	KE	[RFC7296]
35	Identification - Initiator	IDi	[RFC7296]
36	Identification - Responder	IDr	[RFC7296]
37	Certificate	CERT	[RFC7296]
38	Certificate Request	CERTREQ	[RFC7296]
39	Authentication	AUTH	[RFC7296]
40	Nonce	Ni, Nr	[RFC7296]
41	Notify	N	[RFC7296]
42	Delete	D	[RFC7296]
43	Vendor ID	V	[RFC7296]
44	Traffic Selector - Initiator	TSi	[RFC7296]
45	Traffic Selector - Responder	TSr	[RFC7296]
46	Encrypted and Authenticated	SK	[RFC7296]
47	Configuration	CP	[RFC7296]
48	Extensible Authentication	EAP	[RFC7296]
49	Generic Secure Password Method	GSPM	[RFC6467]
50	Group Identification	IDg	[draft-yeung-g-ikev2]
51	Group Security Association	GSA	[draft-yeung-g-ikev2]
52	Key Download	KD	[draft-yeung-g-ikev2]
53	Encrypted and Authenticated Fragment	SKF	[RFC7383]
54	Puzzle Solution	PS	[RFC8019]
55-127	Unassigned		
128-255	Private use		[RFC7296]

## Transform Type Values

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference  
[RFC7296]

Available Formats  
[IMG]  
CSV

Type	Description	Used In	Reference
0	Reserved		[RFC7296]
1	Encryption Algorithm (ENCR)	(IKE and ESP)	[RFC7296]
2	Pseudo-random Function (PRF)	(IKE)	[RFC7296]
3	Integrity Algorithm (INTEG)	(IKE, AH, optional in ESP)	[RFC7296]
4	Diffie-Hellman Group (D-H)	(IKE, optional in AH & ESP)	[RFC7296]
5	Extended Sequence Numbers (ESN)	(AH and ESP)	[RFC7296]
6-240	Unassigned		
241-255	Private use		[RFC7296]

## IKEv2 Transform Attribute Types

### Registration Procedure(s)

### Expert Review

#### Expert(s)

Tero Kivinen

#### Reference

[RFC7296]

#### Available Formats

[IMG]

CSV

Value	Attribute Type	Format	Reference
0-13	Reserved		[RFC7296]
14	Key Length (in bits) TV		[RFC7296]
15-17	Reserved		[RFC7296]
18-16383	Unassigned		
16384-32767	Private use		[RFC7296]

## Transform Type 1 - Encryption Algorithm Transform IDs

### Registration Procedure(s)

### Expert Review

#### Expert(s)

Tero Kivinen

#### Reference

[RFC7296]

#### Available Formats

[IMG]

CSV

Number	Name	ESP Reference	IKEv2 Reference
0	Reserved	[RFC7296]	-
1	ENCR_DES_IV64	UNSPECIFIED	-
2	ENCR_DES	[RFC2405]	[RFC7296]
3	ENCR_3DES	[RFC2451]	[RFC7296]
4	ENCR_RC5	[RFC2451]	[RFC7296]
5	ENCR_IDEA	[RFC2451]	[RFC7296]
6	ENCR_CAST	[RFC2451]	[RFC7296]
7	ENCR_BLOWFISH	[RFC2451]	[RFC7296]
8	ENCR_3IDEA	UNSPECIFIED	[RFC7296]
9	ENCR_DES_IV32	UNSPECIFIED	-
10	Reserved	[RFC7296]	-
11	ENCR_NULL	[RFC2410]	Not allowed
12	ENCR_AES_CBC	[RFC3602]	[RFC7296]
13	ENCR_AES_CTR	[RFC3686]	[RFC5930]
14	ENCR_AES_CCM_8	[RFC4309]	[RFC5282]

15	ENCR_AES_CCM_12	[RFC4309]	[RFC5282]
16	ENCR_AES_CCM_16	[RFC4309]	[RFC5282]
17	Unassigned		
18	ENCR_AES_GCM_8	[RFC4106] [RFC8247]	[RFC5282] [RFC8247]
19	ENCR_AES_GCM_12	[RFC4106] [RFC8247]	[RFC5282] [RFC8247]
20	ENCR_AES_GCM_16	[RFC4106] [RFC8247]	[RFC5282] [RFC8247]
21	ENCR_NULL_AUTH_AES_GMAC	[RFC4543]	Not allowed
22	Reserved for IEEE P1619 XTS-AES	[Matt_Ball]	-
23	ENCR_CAMELLIA_CBC	[RFC5529]	[RFC7296]
24	ENCR_CAMELLIA_CTR	[RFC5529]	-
25	ENCR_CAMELLIA_CCM_8	[RFC5529] [RFC8247]	-
26	ENCR_CAMELLIA_CCM_12	[RFC5529] [RFC8247]	-
27	ENCR_CAMELLIA_CCM_16	[RFC5529] [RFC8247]	-
28	ENCR_CHACHA20_POLY1305	[RFC7634]	[RFC7634]
29	ENCR_AES_CCM_8_IIV	[draft-ietf-ipsecme-implicit-iv]	Not allowed
30	ENCR_AES_GCM_16_IIV	[draft-ietf-ipsecme-implicit-iv]	Not allowed
31	ENCR_CHACHA20_POLY1305_IIV	[draft-ietf-ipsecme-implicit-iv]	Not allowed
32-1023	Unassigned		
1024-65535	Private use	[RFC7296]	[RFC7296]

#### Transform Type 2 - Pseudorandom Function Transform IDs

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]

CSV

Number	Name	Reference
0	Reserved	[RFC7296]
1	PRF_HMAC_MD5	[RFC2104]
2	PRF_HMAC_SHA1	[RFC2104]
3	PRF_HMAC_TIGER	[UNSPECIFIED]
4	PRF_AES128_XCBC	[RFC4434]
5	PRF_HMAC_SHA2_256	[RFC4868]
6	PRF_HMAC_SHA2_384	[RFC4868]
7	PRF_HMAC_SHA2_512	[RFC4868]
8	PRF_AES128_CMAC	[RFC4615]
9-1023	Unassigned	
1024-65535	Private use	[RFC7296]

#### Transform Type 3 - Integrity Algorithm Transform IDs

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]

CSV

Number	Name	Reference
0	NONE	[RFC7296]
1	AUTH_HMAC_MD5_96	[RFC2403][RFC7296]
2	AUTH_HMAC_SHA1_96	[RFC2404][RFC7296]
3	AUTH_DES_MAC	[UNSPECIFIED]
4	AUTH_KPDK_MD5	[UNSPECIFIED]
5	AUTH_AES_XCBC_96	[RFC3566][RFC7296]
6	AUTH_HMAC_MD5_128	[RFC4595]
7	AUTH_HMAC_SHA1_160	[RFC4595]
8	AUTH_AES_CMAC_96	[RFC4494]
9	AUTH_AES_128_GMAC	[RFC4543]
10	AUTH_AES_192_GMAC	[RFC4543]
11	AUTH_AES_256_GMAC	[RFC4543]
12	AUTH_HMAC_SHA2_256_128	[RFC4868]
13	AUTH_HMAC_SHA2_384_192	[RFC4868]
14	AUTH_HMAC_SHA2_512_256	[RFC4868]
15-1023	Unassigned	
1024-65535	Private use	[RFC7296]

Transform Type 4 - Diffie-Hellman Group Transform IDs

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296][RFC6989]

Available Formats

[IMG]

CSV

Number	Name	Recipient Tests	Reference
0	NONE		[RFC7296]
1	768-bit MODP Group	[RFC6989], Sec. 2.1	[RFC7296]
2	1024-bit MODP Group	[RFC6989], Sec. 2.1	[RFC7296]
3-4	Reserved		[RFC7296]
5	1536-bit MODP Group	[RFC6989], Sec. 2.1	[RFC3526]
6-13	Unassigned		[RFC7296]
14	2048-bit MODP Group	[RFC6989], Sec. 2.1	[RFC3526]
15	3072-bit MODP Group	[RFC6989], Sec. 2.1	[RFC3526]
16	4096-bit MODP Group	[RFC6989], Sec. 2.1	[RFC3526]
17	6144-bit MODP Group	[RFC6989], Sec. 2.1	[RFC3526]
18	8192-bit MODP Group	[RFC6989], Sec. 2.1	[RFC3526]
19	256-bit random ECP group	[RFC6989], Sec. 2.3	[RFC5903]
20	384-bit random ECP group	[RFC6989], Sec. 2.3	[RFC5903]
21	521-bit random ECP group	[RFC6989], Sec. 2.3	[RFC5903]
22	1024-bit MODP Group with 160-bit Prime Order Subgroup	[RFC6989], Sec. 2.2	[RFC5114]
23	2048-bit MODP Group with 224-bit Prime Order Subgroup	[RFC6989], Sec. 2.2	[RFC5114]
24	2048-bit MODP Group with 256-bit Prime Order Subgroup	[RFC6989], Sec. 2.2	[RFC5114]
25	192-bit Random ECP Group	[RFC6989], Sec. 2.3	[RFC5114]
26	224-bit Random ECP Group	[RFC6989], Sec. 2.3	[RFC5114]
27	brainpoolP224r1	[RFC6989], Sec. 2.3	[RFC6954]
28	brainpoolP256r1	[RFC6989], Sec. 2.3	[RFC6954]
29	brainpoolP384r1	[RFC6989], Sec. 2.3	[RFC6954]
30	brainpoolP512r1	[RFC6989], Sec. 2.3	[RFC6954]
31	Curve25519	[RFC8031], Sec. 3.2	[RFC8031]
32	Curve448	[RFC8031], Sec. 3.2	[RFC8031]
33-1023	Unassigned		
1024-65535	Reserved for Private Use		[RFC7296]

Transform Type 5 - Extended Sequence Numbers Transform IDs

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]

CSV

Number	Name	Reference
0	No Extended Sequence Numbers	[RFC7296]
1	Extended Sequence Numbers	[RFC7296]
2-65535	Reserved	[RFC7296]

IKEv2 Identification Payload ID Types

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]

CSV

Value	ID Type	Reference
0	Reserved	[RFC7296]
1	ID_IPV4_ADDR	[RFC7296]
2	ID_FQDN	[RFC7296]
3	ID_RFC822_ADDR	[RFC7296]
4	Unassigned	[RFC7296]
5	ID_IPV6_ADDR	[RFC7296]
6-8	Unassigned	[RFC7296]
9	ID_DER_ASN1_DN	[RFC7296]
10	ID_DER_ASN1_GN	[RFC7296]
11	ID_KEY_ID	[RFC7296]
12	ID_FC_NAME	[RFC4595]
13	ID_NULL	[RFC7619]
14-200	Unassigned	
201-255	Private use	[RFC7296]

IKEv2 Certificate Encodings

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]  
CSV

Value	Certificate Encoding	Reference
0	Reserved	[RFC7296]
1	PKCS #7 wrapped X.509 certificate	[UNSPECIFIED]
2	PGP Certificate	[UNSPECIFIED]
3	DNS Signed Key	[UNSPECIFIED]
4	X.509 Certificate - Signature	[RFC7296]
5	Reserved	[RFC7296]
6	Kerberos Token	[UNSPECIFIED]
7	Certificate Revocation List (CRL)	[RFC7296]
8	Authority Revocation List (ARL)	[UNSPECIFIED]
9	SPKI Certificate	[UNSPECIFIED]
10	X.509 Certificate - Attribute	[UNSPECIFIED]
11	Raw RSA Key (DEPRECATED)	[RFC7296]
12	Hash and URL of X.509 certificate	[RFC7296]
13	Hash and URL of X.509 bundle	[RFC7296]
14	OCSP Content	[RFC4806]
15	Raw Public Key	[RFC7670]
16-200	Unassigned	
201-255	Private use	[RFC7296]

#### IKEv2 Authentication Method

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference  
[RFC7296]

Available Formats  
[IMG]  
CSV

Value	Authentication Method	Reference
0	Reserved	[RFC7296]
1	RSA Digital Signature	[RFC7296]
2	Shared Key Message Integrity Code	[RFC7296]
3	DSS Digital Signature	[RFC7296]
4-8	Unassigned	[RFC7296]
9	ECDSA with SHA-256 on the P-256 curve	[RFC4754]
10	ECDSA with SHA-384 on the P-384 curve	[RFC4754]
11	ECDSA with SHA-512 on the P-521 curve	[RFC4754]
12	Generic Secure Password Authentication Method	[RFC6467]
13	NULL Authentication	[RFC7619]
14	Digital Signature	[RFC7427]
15-200	Unassigned	
201-255	Private use	[RFC7296]

#### IKEv2 Notify Message Types - Error Types

Expert(s)

Tero Kivinen

Reference  
[RFC7296]

Available Formats  
[IMG]  
CSV

Range	Registration Procedures
0-8191	Expert Review
8192-16383	Private use

Value	NOTIFY MESSAGES - ERROR TYPES	Reference
0	Reserved	[RFC7296]
1	UNSUPPORTED_CRITICAL_PAYLOAD	[RFC7296]
2-3	Reserved	[RFC7296]
4	INVALID_IKE_SPI	[RFC7296]
5	INVALID_MAJOR_VERSION	[RFC7296]
6	Reserved	[RFC7296]
7	INVALID_SYNTAX	[RFC7296]
8	Reserved	[RFC7296]
9	INVALID_MESSAGE_ID	[RFC7296]
10	Reserved	[RFC7296]
11	INVALID_SPI	[RFC7296]
12-13	Reserved	[RFC7296]
14	NO_PROPOSAL_CHOSEN	[RFC7296]
15-16	Reserved	[RFC7296]
17	INVALID_KEY_PAYLOAD	[RFC7296]
18-23	Reserved	[RFC7296]
24	AUTHENTICATION_FAILED	[RFC7296]
25-33	RESERVED	[RFC7296]
34	SINGLE_PAIR_REQUIRED	[RFC7296]
35	NO_ADDITIONAL_SAS	[RFC7296]
36	INTERNAL_ADDRESS_FAILURE	[RFC7296]
37	FAILED_CP_REQUIRED	[RFC7296]
38	TS_UNACCEPTABLE	[RFC7296]
39	INVALID_SELECTORS	[RFC7296]
40	UNACCEPTABLE_ADDRESSES	[RFC4555]
41	UNEXPECTED_NAT_DETECTED	[RFC4555]
42	USE_ASSIGNED_HoA	[RFC5026]
43	TEMPORARY_FAILURE	[RFC7296]
44	CHILD_SA_NOT_FOUND	[RFC7296]
45	INVALID_GROUP_ID	[draft-yeung-g-ikev2]
46	AUTHORIZATION_FAILED	[draft-yeung-g-ikev2]
47-8191	Unassigned	
8192-16383	Private use	[RFC7296]

#### IKEv2 Notify Message Types - Status Types

Expert(s)

Tero Kivinen

Reference  
[RFC7296]

Available Formats  
[IMG]  
CSV

Range	Registration Procedures
16384-40959	Expert Review
40960-65535	Private use

Value	NOTIFY MESSAGES - STATUS TYPES	Reference
16384	INITIAL_CONTACT	[RFC7296]
16385	SET_WINDOW_SIZE	[RFC7296]
16386	ADDITIONAL_TS_POSSIBLE	[RFC7296]
16387	IPCOMP_SUPPORTED	[RFC7296]
16388	NAT_DETECTION_SOURCE_IP	[RFC7296]
16389	NAT_DETECTION_DESTINATION_IP	[RFC7296]
16390	COOKIE	[RFC7296]
16391	USE_TRANSPORT_MODE	[RFC7296]
16392	HTTP_CERT_LOOKUP_SUPPORTED	[RFC7296]



16393	REKEY_SA	[RFC7296]
16394	ESP_TFC_PADDING_NOT_SUPPORTED	[RFC7296]
16395	NON_FIRST_FRAGMENTS_ALSO	[RFC7296]
16396	MOBIKE_SUPPORTED	[RFC4555]
16397	ADDITIONAL_IP4_ADDRESS	[RFC4555]
16398	ADDITIONAL_IP6_ADDRESS	[RFC4555]
16399	NO_ADDITIONAL_ADDRESSES	[RFC4555]
16400	UPDATE_SA_ADDRESSES	[RFC4555]
16401	COOKIE2	[RFC4555]
16402	NO_NATS_ALLOWED	[RFC4555]
16403	AUTH_LIFETIME	[RFC4478]
16404	MULTIPLE_AUTH_SUPPORTED	[RFC4739]
16405	ANOTHER_AUTH_FOLLOWS	[RFC4739]
16406	REDIRECT_SUPPORTED	[RFC5685]
16407	REDIRECT	[RFC5685]
16408	REDIRECTED_FROM	[RFC5685]
16409	TICKET_LT_OPAQUE	[RFC5723]
16410	TICKET_REQUEST	[RFC5723]
16411	TICKET_ACK	[RFC5723]
16412	TICKET_NACK	[RFC5723]
16413	TICKET_OPAQUE	[RFC5723]
16414	LINK_ID	[RFC5739]
16415	USE_WESP_MODE	[RFC5840]
16416	ROHC_SUPPORTED	[RFC5857]
16417	EAP_ONLY_AUTHENTICATION	[RFC5998]
16418	CHILDLESS_IKEV2_SUPPORTED	[RFC6023]
16419	QUICK_CRASH_DETECTION	[RFC6290]
16420	IKEV2_MESSAGE_ID_SYNC_SUPPORTED	[RFC6311]
16421	IPSEC_REPLAY_COUNTER_SYNC_SUPPORTED	[RFC6311]
16422	IKEV2_MESSAGE_ID_SYNC	[RFC6311]
16423	IPSEC_REPLAY_COUNTER_SYNC	[RFC6311]
16424	SECURE_PASSWORD_METHODS	[RFC6467]
16425	PSK_PERSIST	[RFC6631]
16426	PSK_CONFIRM	[RFC6631]
16427	ERX_SUPPORTED	[RFC6867]
16428	IFOM_CAPABILITY	[Frederic_Firmin][3GPP TS 24.303 v10.6.0 annex B.2]
16429	SENDER_REQUEST_ID	[draft-yeung-g-ikev2]
16430	IKEV2_FRAGMENTATION_SUPPORTED	[RFC7383]
16431	SIGNATURE_HASH_ALGORITHMS	[RFC7427]
16432	CLONE_IKE_SA_SUPPORTED	[RFC7791]
16433	CLONE_IKE_SA	[RFC7791]
16434	PUZZLE	[RFC8019]
16435	USE_PPK	[draft-ietf-ipsecme-qr-ikev2]
16436	PPK_IDENTITY	[draft-ietf-ipsecme-qr-ikev2]
16437	NO_PPK_AUTH	[draft-ietf-ipsecme-qr-ikev2]
16438-40959	Unassigned	
40960-65535	Private use	[RFC7296]

#### IKEv2 Notification IPCOMP Transform IDs (Value 16387)

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]

CSV

Value	Compression Type	Reference
0	Reserved	[RFC7296]

1	IPCOMP_OUI	[UNSPECIFIED]
2	IPCOMP_DEFLATE	[RFC2394]
3	IPCOMP_LZS	[RFC2395]
4	IPCOMP_LZJH	[RFC3051]
5-240	Unassigned	
241-255	Private use	[RFC7296]

## IKEv2 Security Protocol Identifiers

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]

CSV

Protocol ID	Protocol	Reference
0	Reserved	[RFC7296]
1	IKE	[RFC7296]
2	AH	[RFC7296]
3	ESP	[RFC7296]
4	FC_ESP_HEADER	[RFC4595]
5	FC_CT_AUTHENTICATION	[RFC4595]
6-200	Unassigned	
201-255	Private use	[RFC7296]

## IKEv2 Traffic Selector Types

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7296]

Available Formats

[IMG]

CSV

Value	TS Type	Reference
0-6	Reserved	[RFC7296]
7	TS_IPV4_ADDR_RANGE	[RFC7296]
8	TS_IPV6_ADDR_RANGE	[RFC7296]
9	TS_FC_ADDR_RANGE	[RFC4595]
10-240	Unassigned	
241-255	Private use	[RFC7296]

## IKEv2 Configuration Payload CFG Types

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference  
[RFC7296]

Available Formats  
[IMG]  
CSV

Value	CFG Type	Reference
0	Reserved	[RFC7296]
1	CFG_REQUEST	[RFC7296]
2	CFG_REPLY	[RFC7296]
3	CFG_SET	[RFC7296]
4	CFG_ACK	[RFC7296]
5-127	Unassigned	
128-255	Private use	[RFC7296]

## IKEv2 Configuration Payload Attribute Types

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference  
[RFC7296]

Note

Attribute Types with an "\*" may be multi-valued on return only if multiple values were requested.

Available Formats  
[IMG]  
CSV

Value	Attribute Type	Multi-Valued	Length	
Reference				
0	Reserved			[RFC7296]
1	INTERNAL_IP4_ADDRESS	YES*	0 or 4 octets	[RFC7296]
2	INTERNAL_IP4_NETMASK	NO	0 or 4 octets	[RFC7296]
3	INTERNAL_IP4_DNS	YES	0 or 4 octets	[RFC7296]
4	INTERNAL_IP4_NBNS	YES	0 or 4 octets	[RFC7296]
5	Reserved			[RFC7296]
6	INTERNAL_IP4_DHCP	YES	0 or 4 octets	[RFC7296]
7	APPLICATION_VERSION	NO	0 or more	[RFC7296]
8	INTERNAL_IP6_ADDRESS	YES*	0 or 17 octets	[RFC7296]
9	Reserved			[RFC7296]
10	INTERNAL_IP6_DNS	YES	0 or 16 octets	[RFC7296]
11	Reserved			[RFC7296]
12	INTERNAL_IP6_DHCP	YES	0 or 16 octets	[RFC7296]
13	INTERNAL_IP4_SUBNET	YES	0 or 8 octets	[RFC7296]
14	SUPPORTED_ATTRIBUTES	NO	Multiple of 2	[RFC7296]
15	INTERNAL_IP6_SUBNET	YES	17 octets	[RFC7296]
16	MIP6_HOME_PREFIX	YES	0 or 21 octets	[RFC5026]
17	INTERNAL_IP6_LINK	NO	8 or more	[RFC5739]
18	INTERNAL_IP6_PREFIX	YES	17 octets	[RFC5739]
19	HOME_AGENT_ADDRESS	NO	16 or 20	
[http://www.3gpp.org/ftp/Specs/html-info/24302.htm][John_Meredith]				
20	P_CSCF_IP4_ADDRESS	YES	0 or 4 octets	[RFC7651]
21	P_CSCF_IP6_ADDRESS	YES	0 or 16 octets	[RFC7651]
22	FTT_KAT	NO	2 octets	[TS 24.302 12.6.0]
23	EXTERNAL_SOURCE_IP4_NAT_INFO	NO	0 or 6	[TS 29.139]

[Kimmo_Kymalainen]	24	TIMEOUT_PERIOD_FOR_LIVENESS_CHECK	NO	0 or 4 octets	[TS 24.302 13.4.0]
	25	INTERNAL_DNS_DOMAIN	YES	0 or more	[draft-paulu-ipsecm-split-]
dns]	26	INTERNAL_DNSSEC_TA	YES	0 or more	[draft-ietf-ipsecm-split-]
dns]	27-16383	Unassigned			
	16384-32767	Private Use			[RFC7296]

## IKEv2 Gateway Identity Types

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC5685]

Available Formats

[IMG]

CSV

Value	Description	Reference
0	Reserved	[RFC5685]
1	IPv4 address of the VPN gateway	[RFC5685]
2	IPv6 address of the VPN gateway	[RFC5685]
3	FQDN of the VPN gateway	[RFC5685]
4-240	Unassigned	
241-255	Reserved for Private Use	[RFC5685]

## ROHC Attribute Types

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC5857]

Available Formats

[IMG]

CSV

Value	ROHC Attribute Type	Format	Reference
0	Reserved		[RFC5857]
1	Maximum Context Identifier (MAX_CID)	TV	[RFC5857]
2	ROHC Profile (ROHC_PROFILE)	TV	[RFC5857]
3	ROHC Integrity Algorithm (ROHC_INTEG)	TV	[RFC5857]
4	ROHC ICV Length in bytes (ROHC_ICV_LEN)	TV	[RFC5857]
5	Maximum Reconstructed Reception Unit (MRRU)	TV	[RFC5857]
6-16383	Unassigned		
16384-32767	Reserved for Private Use		[RFC5857]

## IKEv2 Secure Password Methods

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC6467]

Available Formats

[IMG]

CSV

Value	Description	Reference
0	Reserved	[RFC6467]
1	PACE	[RFC6631]
2	AugPAKE	[RFC6628]
3	Secure PSK Authentication	[RFC6617]
4-1023	Unassigned	
1024-65535	Reserved for Private Use	[RFC6467]

IKEv2 Hash Algorithms

Registration Procedure(s)

Expert Review

Expert(s)

Tero Kivinen

Reference

[RFC7427]

Available Formats

[IMG]

CSV

Value	Hash Algorithm	Reference
0	Reserved	[RFC7427]
1	SHA1	[RFC7427]
2	SHA2-256	[RFC7427]
3	SHA2-384	[RFC7427]
4	SHA2-512	[RFC7427]
5	Identity	[RFC8420]
6-1023	Unassigned	
1024-65535	Reserved for Private Use	[RFC7427]

People

ID	Name	Contact URI	Last Updated
[Frederic_Firmin]	Frederic Firmin	mailto:frederic.firmin@etsi.org	2016-03-08
[John_Meredith]	John Meredith	mailto:john.meredith@etsi.org	2010-05-17
[Kimmo_Kymalainen]	Kimmo Kymalainen	mailto:kimmo.kymalainen@etsi.org	2015-12-02
[Matt_Ball]	Matt Ball	mailto:matt.ball@ieee.org	2007-10-11