

ALL CALLERS INTERROGATION

1. **Where** is your emergency (*address or location*)?

Confirm location

2. **What** is the **phone number** you are calling from?

Confirm phone number

3. **What** is the **emergency**?

If MVC jump to the [T10: MVC](#) Card

4. How **many** people are **hurt** (*if not obvious*)?

5. How **old** is the person?

6. Is the person **conscious**?

*If **No**, Send a **Code Red Response**
Advise Caller help has been dispatched*

7. Is the person **breathing**?

- *If **Yes**, Go to the [C6: Unconscious/Fainting](#) Card*
- *If **Uncertain**, tell caller to **Go** and **See** if the chest is rising, then come back to the phone*
- *If **No**, go to the [C1: Cardiac Arrest](#) Card*

8. Is the person **male** or **female** (*if not obvious*)?

9. What is your **name**?

Card Index

C: Critical Care Events with Instructions

<u>C1</u>	<u>Cardiac Arrest</u>
<u>C2</u>	<u>Choking</u>
<u>C3</u>	<u>Drowning</u>
<u>C4</u>	<u>Electrocution</u>
<u>C5</u>	<u>Pregnancy/Childbirth</u>
<u>C6</u>	<u>Unconscious/Fainting</u>

H: Hazardous Incidents

<u>H1</u>	<u>Aircraft/Terrorism</u>
<u>H2</u>	<u>Carbon Monoxide/Inhalation/HazMat</u>
<u>H3</u>	<u>HazMat Incident Guidelines</u>
<u>H4</u>	<u>Helicopter Guideline</u>
<u>H5</u>	<u>Industrial Accident</u>

I: Instructions

<u>I1</u>	<u>Automated External Defibrillator</u>
<u>I2</u>	<u>Adult CPR Instructions</u>
<u>I3</u>	<u>Child CPR Instructions</u>
<u>I4</u>	<u>Infant CPR Instructions</u>
<u>I5</u>	<u>Adult Choking Instructions</u>
<u>I6</u>	<u>Child Choking Instructions</u>
<u>I7</u>	<u>Infant Choking Instructions</u>
<u>I8</u>	<u>Childbirth Instructions</u>
<u>I9</u>	<u>Medical Airway Control Instructions</u>
<u>I10</u>	<u>Trauma Airway Control Instructions</u>
<u>I11</u>	<u>Bleeding Control Instructions</u>

M: Medical Incidents

<u>M1</u>	<u>Abdominal Pain</u>
<u>M2</u>	<u>Allergies/Stings</u>
<u>M3</u>	<u>Back Pain (Non-traumatic)</u>
<u>M4</u>	<u>Breathing Problems</u>
<u>M5</u>	<u>Chest Pain/Heart Problems</u>
<u>M6</u>	<u>Diabetic Problems</u>
<u>M7</u>	<u>Headache</u>
<u>M8</u>	<u>Health Care Provider Requests EMS</u>
<u>M9</u>	<u>Home Medical Equipment</u>
<u>M10</u>	<u>Obvious Death</u>
<u>M11</u>	<u>Overdose/Poisoning/Ingestions</u>
<u>M12</u>	<u>Patient Assistance</u>
<u>M13</u>	<u>Psychiatric/Behavioral Problems</u>
<u>M14</u>	<u>Seizures/Convulsions</u>
<u>M15</u>	<u>Sick Case</u>
<u>M16</u>	<u>Stroke/CVA</u>
<u>M17</u>	<u>Unknown/Man Down</u>

T: Traumatic Incidents

<u>T1</u>	<u>Animal Bites</u>
<u>T2</u>	<u>Assault/Domestic Violence/Sexual Assault</u>
<u>T3</u>	<u>Bleeding/Laceration</u>
<u>T4</u>	<u>Burns</u>
<u>T5</u>	<u>Eye Problems/Injuries</u>
<u>T6</u>	<u>Fall Victim</u>
<u>T7</u>	<u>Heat/Cold Exposure</u>
<u>T8</u>	<u>Stabbing/Gunshot Victim</u>
<u>T9</u>	<u>Traumatic Injury</u>
<u>T10</u>	<u>Motor Vehicle Collisions</u>

C1: Cardiac Arrest

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. *(If unsure about consciousness of person)* Does the person **respond** to you?
Does the person **move**?
4. *(If unsure about breathing)* Go look at the person's **chest** and see if it goes **up** and **down**, then come back to the phone
5. *(If unsure about breathing)* Listen for **sound** and **frequency** of breathing
Agonal respirations are often reported as gasping, snoring, gurgling, barely breathing, occasional moaning, weak or heavy breathing.
6. *(If not obvious)* Is this an **expected** death?
(If yes) Is the person in **hospice** care? [Jump to M10: Obvious Death Card](#)

Index

CODE RED

CODE YELLOW

DISPATCH

1. CPR in Progress
2. Respiratory Arrest
3. Possible DOA of unknown origin

1. Confirmed hospice expected death

C1: Cardiac Arrest – Pre-Arrival Instructions

1. Go to the age specific CPR Instruction card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. *(If caller refuses CPR instructions)* Gather any of the person's medications for the paramedics
3. Lock away any pets
4. **If the person's condition changes, or you decide to provide CPR, call me back immediately**

Index

Call Taker Prompts

1. Agonal respirations are ineffective breaths which occur after cardiac arrest
2. Law enforcement notified?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

C2: Choking

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. **Describe** the breathing?
Does the chest rise? Does air enter freely?
4. Is the person able to **speak** (cry)?
5. Is the person turning **blue** (*changing color*)?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Unable to talk/cry
4. Turning blue (*changing color*)

CODE YELLOW

1. Able to speak or cry
2. Exchanging air with no breathing difficulty
3. Airway cleared, assist person

DISPATCH

C2: Choking – Pre-Arrival Instructions

1. Go to the age specific Choking Instruction card
 - [Adult Choking Instructions](#)
 - [Child \(1-8 years\) Choking Instructions](#)
 - [Infant \(0-1 years\) Choking Instructions](#)
2. *(If caller refuses choking instructions)* Gather any of the person's medications for the paramedics
3. Lock away any pets
4. **If the person's condition changes, or you decide to provide care, call me back immediately**

Index

Call Taker Prompts

1. A previously healthy child who is suddenly found to be not breathing/cardiac arrest is considered to be a foreign body airway obstruction until proven otherwise

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

C3: Drowning (Possible)

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Has the person been **removed** from the water?
4. *(If yes and not obvious)* Is the person on **land** or in a **boat**?
5. How **long** was the person **underwater**?
6. What was the person doing **before** the **accident**?
7. *(If not obvious)* Is this a **scuba** diving accident?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Scuba diving accident
4. Diving accident (consider c-spine injury)
5. Person still submerged

CODE YELLOW

1. Person not submerged with no critical symptoms
2. Person coughing
3. Other injuries without critical symptoms
4. Minor injuries (lacerations, etc)

DISPATCH

C3: Drowning (Possible) – Pre-Arrival Instructions

1. Do not attempt to rescue the person unless you are trained to do so
2. Do not move the person around
3. Keep the person warm
4. Gather any of the person's medications for the paramedics
5. Lock away any pets
6. **If the person's condition changes, or you decide to provide care, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)
3. Is Rescue needed?
4. Are boats needed?
5. Is Scuba Team needed?
6. Should the Diver's Alert Network (DAN) be notified?
+1-919-684-8111 and +1-919-684-4DAN (-4326)
7. Law enforcement notified?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

C4: Electrocution

K
E
Y

Q
U
E
S
T
I
O
N
S

1. Is the person still in **contact** with the source?
2. Is the person **alert**?
3. Is the person breathing **normally**?
4. (*If household electrocution*) Did the person contact a dryer, stove or other **220-volt** source
5. Are there any other **injuries**?
(*If yes*) What are they?

Index

CODE RED

CODE YELLOW

D
I
S
P
A
T
C
H

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Burns to airway, mouth or nose
5. Burns over 20% of body surface area
6. Burns from contact with 220-volt source or higher
7. Reported DOA until evaluation by responsible party
8. Multiple persons

1. Household shock without critical symptoms

C4: Electrocution – Pre-Arrival Instructions

1. Beware of ground moisture
2. Do not touch the person if still in contact with the source of electricity
3. Beware of liquid spills that may conduct electricity
4. If safe to do so, turn off the power.
5. Gather any of the person's medications for the paramedics
6. Lock away any pets
7. **If the person's condition changes, or you decide to provide care, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. [If unconscious, go to the C6: Unconscious/Breathing Normally/ Airway Control card](#)
3. Is Rescue needed?
4. Is Fire Department needed?
5. Law enforcement notified?
6. Is the power company needed?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

C5: Pregnancy/Childbirth

KEY QUESTIONS

1. Is she **alert**?
2. Is she breathing **normally**?
3. How far along is she?
4. Is she having **contractions**?
5. Is there a strong urge to **push**?
6. Can you see the **baby's head**? *Is the baby coming out?*
7. Is this her **first pregnancy**?
8. Are any **complications** expected?
9. Has her **water broke**?
10. Is she **bleeding**?
11. Has she had a **seizure**?
12. (*If post delivery*) Is the **baby breathing**?

Index

CODE RED

DISPATCH

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Imminent delivery or delivery
5. Syncopal episode
6. Prior history of complicated delivery
7. Bleeding >20 weeks pregnant
8. Premature active labor, >4 weeks premature
9. Abdominal injury >20 weeks pregnant
10. Seizure
11. Multiple births

CODE YELLOW

1. Delivery not imminent
2. Vaginal bleeding without fainting <20 weeks pregnant
3. Abdominal injury <20 weeks pregnant
4. Water broke
5. Pregnant <20 weeks or menstrual with any of the following
 - Cramps
 - Pelvic pain
 - Spotting

C5: Pregnancy/Childbirth – Pre-Arrival Instructions

1. Do not allow her to use the toilet
2. Have her lie down on their left side
3. Keep her warm
4. Do not flush toilet or dispose of any used pads
5. Gather any of her medications for the paramedics
6. Lock away any pets
7. **If her condition changes, or you decide to provide care, call me back immediately**

Index

Call Taker Prompts

1. Imminent and post delivery, [Jump to I8: Childbirth Instruction card](#)
2. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
3. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

C6: Unconscious/Fainting

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Is this the first time today that the person has been **unconscious**?
4. (*If not obvious*) Have you tried to wake the person up?
5. Do you know if the person is taking any **drugs**? Drinking **alcohol** (*alone or with the drugs*)?
6. What was the person doing **before** they became unconscious?
7. Did the person have any **complaints** before they went unconscious?
8. Does the person have a **Medic Alert Tag**?
(*If yes*) What does it say?

Index

CODE RED

CODE YELLOW

DISPATCH

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. Unconscious 2. Not breathing normally 3. Decreased level of consciousness 4. Combined drug and alcohol overdose 5. Fainting associated with;
Headache, Chest Discomfort, Diabetic, GI/Vaginal Bleeding, Abdominal Pain, Sitting/Standing or Continued Decreased Level of Consciousness 6. Single fainting episode >50 years of age 7. Alcohol intoxication and cannot be aroused | <ol style="list-style-type: none"> 1. Unconscious but now conscious with no critical symptoms 2. Unconfirmed 'slumped over the wheel' 3. Conscious with minor injuries 4. Alcohol intoxication but can be aroused 5. Near syncope without critical criteria |
|--|--|

C6: Unconscious/Fainting – Pre-Arrival Instructions

1. Have the person lie down
2. If person is vomiting, place them on their side
3. Do not leave the person, be prepared to perform CPR
4. Gather any of the person's medications for the paramedics
5. Lock away any pets
6. **If the person's condition changes, or you decide to provide care, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. Notify law enforcement?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

H1: Aircraft/Terrorism

KEY

This card for use when PSAP receives a call from a passenger or crew member on-board an airborne aircraft, reporting a hijacking or other violent terrorist event.

QUESTIONS

- **Caller** Information (*name and seat number*)
- **Flight** Information (*airline, flight no., departure and destination airports*)
- Caller's cell **phone** number
- Individual's **intentions** or intended **target** (*if known*)
- Is anyone **hurt** or **injured**?
Are you in a position to help with the person(s)?
- (*If safe to do so, keep caller on the line*) Tell me **what happened**, **Stay Calm**
- Patch through to local Air Defense Sector if requested/needed
- **If a medical problem exist, jump to the appropriate card**

Index

DISPATCH

WHEN TO CALL


1. Emergency call from an airborne aircraft
 2. Suspicious airborne object or aircraft
 3. Aircraft theft in progress or just occurred
- **Notify the local Air Defense Sector**

WHEN NOT TO CALL

1. Complaints about sonic booms
 2. Aircraft noise complaints that are reported in the vicinity of airports
 3. Reporting a crop duster spraying an agricultural field
 4. Report of military aircraft flying in a typical military operations area
- **If In Doubt – CALL!**

H1: Aircraft/Terrorism – Pre-Arrival Instructions

Map of United States Air Defense Sectors



Index

Local Air Defense Command Numbers

- South East Air Defense Sector *SEADS* (850) 283-5205/5207
- North East Air Defense Sector *NEADS* (315) 334-6311/6802
- Western Air Defense Sector *WADS* (253) 382-4310/4311
- Alaskan NORAD Region *ANR* (907) 552-6222/6293

**The numbers above should be verified before their use becomes necessary.
These numbers can and do change**

H2: CO/Inhalation/HazMat

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Do you know what the **source** of the **contamination** is?
4. Has the person been **removed** from the area or the source of the contamination?
5. Has a carbon monoxide (CO) detector **activated**?
6. (*If not CO*) What is the **name** of the contaminating agent?
7. Is more than one person effected?
(*If yes*) How **many** persons?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Difficulty swallowing
5. Ingestion of household cleaners, antifreeze, solvents, methanol, cyanide or insecticides
6. Multiple causality incident

CODE YELLOW

1. Chemicals on person's skin or clothing with no critical symptoms
2. 3rd party caller, not with person

DISPATCH

H2: CO/Inhalation/HazMat – Pre-Arrival Instructions

1. Stay Safe – Prevent self contamination
2. *(If CO Detector activation)* Have everyone get out of the house/building
3. *(If chemical contamination and if possible)* Have person remove contaminated clothing and contact lenses
4. *(If chemical contamination)* If chemical is a powder, brush off. **Do Not Use Water**
5. *(If burns to eyes)* Flush chemicals from burns to eyes
6. *(If burned)* Placed burn area in cool water, not ice.
7. *(If known)* Get information on the chemical involved
Material Safety Data Sheet (*MSDS*)
8. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)
3. Consider contacting Poison Control - 1-800-222-1222
4. Notify the Fire Department?
5. Has law enforcement been notified?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

H3: HazMat Incident Guidelines

KEY QUESTIONS

1. Where **exactly** is the emergency?
2. *(If not obvious)* What is the direction of travel?
3. *(If applicable)* What is the **best access** route to the facility?
4. Are you in a **safe** location?
5. *If YES, continue questioning. If NO, advise caller to move to a safe location and call back*
6. What type of **hazard** is involved?
7. Are there any **injuries**? *If yes, jump to the appropriate trauma card*
8. Do you know the **name** and/or the **ID Number** of the material?
Material Safety Data Sheet (*MSDS*)
9. Is the **material** currently a **solid, liquid or gas**?

Index

Medical Dispatch

HazMat Agency Dispatch

DISPATCH

1. Refer to the appropriate traumatic injury card

1. Notify all appropriate/applicable local/county/state agencies

H3: HazMat Incident Guidelines – Pre-Arrival Instructions

1. **If you are not in a safe location, leave the area immediately and call back when you are safe**
2. If possible, gather any available information on the material(s) involved
Material Safety Data Sheet (MSDS)
3. Deny entry to the affected area. If it is safe to do so, secure the premises. Isolate the area
4. If it is safe to do so, isolate or remove the injured from the scene

Index

Prompts

Dispatcher Short Report

1. Amount of material spilled or released
2. Size/Type of container
3. Is release (*use as many as apply*)
Continuous
Intermittent
Contained
Entering a waterway
Entering a storm water drain or sewer
Other: _____
4. Have personnel been evacuated from the area?
5. Are there any emergency responders or HazMat personnel on the scene?
(If Yes) Who are they?
6. Is chemical information available to the responders?
(If Yes) Please have it ready for the emergency responders
7. Can you tell what the wind direction is?

1. Specific location
2. Access route
3. Type of HazMat incident
4. Number and nature of injuries, if any
5. Release type
6. Wind direction/weather information
7. Other Agencies responding

H4: Helicopter Guidelines

Air transportation should be considered when emergency personnel have evaluated the individual circumstances and found any of the following present.

E
N
V
I
R
O
N
M
E
N
T
A
L

- The time needed to transport a person by ground to an appropriate facility poses a threat to the person's survival and recovery
- Weather, road and traffic conditions would seriously delay the person's access to Advanced Life Support
- Critical care personnel and equipment are needed to adequately care for the person during transport
- Falls of 20 feet or more
- Motor Vehicle Collisions (MVC) of 20 mph or more without restraints or rollover
- Rearward displacement of front of car by 20 inches
- Rearward displacement of front axle
- Passenger compartment intrusion
- Ejection of person from the vehicle
- Deformity of a contact point (steering wheel, windshield, dashboard)
- Death of occupant in the same vehicle
- Pedestrian struck at 20 mph or greater

Index

A
&
P

C
O
M
P

- Unconscious or decreasing level of consciousness
- Systolic blood pressure less than 90 mmHg
- Respiratory rate less than 10 per minute or greater than 30 per minute
- Glasgow Coma Score less than 10
- Compromised airway
- Penetrating injury to the chest, abdomen, head, neck or groin
- Two or more long bone fractures
- Flail chest
- Amputation of an extremity
- Paralysis or spinal cord injury
- Severe burns

H4: Helicopter Guidelines – Landing Zone Instructions

1. Where is the landing zone to be located?
2. What is the general description of the landing zone?
3. What is the approximate size of the landing zone?
4. *(If not obvious)* What is the topography of the landing zone?
5. What obstacles will the aircraft encounter on landing/take-off
6. What direction is the wind at the landing zone?
7. How is the landing zone going to be marked?
8. What is the ideal approach to the landing zone?
9. *(If not obvious)* What is the location of the landing zone in reference to the incident?

Index

Call Taker Prompts

1. Local Air Medical Transport ____ - ____ - ____
2. Local Air Medical Transport ____ - ____ - ____
3. Local Air Medical Transport ____ - ____ - ____
4. Notify Fire/Rescue and Law Enforcement for Landing Site?
5. (If HazMat) Landing Zone is one mile from explosives, poisonous gases or chemicals in danger of exploding

Dispatcher Short Report

1. Ground contact
2. Specific location
3. Description & Size
4. Obstacles
5. Wind direction
6. Landing zone markings
7. Best approach
8. Location of LZ in reference to the incident
9. Any other pertinent information

H5: Industrial Accidents

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Are there any obvious **injuries**?
(If yes) What are they?
4. (If amputation) What **part** of the body has been **amputated**?
Do you have the amputated parts?
5. Is the person able to **move** their fingers and toes? (*Do not have them move any other body part*)
6. Is the person **bleeding**?
(If yes) From where? How much? How long? Can it be controlled with pressure?

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Crushing or penetrating injury to head, neck, torso or thigh
5. Person trapped
6. Amputation other than finger or toes
7. Person paralyzed
8. Uncontrolled bleeding
9. Multiple fractures
10. Femur (thigh) fracture.

1. Amputation/entrapment of fingers/toes
2. Neck and/or back pain without critical symptoms
3. Bleeding that has been controlled
4. Cuts, bumps or bruises
5. Person assist only
6. Involved in accident with no complaints

H5: Industrial Accidents – Pre-Arrival Instructions

1. *(If safe to do so)* Turn off any machinery involved *(Attempt to locate maintenance person)*
2. *(If no life threaten hazards present)* Do not move the person
3. Advise the person not to move
4. *(If person is in a confined space)* **Do Not Enter the Area** to tend to the person
5. Cover the person with a blanket and keep them calm
6. Locate any amputated part and place in clean plastic bag, not ice. If teeth, place them in milk
7. Gather any of the person's medications for the paramedics
8. Lock away any pets
9. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/ Airway Control card](#)
3. If bleeding, [go to the I11Bleeding Instructions card](#)


Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

I1: Automated External Defibrillator Instructions

1. If the person is not at least one year of age, jump to Section I4: Infant CPR Instructions	2. Remove everything from the person's chest	3. Place defibrillator next to the person's left side	4. Open cover & turn on defibrillator	5. Open the pad package and place pads on the person as pictured on the pads <i>(If child, make sure you are using pediatric pads)</i>
6. Make sure the pad cords are attached to the machine	7. Follow the machine voice prompt next	8. Wait for the machine to analyze (<i>push analyze button if present</i>)	9. Do Not Touch The Person	10. <i>If the machine says to shock the person, make sure no one is touching the person, then press the shock button</i>
11. Follow the machine voice prompt	12. If the machine says "No Shock Indicated" continue doing CPR Adult CPR Instructions Child CPR Instructions	13. <i>If the machine says to shock the person, make sure no one is touching the person, then press the shock button</i>	14. Continue following the voice prompts until help arrives	<div>Index</div>

I2: Adult CPR Instructions – Section A



I2: Adult CPR Instructions – Section B

Bare the chest. Kneel at the person's side
Pinch the nose shut with one hand. With your other hand lift the chin
Completely cover their mouth with your mouth
Give two breaths of air into the person's lungs – just like blowing up a balloon
Make sure the chest gently rises

Remember, place the person flat on their back. Bare the chest. Pinch the nose shut
With your other hand lift the chin so the head bends back
Give two breaths of air then come back to the phone
If I'm not here stay on the line

OK

Patient Vomited

Hysterical

Stoma


Turn his/her head to the side
Sweep it all out with your fingers
before you start mouth-to-mouth

You're going to have to calm
down to be able to help

Keep the person's head straight
Completely cover the stoma with your mouth
Cover the person's mouth and nose with your hand
Give two breaths of air into the patient's lungs
Make sure the chest gently rises

Index

I2: Adult CPR Instructions – Section C



I2: Adult CPR Instructions – Section D

Listen carefully. I'll tell you what to do next.

Put the heel of your hand on the center of their chest, right between the the nipples

Put your other hand on top of that hand

Push down on the heels of your hands, 1½ to 2-inches

Do it 30 times, push hard and fast

If not performing mouth to mouth breathing, advise the caller to pump the chest 200 times then come back to the phone

(If willing to perform mouth to mouth breathing)

Pinch the nose shut and lift the chin so the head bends back

Give two more breaths then pump the chest 30 times

Keep doing it; pump the chest 30 times, then give two breaths

Keep doing it until help arrives and can take over

I'll stay on the line with you until they get there


OK

Continue to assist until help arrives

Hysterical

You're going to have to calm down to be able to help

I3: Child (1-8 years) CPR Instructions – Section A



I3: Child (1-8 years) CPR Instructions – Section B

Bare the chest. Kneel at the child's side
Pinch the nose shut with one hand. With your other hand lift the chin
Completely cover the child's mouth with your mouth
Give two breaths of air into the child's lungs – just like blowing up a balloon
Make sure the chest gently rises, don't blow too hard

Remember, place the child flat on their back. Bare the chest. Pinch the nose shut
With your other hand lift the chin so the head bends back
Give two breaths of air then come back to the phone
If I'm not here stay on the line

OK

Patient Vomited

Hysterical


Stoma

Turn the child's head to the side
Sweep it all out with your fingers
before you start mouth-to-mouth


You're going to have to calm
down to be able to help

Keep the child's head straight
Completely cover the stoma with your mouth
Cover the child's mouth and nose with your hand
Give two breaths of air into the child's lungs
Make sure the chest gently rises

I3: Child (1-8 years) CPR Instructions – Section C




I3: Child (1-8 years) CPR Instructions – Section D




Do Not Operate the AED In or Around

- Water, Snow or Ice
- Bathtubs, Pools or Jacuzzis
- Metal, Street Ventilation Grates
- Hazardous Materials
- Any Type of Conductive Medium


I4: Infant (0-1 years) CPR Instructions – Section A



I4: Infant (0-1 years) CPR Instructions – Section B



I4: Infant (0-1 years) CPR Instructions – Section C



I5: Choking Adult Instructions – Section A

If the event is not witnessed and patient is unconscious, [Jump to Section I2: Adult CPR](#)

Is the person able to talk or cough?

Yes

No



Reassess the person until help arrives

Is the person conscious?

Yes

No

Listen carefully. I'll tell you what to do next
Stand behind the person
Wrap your arms around their waist
Make a fist with one hand and place your thumb against their stomach, in the middle, slightly above the navel
Grasp your fist with your other hand
Press into the stomach with quick, upward thrusts
Repeat thrusts until the item is expelled

Patient becomes unconscious

Object is dislodged

I5: Choking Adult Instructions – Section B

Is the person
moving or breathing?

Yes

Roll the person on their side and
check breathing until help arrives

No

Listen carefully. I'll tell you what to do
Get the person flat on their back on the floor.
Pinch the nose shut with one hand. With your other hand lift the chin so the head tilts back
Completely cover their mouth with your mouth
Give two breaths of air into the person's lungs – just like blowing up a balloon
Watch to see if the chest gently rises

Did the chest rise?

Yes

Is the person
moving or breathing?

Yes

Roll the person on their side and
check breathing until help arrives

No

No

Jump to I2: Adult CPR Instructions, Section C

Repeat sequence one more time then proceed

Adult CPR Entry Point

I5: Choking Adult Instructions – Section C

Listen carefully. I'll tell you what to do next.

Put the heel of your hand on the center of their chest, right between the the nipples

Put your other hand on top of that hand

Push down on the heels of your hands, 1½ to 2-inches

Do it 30 times, push hard and fast

Pinch the nose shut and lift the chin so the head bends back

Open the mouth. If you see something, try to sweep it out. Don't push the object backwards.

Give two more breaths then pump the chest 30 times

Keep doing it; pump the chest 30 times, then give two breaths

Open the mouth. If you see something, try to sweep it out. Don't push the object backwards.

Is the person
moving or breathing?

Yes


Roll the person on their side and
check breathing until help arrives

No


Jump to I2: Adult CPR Instructions, Section C

I6: Choking Child (1-8 years) Instructions – Section A

If the event is not witnessed and patient is unconscious, [Jump to Section I3: Child CPR](#)



I6: Choking Child (1-8 years) Instructions – Section B



I6: Choking Child (1-8 years) Instructions – Section C

Listen carefully. I'll tell you what to do next.

Put the heel of one hand on the center of the child's chest, right between the the nipples

Push down firmly, only on the heel of your hand, halfway down

Do it 30 times, push hard and fast

Pinch the nose shut and lift the chin so the head bends back

Open the mouth. If you see something, try to sweep it out. Don't push the object backwards.

Give two more breaths then pump the chest 30 times

Keep doing it; pump the chest 30 times.

Open the mouth. If you see something, try to sweep it out. Don't push the object backwards.

I'll stay on the line.

After 2 minutes of CPR

Is the child
moving or breathing?

Yes

Roll the child on their side and
check breathing until help arrives

No

Jump to I3: Child CPR Instructions, Section C

I7: Choking Infant (0-1 years) Instructions – Section A

If the event is not witnessed and patient is unconscious, [Jump to Section I4: Infant CPR](#)

Bring the baby
to the phone

Is the baby
conscious?

Yes

Is the baby able to
cry or cough?

Yes



Roll the baby on its side and
check breathing until help arrives

No

No

Listen carefully. I'll tell you what to do next
Remove any clothing from the baby's chest, then pick up the baby
Do that, and come back to the phone
If I'm not here, stay on the line

I7: Choking Infant (0-1 years) Instructions – Section B

Turn the baby face down so it lies along your forearm; Support the baby's jaw in your hand
Lower your arm onto your thigh so that the baby's head is lower than its chest
Use the heel of your other hand to strike the back 5-times firmly, right between the shoulder blades
Do that and come back to the phone

Sandwich the baby between your forearms, support the head and then turn the baby onto its back
Put your index and middle finger on the center of the child's chest, just below the the nipple line
Push halfway down. Do it 5 times (1-2-3-4-5).
Do that and come back to the phone

Baby becomes unconscious

Object is dislodged

Still conscious & choking,
repeat sequence

Is the baby
crying or breathing?

Yes

Roll the baby on its side and
check breathing until help arrives

No

I7: Choking Infant (0-1 years) Instructions – Section C

Listen carefully. I'll tell you what to do. Lay the baby flat on its back on a hard surface, such as the floor or a table, and then bare the baby's chest.
Do that then come back to the phone. If I'm not here stay on the line

No

Tilt the head back slightly by lifting the chin
Tightly cover the baby's mouth and nose with your mouth
Blow two small puffs of air slowly into the baby's lungs
Watch to see if the chest gently rises

Did the chest rise?

Yes

No

Is the baby
crying or breathing?

Yes

No

Roll the baby on their side and
check breathing until help arrives

Jump to I4: Infant CPR Instructions, Section C

Repeat sequence one more time then proceed

Infant CPR Entry Point

I7: Choking Infant (0-1 years) Instructions – Section D

Listen carefully. I'll tell you what to do next.

Put your index and middle finger on the center of the child's chest, just below the the nipple line

Push halfway down. Do it 30 times, rapidly, push hard and fast

Then tilt the head slightly back by lifting the chin

Look into the baby's mouth, if you see anything try to remove it with your little finger by sweeping it out. Don't push the object backwards

Give two more small puffs of air slowly

Then rapidly pump the chest 30 times

Look into the baby's mouth, if you see anything try to remove it with your little finger by sweeping it out. Don't push the object backwards

Give two more small puffs of air slowly

Keep doing it until help arrives and can take over. I'll stay on the line with you until they get there

Is the baby
crying or breathing?

Yes

Roll the baby on their side and
check breathing until help arrives

No

I8: Childbirth – Section A

Do Not Allow the Patient to Use the Toilet!

Yes

Has she had a
baby before?

No

How far apart are
the contractions

>5 min

<5 min

Does she have a
strong desire to push?

No

Yes

Listen carefully. I'll tell you what to do
Have her lie in a comfortable position
Laying on her left side is best
Have her take deep breaths
Monitor the patient's condition
If a strong desire to push develops
delivery may be imminent

>2 min

How far apart are
the contractions

<2 min

No

Does she have a
strong desire to push?

Yes

Ask her to resist the urge to push or bear down
Get the phone next to her if you can
Ask her to lie on her back and relax, breathing deeply through her mouth
Ask her to remove her underwear
Place clean towels under her buttocks and have additional towels ready

Index

I8: Childbirth – Section B

If she starts to deliver (water broken, bloody discharge, baby's head appears)

The baby's head should appear first. Cradle it and the rest of the baby as it is delivered

Do Not Push or Pull on the baby

There will be water and blood with the delivery. This is normal

When the baby is delivered, clean out it's mouth and nose with a clean, dry cloth

Do not attempt to cut or pull the cord

Wrap the baby in a dry blanket, a towel, or whatever is handy, and place it between the mother's legs on the floor

Massage the mother's lower abdomen very gently

If the baby does not start breathing on its own, rub its back or gently slap the soles of its feet

If the baby doesn't begin breathing immediately, come back to the phone

Complications with delivery

Baby delivered and breathing

Baby delivered and Not Breathing

Jump to I7: Choking Infant

When the placenta (tissue on the other side of the umbilical cord) is delivered

Wrap it. This delivery may take place as long as twenty minutes after the baby

Keep the placenta level or slightly above the baby

If there are complications (leg, arm buttocks or umbilical cord presentation)

Reassure the mother. Tell her you have dispatched help.

Ask her to remain on her back with her knees bent

Ask her to relax and breathe through her mouth. Tell her not to push

Index

I9: Medical Airway Control – Section A

Listen carefully. I'll tell you what to do. Roll the person on their side
Check for normal breathing until help arrives to take over
Watch for the chest to rise and fall
Put your cheek next to the nose and mouth and listen and feel for air movement

Patient vomits

Patient stops breathing

Turn the person's head to the side.
Sweep it all out of the mouth with your fingers

Patient
breathing
normally

Patient **not**
breathing
normally

Jump to Age Appropriate CPR Instructions
Adult CPR Instructions
Child (1-8 years) CPR Instructions
Infant (0-1 years) CPR Instructions

Jump to Age Appropriate Choking Instructions
Adult Choking Instructions
Child (1-8 years) Choking Instructions
Infant (0-1 years) Choking Instructions

I10: Traumatic Airway Control – Section A

Listen carefully. I'll tell you what to do. Roll the person on their side

Do Not Move the Person, especially the head and neck, unless imminent danger to life

Check for normal breathing until help arrives to take over

Watch for the chest to rise and fall

Put your cheek next to the nose and mouth and listen and feel for air movement

Patient vomits

Patient stops breathing

Do Not Turn the person's head.

Sweep it all out of the mouth with your fingers

Patient
breathing
normally

Patient **not**
breathing
normally

Jump to Age Appropriate CPR Instructions

Adult CPR Instructions

Child (1-8 years) CPR Instructions

Infant (0-1 years) CPR Instructions

Jump to Age Appropriate Choking Instructions

Adult Choking Instructions

Child (1-8 years) Choking Instructions

Infant (0-1 years) Choking Instructions

I11: Bleeding Control Instructions

If the Person has a Laceration, Puncture Wound or Other Active External Bleeding

1. Use a clean cloth or the person's own hand, cover and apply pressure directly over the wound	2. If the cloth becomes soaked, do not remove it, but add to what is already there	3. Keep the person warm and calm	4. Do not allow or give the person any food or drink	
---	--	--	--	--

If the Person has a Nose Bleed

1. Tell the person to apply direct pressure by pinching the nose tightly between two fingers	2. Sit forward and hold it until help arrives	3. Attempt to spit out any blood. Swallowing may make the person vomit	4. Advise the person not to move.	
--	---	--	---	--

M1: Abdominal Pain

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Does the person have **chest pain** also? ([Consider Jump to the M5 - Chest Pain Card](#))
4. Is the pain due to an **injury**? ([Consider jump to T9 – Traumatic Injury Card](#))
5. Has the person **vomited**? (If yes) What does the vomit look like?
6. Are the person's **bowel movements** different than normal? (If yes) How would you describe them?
7. Is the pain **above** or **below** the belly button?
8. (If female age 12-50) Could she be **pregnant**?
9. Has the person felt **dizzy**?
10. (If female) Has there been any **vaginal bleeding**?
11. How does the person act when they **sit up**?
12. Does the person have any other **medical** or **surgical history**?
13. Does the person have a **Medic Alert tag**? (If yes) What does it say?

Index

DISPATCH

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Vomiting blood
5. Black tarry stool
6. Lower abdominal pain in female 12-50 yoa
7. History of Cardiac problems
8. Fainting or near fainting > 50yoa
9. Fainting or near fainting when sitting

CODE YELLOW

1. Pain with vomiting
2. Flank pain (*kidney stone*)
3. Non-traumatic abdominal pain
4. Unspecified pain

M1: Abdominal Pain – Pre-Arrival Instructions

1. Do not give the person anything to eat or drink
2. Gather any of the person's medications for the paramedics
3. Lock away any pets
4. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M2: Allergies/Stings

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Is the person having difficulty **swallowing**?
4. Does the person have a **rash** or **hives**?
5. Is the person complaining of **itching**?
6. Does the person have a **history of a reaction** to anything?
(If yes) Describe the reaction the person had before
How long ago was the person exposed?
7. Are the symptoms getting **worse**?
8. Does the person have a **Medic Alert tag**? (If yes) What does it say?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Difficulty breathing
5. Difficulty swallowing
6. Swelling in throat or on face
7. Fainting
8. History of severe reaction
9. Itching or hives in multiple areas

CODE YELLOW

1. Concern about reaction but no history
2. Reaction present for a long time (> 1 hour) with no difficulty breathing
3. Itching or hives confined to one area with no difficulty breathing

DISPATCH

M2: Allergies/Stings – Pre-Arrival Instructions

1. Do you have an epi-pen or reaction kit?
(*If yes and severe reaction*) Have you used it as the physician has directed?
2. Place person in the most comfortable position
3. Keep neck straight, remove any pillows
4. Watch the person for signs of difficulty breathing (*slow breathing*) or cardiac arrest
5. Gather any of the person's medications for the paramedics
6. Lock away any pets
7. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M3: Back Pain

KEY
QUESTIONS

- 1. Is the person **alert**?
- 2. Is the person breathing **normally**?
- 3. Is the **pain** due to an **injury** to the person?
- 4. Has the person felt **dizzy** or have they **fainted**?
- 5. Does the person have any other **medical or surgical history**?
- 6. Does the person have a **Medic Alert tag**? (If yes) What does it say?

Index

CODE RED

CODE YELLOW

DISPATCH

- 1. Unconscious
- 2. Not breathing normally
- 3. Decreased level of consciousness
- 4. Non-traumatic back pain with prior cardiac history
- 5. Back pain with fainting or near fainting in persons >50 yoa

- 1. Flank pain (Kidney stone)
- 2. Non-traumatic back pain
- 3. Unspecified back pain
- 4. Chronic back pain

M3: Back Pain – Pre-Arrival Instructions

1. If the pain is due to an injury, advise person not to move unless hazards are present
2. Place person in the most comfortable position
3. Gather any of the person's medications for the paramedics
4. Lock away any pets
5. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M4: Breathing Problems

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. How **long** has this been going on?
4. Is the person having **chest pain**? (*If yes - Jump to M5: Chest Pain Card*)
5. Is the person able to **speak in full sentences**?
6. Does the person have to **sit up** to breath?
7. Is the person drooling or having a hard time **swallowing**?
8. Is the person experiencing any **other problems** right now?
9. Does the person have a history of **asthma**?
10. (*If sudden onset*) Has the person been hospitalized recently for a **broken leg** or **childbirth**?
11. (*If female*) Does she take **birth control** pills?
12. Is the person on **oxygen**?
13. Does the person have any other **medical or surgical history**?
14. Does the person have a **Medic Alert tag**? (*If yes*) What does it say?

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Decreased level of consciousness
3. Not breathing normally with any of the following
 - Chest pain
 - Unable to speak in full sentences
 - History of asthma or other resp. problems
 - Inhaled substance
 - Recent childbirth/broken leg (2-3 months)
 - Drooling
4. Tingling or numbness in extremities/around mouth
Age >35

1. Cold symptoms
2. Stuffed nose
3. Oxygen bottle empty
4. Person assist
5. Long term, no change

M4: Breathing Problems – Pre-Arrival Instructions

1. Place person in the most comfortable position, probably sitting up
2. Advise person not to exert themselves
3. Gather any of the person's medications for the paramedics
4. Lock away any pets
5. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M5: Chest Pain/Heart Problems

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Is the person **sweating** profusely?
4. Is the person **nauseated** or **vomiting**?
5. Is the person **weak, dizzy** or **faint**?
6. Where is the **pain located**?
7. Does the person experience a **rapid heart rate** with the **chest pain**?
8. Does the person feel pain anywhere else? *(If yes)* Where?
9. How **long** has the pain been present?
10. Does the person have a **history** of a heart attack *(Cardiac Problems)*?
(If yes) Does the person take **nitroglycerin**? *(If yes)* Have they taken it? Did it help?
11. Has the person taken **any drugs** in the past 24 hours

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Decreased level of consciousness
3. Not breathing normally
4. Chest pain with any of the following
 - Not breathing normally
 - Nausea
 - History of cardiac problems
 - Diaphoretic
 - Rapid heart rate
 - Syncope
 - Cocaine/crack use

1. Persons <35 yoa without critical symptoms

M5: Chest Pain/Heart Problems – Pre-Arrival Instructions

1. Place person in the most comfortable position, probably sitting up
2. Advise person not to exert themselves
3. Loosen any tight clothing
4. *(If person is prescribed nitroglycerin)* Does the person have their nitroglycerin?
(If yes) Has the person taken one?
(If not taken) Make sure the person is sitting down, then take the nitro as prescribed by their doctor
5. Gather any of the person's medications for the paramedics
6. Lock away any pets
7. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M6: Diabetic Problems

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Does the person know **who they are**? *Do they know where they are?*
4. Is the person acting in their **normal** manner?
(If no) What is different?
5. Does the person feel **pain** anywhere?
(If yes) Where?
6. Is the person **dizzy**, **weak** or **feeling faint**?
7. Has the person had a **seizure**?
8. Is the person **sweating** profusely?
9. Is the person on **insulin**?
(If yes) When did they take it?
10. When did the person last **eat**?

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Decreased level of consciousness
3. Not breathing normally
4. Unusual behavior/acting strange
5. Profuse sweating
6. Seizure

1. Alert and awake
2. Not feeling well with no critical symptoms

M6: Diabetic Problems – Pre-Arrival Instructions

1. Do not give the person anything to eat or drink unless they can take it by themselves
2. If the person can eat and drink on their own, give them juice with about 2 to 3 teaspoons of sugar in it
3. Place person in the most comfortable position
4. Gather any of the person's medications for the paramedics
5. Lock away any pets
6. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M7: Headache

KEY QUESTIONS

- 1. Is the person **alert**?
- 2. Is the person breathing **normally**?
- 3. Does the person know **who they are**? *Do they know where they are?*
- 4. Is the person acting in their **normal** manner?
(If no) What is different?
- 5. Is this headache **different** from headaches the person has had in the past?
- 6. Did this headache come on **suddenly** or **gradually**?
- 7. What was the person **doing** when the headache **started**?
- 8. Does the person feel pain anywhere else?
(If yes) Where?
- 9. Does the person have a **history** of headaches?
- 10. Is the person wearing a **Medic Alert tag**? *(If yes) What does it say?*

Index

DISPATCH

CODE RED

- 1. Unconscious
- 2. Not breathing normally
- 3. Headache with any of the following critical symptoms
 - Decreased level of consciousness
 - Unusual behavior/acting strange
 - Worst headache ever
 - Sudden onset
 - Visual disturbance with no history of migraines

CODE YELLOW

- 1. Alert and awake
- 2. Headache with no critical symptoms

M7: Headache – Pre-Arrival Instructions

1. Do not give the person anything to eat or drink
2. Place person in the most comfortable position
3. Gather any of the person's medications for the paramedics
4. Lock away any pets
5. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M8: Health Care Provider Requests EMS

KEY QUESTIONS

1. What do you **need**?
(If Paramedics/EMTs/Ambulance needed) What's **wrong** with the person? [Jump to appropriate card](#)
(If Transportation Only needed) **Where** in the facility is the person located?
2. Does the person have an **IV**, **Medication** or other **medical device** in use?

Index

CODE RED

CODE YELLOW

DISPATCH

1. Critical symptoms
2. Off-duty medic request ALS
3. Medical device in use

1. No critical symptoms or medical devices in use

M8: Health Care Provider Requests EMS – Pre-Arrival Instructions

1. *(If a Medical Facility)* Prepare the person's medical records for the paramedics
2. *(If a Non-medical Facility)* Place person in the most comfortable position
Gather any of the person's medications for the paramedics
Lock away any pets
3. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M9: Home Medical Equipment

K
E
Y

Q
U
E
S
T
I
O
N
S

1. What **piece of equipment** is causing concern?

If ventilator failure, [jump to C1: Cardiac Arrest](#)

If apnea monitor alarm [jump to M4: Breathing Problems](#)

If implanted defibrillator firing [jump to M5: Chest Pain/Heart Problems card](#)

Index

CODE RED

1. Critical symptoms
2. Ventilator failure
3. Apnea monitor alarm
4. Implanted defibrillator firing

CODE YELLOW

1. No critical symptoms
2. Problems with, or out of, home oxygen

D
I
S
P
A
T
C
H

M9: Home Medical Equipment – Pre-Arrival Instructions

1. (If appropriate) Prepare the medical device for possible transport with the paramedics
2. Place person in the most comfortable position
3. Gather any of the person's medications for the paramedics
4. Lock away any pets
5. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M10: Obvious Death

K
E
Y

Q
U
E
S
T
I
O
N
S

1. How do you **know** the person has **died**?

If caller is unsure, [jump to C1: Cardiac Arrest card](#)

If possibility of hypothermia, [jump to T7: Heat/Cold Exposure card](#)

Index

CODE RED

CODE YELLOW

D
I
S
P
A
T
C
H

1. Body is cold and stiff (*no hypothermia present*)
2. Decomposition
3. Injuries obviously incompatible with life
4. Non-recent expected death
5. Hospice/DNR

M10: Obvious Death – Pre-Arrival Instructions

1. (If appropriate) Gather any DNR documents for the paramedics
2. Gather any of the person's medications for the paramedics
3. Lock away any pets
4. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious, not breathing, and not an obvious death go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. Is Law Enforcement needed?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M11: Overdose/Poisonings/Ingestions

K
E
Y

Q
U
E
S
T
I
O
N
S

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Is the person acting in their **normal** manner?
(If no) What is different? Are they **violent**? Do they have access to a **weapon**?
4. Do you know **what** the person took?
(If Prescription Med) What is the **name** of the medicine? How **much** did they take?
(If Not Prescription Med) What type of **substance** did they take?
(If Cocaine or Crack) Is the person complaining of any **pain**? If having chest pain, [jump to M5: Chest Pain](#)
Did they take it with **alcohol**?
5. Is the person having difficulty **swallowing**?
6. Has the person **vomited**?
(If yes) Can you describe what it looks like?

Index

CODE RED

CODE YELLOW

D
I
S
P
A
T
C
H

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. OD with any of the following critical symptoms <ul style="list-style-type: none"> ● Unconscious ● Not breathing normally ● Decreased level of consciousness ● Unusual behavior/acting strange ● Cocaine/Crack use with chest pain ● Difficulty swallowing ● Ingestion of household cleaners, antifreeze, solvents, methanol, cyanide or insecticides ● Combined alcohol and drug overdose ● Alcohol where person cannot be aroused | <ol style="list-style-type: none"> 1. Drug use with no critical symptoms 2. 3rd party caller, caller not with person 3. Reported overdose, but person denies taking anything 4. Alcohol intoxication where person can be aroused |
|---|---|

M11: Overdose/Poisonings/Ingestions – Pre-Arrival Instructions

1. Do not give the person anything to eat or drink unless advised by Poison Control
2. *(If safe to do so)* Keep the person in the area/house
3. Do not give the person coffee or place the person in the shower
4. *(If at the scene)* Get the container of the substance the person took
5. Gather any of the person's medications for the paramedics
6. Lock away any pets
7. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)
3. Contact the local Poison Control Center - 1-800-222-1222
4. Is Law Enforcement needed?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M12: Person Assistance

K
E
Y

Q
U
E
S
T
I
O
N
S

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Does the person have any **other** complaints? *If yes, [jump to the appropriate card](#)*

Index

CODE RED

CODE YELLOW

D
I
S
P
A
T
C
H

1. No critical symptoms

M12: Person Assistance – Pre-Arrival Instructions

1. Place the person in a comfortable position
1. Keep the person calm
2. Gather any of the person's medications for the paramedics
3. Lock away any pets
4. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, [go to the C6: Unconscious/Breathing Normally/Airway Control card](#)
3. Is Law Enforcement needed?
4. Is Fire and/or Rescue needed?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M13: Psychiatric/Behavioral Problems

K
E
Y

Q
U
E
S
T
I
O
N
S

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Is the person acting in their **normal** manner?
(If no) What is different?
Are they **violent**? Do they have a **weapon** or access to a weapon?
4. Has the person **harmed themselves**? If yes, consider [Jump to T9: Traumatic Injury](#)
(If no) Do you think the person might try to harm themselves?
5. **Where** is the person now?
(If present) Can the person talk to you? Can they answer your questions?
6. Has the person taken any **drugs** or **alcohol**? If yes, consider [Jump to M11: OD/Poisoning](#)
7. Is the person a **diabetic**? If yes, consider [Jump to M6: Diabetic Problem](#)
8. Is the person **injured**?
9. Is the person **bleeding**?
(If yes) Can it be controlled with pressure?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness

CODE YELLOW

1. Lacerated wrist with controlled bleeding
2. Unusual, non-violent behavior with a psychiatric history
3. Alcohol intoxication where person can be aroused
4. Threats against self or others
5. Person out of psychiatric medications
6. Police request for stand-by

D
I
S
P
A
T
C
H

M13: Psychiatric/Behavioral Problems – Pre-Arrival Instructions

1. (If safe to do so) Keep person in the area/house
If you feel you are in danger, leave the scene
2. (If possible) Keep the person calm
3. Gather any of the person's medications for the paramedics
4. Lock away any pets
5. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. [If unconscious, go to the C6: Unconscious/Breathing Normally/ Airway Control card](#)
3. [If bleeding, go to the I11Bleeding Instructions card](#)
4. Consider contacting the local Crisis Center
5. Is Law Enforcement needed?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M14: Seizures/Convulsions

KEY

QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Is the person still **seizing**?
(If yes) Describe what the person is doing?
4. How **long** has the person been seizing?
5. Has the person had a seizure **before**?
6. Is the person a **diabetic**? If yes, consider [Jump to M6: Diabetic Problems](#)
7. Does the person have a **Medic Alert tag** on?
(If yes) What does it say?
8. (If child) Has the child been **sick**?
Does the child have a **fever** or feel hot?
9. (If female between 13-50 yoa) Is she **pregnant**?
10. Does the person have a history of **heart problems**?
11. Has the person had a recent **head injury**?
12. Has the person taken anything, including any type of **drugs**?
13. (If still seizing) Has the seizure **stopped**?

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Still seizing/multiple seizures
5. First time seizure or unknown history
6. Diabetic
7. Pregnant
8. Secondary to drug overdose or head injury
9. Any seizure that is different than normal

1. Single seizure with a history of seizures

M14: Seizures/Convulsions – Pre-Arrival Instructions

1. Clear the area around the person so they don't hurt themselves
2. **Do Not** try to **restrain** the person
3. **Do Not** put anything in the person's mouth
4. When the seizure stops, check to see if the person is breathing
Place person on their side
5. *(If child and feverish)* Remove clothing to help cool person
6. Gather any of the person's medications for the paramedics
7. Lock away any pets
8. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. [If unconscious, go to the C6: Unconscious/Breathing Normally/Airway Control card](#)
3. Any seizure with an unknown medical history is assumed to be a first time seizure

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M15: Sick Person

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Is the person complaining of any **pain**? *If chest pain, [jump to M5: Chest Pain](#)*
4. Is the person **bleeding**?
(*If yes*) From where? How much? How long? Can it be controlled with pressure?
5. Has the person **vomited**?
(*If yes*) Can you describe what it looks like?
6. Is the person acting in their **normal** manner?
(*If no*) What is different?
(*If no*) Are they **violent**? Do they have a weapon or **access** to a **weapon**?
7. Is the person a **diabetic**? *If yes, consider [jump to M6: Diabetic Problems](#)*
8. Is the person wearing a **Medic Alert tag**?
(*If yes*) What does it say?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness

CODE YELLOW

1. Generalized weakness
2. Medical alert from alarm company
3. Flu symptoms
4. High temperature with no critical symptoms
5. Person assist
6. Police stand-by

DISPATCH

M15: Sick Person – Pre-Arrival Instructions

1. Gather any of the person's medications for the paramedics
2. Lock away any pets
3. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)
3. [If bleeding, go to the I11Bleeding Instructions card](#)
4. If a specific chief complaint is identified, [jump to the appropriate card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M16: Stroke/CVA

KEY QUESTIONS

- 1. Is the person **alert**?
- 2. Is the person breathing **normally**?
- 3. Is the person acting **unusual**?
(If yes) What is different? (*Speech, numbness or movement problems*)
- 4. (If not obvious) Does the person's **speech** sound **normal**?
- 5. (If not obvious) Does the person have **weakness** or **paralysis** on one side of the body?
- 6. (If not obvious) Does the person have a **facial droop**?
- 7. Is the person complaining of any **pain**? *If chest pain, [jump to M5: Chest Pain](#)*
- 8. Does the person have a **headache**?
- 9. Has the person ever had a stroke **before**?

Index

CODE RED

CODE YELLOW

DISPATCH

- 1. Unconscious
- 2. Not breathing normally
- 3. Decreased level of consciousness
- 4. New onset of one sided weakness/paralysis, facial droop or slurred speech

- 1. Past history of stroke (CVA) with no new changes

M16: Stroke/CVA – Pre-Arrival Instructions

1. *(If difficulty breathing)* Keep neck straight and remove any pillows
2. Do not give the person anything to eat or drink
3. Do not allow the person to move around
4. Gather any of the person's medications for the paramedics
5. Lock away any pets
6. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

M17: Unknown/Man Down

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. Do you know **why** the person is down? (*Jump to the appropriate card if possible*)
4. Is the person able to **talk**?
5. Is the person able to **move**?
6. Where **exactly** is the person?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Multiple people down
(*Consider HazMat/MCI*)

CODE YELLOW

1. Person is talking, moving, sitting or standing
2. Unknown (3rd party caller) without indication of unconsciousness

DISPATCH

M17: Unknown/Man Down – Pre-Arrival Instructions

1. *(If safe to do so)* Go to the person and see if the person is awake, breathing normally, or moving at all
Return to the phone and let me know
2. Watch for the emergency unit and direct them to the person
3. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)
3. Consider law enforcement notification

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T1: Animal Bites

KEY QUESTIONS

1. **Where** is the **animal** now?
2. What **type** of **animal** bit the person?
3. Is the person **short of breath**?
(If yes) Does it hurt to breathe?
4. What **part** of the body was bitten?
5. Is the person **bleeding**?
(If yes) From where? How much? How long? Can it be controlled with pressure?
6. How long ago did they receive the bite?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Uncontrolled bleeding after attempts to control
4. Serious neck or face bites from animal attack
5. Bite from a known poisonous animal

CODE YELLOW

1. Bleeding is controlled
2. Swelling at the bite site
3. Bite below the neck, non-poisonous

DISPATCH

T1: Animal Bites – Pre-Arrival Instructions

1. Contain the animal if possible
2. Keep person calm and still
3. Use care not to obstruct the airway or breathing
4. For snake bites
 - Do Not Elevate the Extremity
 - Do Not Use Ice
 - Do Not Attempt to Remove the Venom
5. Lock away any pets
6. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - o [Adult CPR Instructions](#)
 - o [Child \(1-8 years\) CPR Instructions](#)
 - o [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/ Airway Control card](#)
3. [If bleeding, go to the I11Bleeding Instructions card](#)
4. Has law enforcement been notified?
5. Has animal control been notified?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T2: Assault/Domestic Violence/Sexual Assault

KEY QUESTIONS

1. Is the **assailant** nearby?
2. Are you **safe**?
3. Was it a **physical assault** or a **sexual assault**?
4. **How** was the person **assaulted**? (If stabbing or shooting, [jump to the T8: Stabbing/GSW card](#))
5. **Where** is the person **injured**?
6. Is the person **bleeding**?
(If yes) From where? How much? How long? Can it be controlled with pressure?
7. Can the person **answer** your **questions**?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Crushing injury (except to hands or feet)
5. Puncture injury (head, neck, torso, thigh)
6. Multiple extremity fractures
7. Femur (thigh) fracture
8. Uncontrolled bleeding

CODE YELLOW

1. Penetrating/crushing injury to hands or feet
2. Isolated extremity fracture
3. Minor injuries
4. Unknown injuries
5. Concerned caller without apparent injuries to person
6. Police request stand-by/check for injuries

DISPATCH

T2: Assault/Domestic Violence/Sexual Assault – Pre-Arrival Instructions

1. Remain in a safe place, away from the assailant
2. *(If present)* Do not touch or remove any impaled objects
3. Have person lie down and keep calm
4. Do not touch or move any weapons
5. Advise person not to change clothing, bathe or shower
6. Keep person warm
7. Keep the person warm
8. Gather any of the person's medications for the paramedics
9. Do not give the person anything to eat or drink
10. Lock away any pets
11. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - o [Adult CPR Instructions](#)
 - o [Child \(1-8 years\) CPR Instructions](#)
 - o [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)
3. [If bleeding, go to the I11Bleeding Instructions card](#)
4. Has law enforcement been notified?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T3: Bleeding/Laceration

KEY QUESTIONS

1. Is the **person alert**?
2. Is the person breathing **normally**?
3. Where is the person **bleeding from**?
(If vaginal) Is she **pregnant**?
4. Is the blood **squirting** out?
5. Is the person a **hemophiliac** (a *bleeder*)?
6. (If injured) **Where** is the person **injured**?
7. Can the person **answer** your **questions**?

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Not breathing normally
3. Any arterial bleeding
4. Hemophilia
5. Rectal bleeding with significant blood loss
6. Vomiting blood or coffee ground material
7. Bleeding from mouth with difficulty breathing
8. Bleeding from the neck, groin or armpit with significant blood loss
9. Vaginal bleeding if over 20 weeks pregnant
10. Vaginal bleeding associated with lower abdominal pain or fainting

1. Minor bleeding from any other areas

T3: Bleeding/Laceration – Pre-Arrival Instructions

1. Advise person not to move
2. Cover person with a blanket and try to keep them calm
3. Gather any of the person's medications for the paramedics
4. Do not give the person anything to eat or drink
5. Lock away any pets
6. Locate any amputated part and place in clean plastic bag, not ice. If teeth, place them in milk
7. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)
3. [If bleeding, go to the I11Bleeding Instructions card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T4: Burns

KEY QUESTIONS

1. **How** was the person **burned**?
2. (*If Thermal*) Is anything on the person **still burning**? (*If yes*) Stop the burning
3. (*If Electrical*) Is the person still in **contact** with the **electric** source?
How was the person electrocuted?
 (*If household*) Was it the stove, clothes dryer or other **220 volt source**?
4. (*If Chemical*) What **chemical** caused the burn?
5. Is the person **short of breath** or does it **hurt to breath**?
6. Is the person having difficulty **swallowing**?
7. **Where** is the person burned?
 (*If head or face*) Are they coughing? Are their nose hairs burned? Any burns around the mouth and nose?
8. Are there any other **injuries**?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Burns to the airway, nose or mouth
5. Hoarseness, difficulty talking or swallowing
6. Burns over 20% of body surface
7. Electrical burns from 220V or greater
8. 2nd or 3rd degree burns to hands, feet or groin

CODE YELLOW

1. Burn less than 20% body surface area
2. Spilled hot liquids
3. Chemical burns to eyes
4. Small burn from match or cigarette
5. Household electrical shock
6. Battery explosion
7. Freezer burns

DISPATCH

T4: Burns – Pre-Arrival Instructions

1. (*Electrical burn*) If safe to do so, turn off power
2. (*Chemical burn*) Have person remove contaminated clothing if possible
3. (*Chemical burn*) If available, get info on chemical (*MSDS Sheet*)
4. (*Chemical Powder Burn*) Brush off chemical, do not use water
5. (*Chemical Eye Burn*) Flush eyes with water. Remove contact lenses
6. Place burn area in cool water (*not ice*) if possible
7. Gather any of the person's medications for the paramedics
8. Lock away any pets
9. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)
3. Has the fire department been notified?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T5: Eye Injury

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. What **caused** the injury?
Chemicals – [*Jump to Card T4: Burns*](#)
4. Is the eyeball cut open or **leaking** fluid?
5. Are there any other **injuries**?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness

CODE YELLOW

1. Any eye injury

DISPATCH

T5: Eye Injury – Pre-Arrival Instructions

1. **Do not remove any penetrating objects**
2. If eyeball is cut or injured, do not touch, irrigate or bandage
3. If a chemical injury, flush immediately with water. Continue to help arrives. Remove contact lenses
4. Advise person not to move
5. Have person sit down
6. Cover the person with a blanket and keep them calm
7. Do not give the person anything to eat or drink
8. Gather any of the person's medications for the paramedics
9. Lock away any pets
10. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T6: Falls

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. How **far** did the person fall?
4. What kind of **surface** did the person land on?
5. Are there any obvious **injuries**? (*What are they?*)
6. Did the person **complain** of any pain or illness just **prior** to the fall?
7. Is the person able to **move** their fingers and toes? (*Do not have them move any other body part*)
8. Is the person **bleeding**?
(*If yes*) From where? How much? How long? Can it be controlled with pressure?
9. Are there any other **injuries**?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Falls greater than 10 feet
5. Falls associated with or preceded by pain, discomfort in chest, dizziness, headache or diabetes.
6. Person is paralyzed
7. Uncontrolled bleeding
8. Multiple extremity fractures
9. Femur (thigh) fracture

CODE YELLOW

1. Falls less than 10 feet
2. Neck or back pain without critical symptoms
3. Bleeding that has been controlled
4. Cuts, bumps or bruises
5. Person assistance
6. Involved in accident, no complaints
7. Isolated extremity fracture

DISPATCH

T6: Falls – Pre-Arrival Instructions

1. *(If appropriate)* Turn off any machinery
2. *(If no life threatening hazard is present)* Do not move the person
3. Advise person not to move
4. Cover the person with a blanket and keep them calm
5. Do not give the person anything to eat or drink
6. Gather any of the person's medications for the paramedics
7. Lock away any pets
8. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/ Airway Control](#) card
3. [If bleeding, go to the I11Bleeding Instructions card](#)
4. Is rescue needed?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T7: Heat/Cold Exposure

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. (*If not obvious*) What was the **source** of the heat/cold?
4. Does the person have any **complaints**?
5. What does the person's **skin** feel like?
6. (*If cold exposure*) Is the person **shivering**?
(*If heat exposure*) Is the person **sweating** profusely?
7. Is the person **dizzy, weak** or **feeling faint**?
8. Are there any obvious **injuries**? (*What are they?*)

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Confused or disoriented
5. Fainting/syncope
6. Cold water immersion

1. Person with uncontrollable shivering
2. Heat exhaustion with no critical symptoms
3. Unknown symptoms

T7: Heat/Cold Exposure – Pre-Arrival Instructions

1. Remove the person from the hot/cold environment
 - (If cold and dry) Cover the person with a blanket to warm
 - (If cold and wet) Remove the wet clothing and cover the person with a blanket to warm
 - (If overheated) Loosen clothing to assist with cooling
2. (If decreased level of consciousness) Do not give the person anything to eat or drink
3. (If cold) Do not rub frostbitten extremities
4. Gather any of the person's medications for the paramedics
5. Lock away any pets
6. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - o [Adult CPR Instructions](#)
 - o [Child \(1-8 years\) CPR Instructions](#)
 - o [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T8: Stabbing/Gunshot person

KEY QUESTIONS

1. Is the **assailant** nearby?
2. Are you **safe**?
3. Is there a **weapon** present?
4. Is the person **alert**?
5. Is the person breathing **normally**?
6. **Where** is the person **shot/stabbed**?
7. Is the person **bleeding**? (*If yes*) From where? How much? How long? Can it be controlled with pressure?

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Uncontrolled bleeding
5. Injury above the knee or elbow
6. Injury to the head, neck, torso or thigh
7. Multiple casualty incident

1. Wounds below the knee or elbow

T8: Stabbing/Gunshot person – Pre-Arrival Instructions

1. Tell caller to remain in a safe location (*beware of the assailant*)
2. Do not pull out any penetrating weapons
3. Advise the person not to move
4. Cover the person with a blanket and keep them calm
5. Do not disturb the scene or move any weapons
6. Gather any of the person's medications for the paramedics
7. Lock away any pets
8. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)
3. [If bleeding, go to the I11Bleeding Instructions card](#)
4. **Advise responders when scene is secure**

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T9: Traumatic Injury

KEY QUESTIONS

1. Is the person **alert**?
2. Is the person breathing **normally**?
3. **Where** is the person injured?
4. **How** was the person injured (*Describe what happened*)?
5. Is the person **bleeding**? (*If yes*) From where? How much? How long? Can it be controlled with pressure?

Index

CODE RED

CODE YELLOW

DISPATCH

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Penetrating/crushing injury to head, neck, torso or thigh
5. Uncontrolled bleeding
6. Leg injury above the knee
7. Multiple extremity fracture

1. Penetrating/crushing injury to hands or feet
2. Unknown injuries
3. Minor injuries
4. Concerned caller without apparent injury to person
5. Isolated extremity fracture
6. Police request to stand-by/check for injuries

T9: Traumatic Injury – Pre-Arrival Instructions

1. Do not pull out any penetrating objects
2. Advise the person not to move
3. Cover the person with a blanket and keep them calm
4. Do not disturb the scene or move any weapons
5. Gather any of the person's medications for the paramedics
6. Lock away any pets
7. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/Airway Control card](#)
3. [If bleeding, go to the I11Bleeding Instructions card](#)
4. Is Rescue needed?
5. Is law enforcement needed?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

T10: Motor Vehicle Collisions

KEY QUESTIONS

1. Are there any **hazards** present (*Fire, Water, HazMat, Wires Down*)?
2. Is the person **alert**?
3. Is the person breathing **normally**?
4. Is anyone **trapped** in the vehicle?
5. Was anyone **thrown** from the vehicle?
6. What **injuries** does the person have
7. Is the person **bleeding**? (*If yes*) From where? How much? How long? Can it be controlled with pressure?

Index

CODE RED

1. Unconscious
2. Not breathing normally
3. Decreased level of consciousness
4. Chest pain prior to the collision
5. Critical criteria – injuries to the head, neck, torso or thigh
6. Multiple causality incident
7. Overturned/Trapped in Vehicle

CODE YELLOW

1. Accident with injury, no critical criteria
2. Police request to stand-by/check for injuries

DISPATCH

T10: Motor Vehicle Collisions – Pre-Arrival Instructions

1. *(If no life threatening hazards are present)* Do not move the person.
2. *(If power lines are around the vehicle)* Do not touch the vehicle. Tell the occupants to stay in the vehicle
3. Keep person calm and still
4. **If the person's condition changes, call me back immediately**

Index

Call Taker Prompts

1. If unconscious and not breathing, go to the age appropriate CPR card
 - [Adult CPR Instructions](#)
 - [Child \(1-8 years\) CPR Instructions](#)
 - [Infant \(0-1 years\) CPR Instructions](#)
2. If unconscious, go to the [C6: Unconscious/Breathing Normally/ Airway Control card](#)
3. [If bleeding, go to the I11Bleeding Instructions card](#)
4. Is Rescue Needed?
5. Is the Fire Department needed?
6. Has law enforcement been notified?

Dispatcher Short Report

1. Age
2. Sex
3. Specific location
4. Chief complaint
5. Pertinent related symptoms
6. Medical/Surgical history, if any
7. Other Agencies responding
8. Any dangers to responding units

***The Open ISES Project
Presents***

Emergency Medical Dispatch Guide Cards

***Draft Version 0.26.2
for Integration with the
Tickets CAD Program***

Copyright (c) 2008 by the Open ISES Project.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Important

This is the first draft set of the Emergency Medical Dispatch section of the Cards project. **As with any medical product or device, these protocols are only offered as a suggestion. You should consult with your local medical director, state regulatory office or other regulating body before using any of these protocols. They come with no guarantee as to the soundness/quality or accuracy of the protocols.**

The cards are based on the recommendations of the United States National Highway Traffic Safety Administration. Several different formats were studied in the creation of these card sets, and what we felt were the best ideas being incorporated into this set.¹ However, this is not set in stone.

Unlike other EMD protocol card sets, you can modify these to meet the needs of your agency. This EMD protocol set is released under the Creative Common license. Under the license for this protocol set, you can modify the protocols, create as many copies as you like and share the protocols with others. You are not allowed to sell them. You should make sure that The Open ISES Project is noted as the original author of the protocols. If you modify them you should also note that as well.

Index

1 The New Jersey Office of Telecommunications (<http://www.state.nj.us/911/training.html>) EMD Card set (<http://www.state.nj.us/911/2006emdguidecard.pdf>) was a major influence in the development of this card set. Also, the Milwaukee County EMS Dispatch Guidelines (<http://www.milwaukeecounty.org/EMSDispatchGuideline10703.htm>) for a 3-Tiered Response with Pre-Arrival Instructions (http://www.milwaukeecounty.org/display/displayFile.aspx?docid=10703&filename=/User/jspitzer/3-Tiered_Dispatch_with_Pre-arrival_3-31-05.pdf). Other web sites such as Dispatch Monthly (<http://www.911dispatch.com>), the National Academy of Emergency Dispatch (<http://www.emergencydispatch.org>) and the Association of Public-Safety Communications Officials (<http://www.apcointl.org>) provided additional information used in the development of this card set.

Emergency Medical Dispatch Card (Protocol) Authorization

I _____ as the Medical Director of the _____ Public Safety Answering Point do hereby authorize the use of the Emergency Medical Dispatch Cards (protocol) as contained in this document. I verify that these cards have been reviewed for medical accuracy and to assure compliance with all Federal, State and Local rules and regulations. Further these protocol shall be reviewed a minimum of every two years to assure compliance with all Federal State and Local rules and regulations.

These protocols are to be used only by personnel who are trained and certified in their use.

Approved by: Medical Director (Print): _____

Medical Director (Signature): _____

Date: _____

Using the Cards

The cards in this set are designed to be integrated into the Tickets CAD Program, Version 2.5 and higher

When in use, the cards are read from top to bottom, with the Key Questions being asked first, then the proper dispatch code (Red or Yellow), followed by pre-arrival instructions to be given to the caller. There are Call-taker prompts to reinforce certain actions, and a short dispatch guide.

These cards are presented as a guide to help your agency get started in providing EMD services. Your agency must decide what questions to maintain, what questions to change. Your agency must decide how you wish to respond based on the answers you receive from the caller.

If you have any comments or suggestions concerning this card set, please drop us a line and let us know. Our goal is to make The Cards Project useful to as many PSAPs as possible. We can only do that through your help.

Open Information Systems for Emergency Services
The Open ISES Project
<http://openises.sourceforge.net>

GNU Free Documentation License

Version 1.2, November 2002

Copyright (C) 2000,2001,2002 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgments" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgments and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.