

A Seedtables

A.1 Distribution rate Solitair DT - metric



Winter wheat

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (km/h)	4 m		6 m		9 m	
		kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.
2N  Green/Green	5	10	167	16	223	8	149
	10	5	84	8	111	4	74
	15	3	56	5	74	3	50
4N  Yellow/Yellow	5	19	335	32	446	16	297
	10	10	167	16	223	8	149
	15	6	112	11	149	5	99
6N  Blue/Blue	5	29	511	49	682	24	455
	10	15	256	24	341	12	227
	15	10	170	16	227	8	152
8N  Red/Red	5	40	693	66	924	33	616
	10	20	346	33	462	16	308
	15	13	231	22	308	11	205
10N  Grey/Grey	5	50	878	84	1171	42	781
	10	25	439	42	586	21	390
	15	17	293	28	390	14	260


Rape

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (km/h)	4 m		6 m		9 m	
		kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.
2F  Black/Green	5	0.7	12.8	1.2	17.1	0.6	11.4
	10	0.4	6.4	0.6	8.5	0.3	5.7
	15	0.2	4.3	0.4	5.7	0.2	3.8
4F  Black/Yellow	5	1.4	25.3	2.4	33.7	1.2	22.5
	10	0.7	12.6	1.2	16.9	0.6	11.2
	15	0.5	8.4	0.8	11.2	0.4	7.5
6F  Black/Blue	5	2.2	38.1	3.6	50.9	1.8	33.9
	10	1.1	19.1	1.8	25.4	0.9	17.0
	15	0.7	12.7	1.2	17.0	0.6	11.3
8F  Black/Red	5	2.9	51.4	4.9	68.5	2.4	45.7
	10	1.5	25.7	2.4	34.2	1.2	22.8
	15	1.0	17.1	1.6	22.8	0.8	15.2
16F  Black/Grey	5	6.5	113.2	10.8	150.9	5.4	100.6
	10	3.2	56.6	5.4	75.4	2.7	50.3
	15	2.2	37.7	3.6	50.3	1.8	33.5

Granulated fertiliser

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

		4 m		6 m		9 m	
Seed wheel/ Colour code	Driving speed (km/h)	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.
2N	5	12	212	20	282	10	188
	10	6	106	10	141	5	94
Green/Green	15	4	71	7	94	3	63
4N	5	24	424	40	565	20	377
	10	12	212	20	283	10	188
Yellow/Yellow	15	8	141	13	188	7	126
6N	5	39	678	65	904	32	602
	10	19	339	32	452	16	301
Blue/Blue	15	13	226	22	301	11	201
8N	5	54	940	90	1253	45	835
	10	27	470	45	627	22	418
Red/Red	15	18	313	30	418	15	278
10N	5	71	1239	118	1652	59	1102
	10	35	620	59	826	30	551
Grey/Grey	15	24	413	39	551	20	367

Barley

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

		4 m		6 m		9 m	
Seed wheel/ Colour code	Driving speed (km/h)	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.
2N	5	8	147	14	197	7	131
	10	4	74	7	98	4	66
Green/Green	15	3	49	5	66	2	44
4N	5	17	293	28	391	14	261
	10	8	147	14	195	7	130
Yellow/Yellow	15	6	98	9	130	5	87
6N	5	26	461	44	615	22	410
	10	13	230	22	307	11	205
Blue/Blue	15	9	154	15	205	7	186
8N	5	36	627	60	836	30	557
	10	18	314	30	418	15	279
Red/Red	15	12	209	20	279	10	186
10N	5	46	802	76	1069	38	713
	10	23	401	38	535	19	356
Grey/Grey	15	15	267	25	356	13	238



Hohenloher spelt

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

		4 m		6 m		9 m	
Seed wheel/ Colour code	Driving speed (km/h)	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.
2N	5	5	91	9	122	4	81
	10	3	46	4	61	2	41
Green/Green	15	2	30	3	41	1	27
4N	5	10	179	17	239	9	159
	10	5	90	9	119	4	80
Yellow/Yellow	15	3	60	6	80	3	53
6N	5	17	300	29	400	14	267
	10	9	150	14	200	7	133
Blue/Blue	15	6	100	10	133	5	89
8N	5	24	421	40	561	20	374
	10	12	210	20	280	10	187
Red/Red	15	8	140	13	187	7	125
10N	5	32	565	54	753	27	502
	10	16	282	27	377	13	251
Grey/Grey	15	11	188	18	251	9	167

Trumpet field beans

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (km/h)	4 m		6 m		9 m	
		kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.
2N  Green/Green	5	9	161	15	215	8	143
	10	5	81	8	107	4	72
	15	3	54	5	72	3	48
4N  Yellow/Yellow	5	20	342	33	456	16	304
	10	10	171	16	228	8	152
	15	7	114	11	152	5	101
6N  Blue/Blue	5	30	530	51	707	25	471
	10	15	356	25	354	13	236
	15	10	177	17	236	8	157
8N  Red/Red	5	42	738	70	984	35	656
	10	21	369	35	492	18	328
	15	14	246	23	328	12	219
10N  Grey/Grey	5	57	998	95	1331	48	888
	10	29	499	48	666	24	444
	15	19	333	32	444	16	296



Karlo grass

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

		4 m		6 m		9 m	
Seed wheel/ Colour code	Driving speed (km/h)	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.
2N	5	3	45	4	60	2	40
	10	1	23	2	30	1	20
Green/Green	15	1	15	1	20	1	13
4N	5	6	110	10	146	5	97
	10	3	55	5	73	3	49
Yellow/Yellow	15	2	37	3	49	2	32
6N	5	11	186	18	249	9	166
	10	5	93	9	124	4	83
Blue/Blue	15	4	62	6	83	3	55
8N	5	14	244	23	326	12	217
	10	7	122	15	209	7	140
Red/Red	15	5	81	8	109	4	72
10N	5	18	314	30	419	15	279
	10	9	157	15	209	7	140
Grey/Grey	15	6	105	10	140	5	93

Gusty dressed peas

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (km/h)	4 m		6 m		9 m	
		kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.	kg/ha min.	kg/ha max.
2N  Green/Green	5	9	155	15	207	7	138
	10	4	78	7	104	4	69
	15	3	52	5	69	2	46
4N  Yellow/Yellow	5	18	309	29	411	15	274
	10	9	154	15	206	7	137
	15	6	103	10	137	5	91
6N  Blue/Blue	5	29	509	48	679	24	452
	10	15	254	24	339	12	226
	15	10	170	16	226	8	151
8N  Red/Red	5	43	757	72	1010	36	673
	10	22	379	36	505	18	337
	15	14	252	24	337	12	224
10N  Grey/Grey	5	58	1012	96	1350	48	900
	10	29	506	48	675	24	450
	15	19	337	32	450	16	300

A.2 Distribution rate Solitair DT - imperial US CU


Winter wheat

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (mph)	13'		19.5'		29.5'	
		lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.
2N  Green/Green	3	9	149	14	199	7	133
	6	4	75	7	99	4	66
	10	3	46	4	62	2	41
4N  Yellow/Yellow	3	17	299	29	398	14	265
	6	9	149	14	199	7	133
	10	5	93	9	124	4	82
6N  Blue/Blue	3	26	456	44	608	21	406
	6	13	228	21	304	11	203
	10	8	142	13	189	7	126
8N  Red/Red	3	36	618	59	824	29	550
	6	18	309	29	412	14	275
	10	11	192	18	256	9	171
10N  Grey/Grey	3	45	783	75	1045	37	697
	6	22	392	37	523	19	348
	10	14	243	23	324	12	216



Rape

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (mph)	13'		19.5'		29.5'	
		lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.
2F  Black/Green	3	0.6	11.4	1.1	15.3	0.5	10.2
	6	0.4	5.7	0.5	7.6	0.3	5.1
	10	0.2	3.5	0.3	4.7	0.2	3.2
4F  Black/Yellow	3	1.2	22.6	2.1	30.1	1.1	20.1
	6	0.6	11.2	1.1	15.1	0.5	10.0
	10	0.4	7.0	0.7	9.3	0.3	6.2
6F  Black/Blue	3	2.0	34.0	3.2	45.4	1.6	30.2
	6	1.0	17.0	1.6	22.7	0.8	15.2
	10	0.6	10.6	1.0	14.1	0.5	9.4
8F  Black/Red	3	2.6	45.9	4.4	61.1	2.1	40.8
	6	1.3	22.9	2.1	30.5	1.1	20.3
	10	0.8	14.2	1.4	19.0	0.7	12.7
16F  Black/Grey	3	5.8	101.0	9.6	134.6	4.8	89.8
	6	2.9	50.5	4.8	67.3	2.4	44.9
	10	1.8	31.4	3.0	41.8	1.5	27.9



Granulated fertiliser

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (mph)	13'		19.5'		29.5'	
		lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.
2N  Green/Green	3	11	189	18	252	9	168
	6	5	95	9	126	4	84
	10	3	59	6	78	3	52
4N  Yellow/Yellow	3	21	378	36	504	18	336
	6	11	189	18	252	9	168
	10	7	117	11	157	6	104
6N  Blue/Blue	3	35	605	58	807	29	537
	6	17	302	29	403	14	269
	10	11	188	18	250	9	167
8N  Red/Red	3	48	839	80	1118	40	745
	6	24	419	40	559	20	373
	10	15	260	25	347	12	231
10N  Grey/Grey	3	63	1105	105	1474	53	983
	6	31	553	53	737	27	492
	10	20	343	33	458	16	305



Barley

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (mph)	13'		19.5'		29.5'	
		lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.
2N  Green/Green	3	7	131	12	176	6	117
	6	4	66	6	87	4	59
	10	2	41	4	54	2	36
4N  Yellow/Yellow	3	15	261	25	349	12	233
	6	7	131	12	174	6	116
	10	5	81	8	108	4	72
6N  Blue/Blue	3	23	411	39	549	20	366
	6	12	205	20	274	10	183
	10	7	128	12	170	6	114
8N  Red/Red	3	32	559	54	746	27	497
	6	16	280	27	373	13	249
	10	10	174	17	232	8	154
10N  Grey/Grey	3	41	716	68	954	34	636
	6	21	358	34	477	17	318
	10	13	222	21	296	11	198



Hohenloher spelt

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (mph)	13'		19.5'		29.5'	
		lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.
2N  Green/Green	3	4	81	8	109	4	72
	6	3	41	4	54	2	37
	10	1	25	2	34	1	23
4N  Yellow/Yellow	3	9	160	15	213	8	142
	6	4	80	8	106	4	71
	10	3	50	5	66	2	44
6N  Blue/Blue	3	15	268	26	357	12	238
	6	8	134	12	178	6	119
	10	5	83	8	111	4	74
8N  Red/Red	3	21	376	36	501	18	334
	6	11	187	18	250	9	167
	10	7	117	11	155	6	104
10N  Grey/Grey	3	29	504	48	672	24	448
	6	14	252	24	336	12	224
	10	9	156	15	209	7	139



Trumpet field beans

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (mph)	13'		19.5'		29.5'	
		lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.
2N  Green/Green	3	8	144	13	192	7	128
	6	4	72	7	95	4	64
	10	3	45	4	60	2	40
4N  Yellow/Yellow	3	18	305	29	407	14	271
	6	9	153	14	203	7	136
	10	5	95	9	126	5	84
6N  Blue/Blue	3	27	473	46	631	22	420
	6	13	318	22	316	12	211
	10	8	147	14	196	7	131
8N  Red/Red	3	37	658	62	878	31	585
	6	19	329	31	439	16	293
	10	12	205	19	273	10	182
10N  Grey/Grey	3	51	890	85	1187	43	792
	6	26	445	43	594	21	396
	10	16	277	26	369	13	246



Karlo grass

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (mph)	13'		19.5'		29.5'	
		lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.
2N  Green/Green	3	3	40	4	54	2	36
	6	1	21	2	27	1	18
	10	1	13	1	17	1	11
4N  Yellow/Yellow	3	5	98	9	130	4	87
	6	3	49	4	65	3	44
	10	2	30	3	40	1	27
6N  Blue/Blue	3	10	166	16	222	8	148
	6	4	83	8	111	4	74
	10	3	52	5	69	2	46
8N  Red/Red	3	12	218	21	291	11	194
	6	6	109	13	186	6	125
	10	4	68	6	90	3	60
10N  Grey/Grey	3	16	280	27	374	13	249
	6	8	140	13	186	6	125
	10	5	87	8	116	4	77

Gusty dressed peas

Metering shaft motor: minimum 100 rpm, maximum 2800 rpm

Seed wheel/ Colour code	Driving speed (mph)	13'		19.5'		29.5'	
		lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.	lbs/ac min.	lbs/ac max.
2N  Green/Green	3	8	138	13	185	6	123
	6	4	70	6	93	4	62
	10	2	43	4	57	2	38
4N  Yellow/Yellow	3	16	276	26	367	13	244
	6	8	137	13	184	6	122
	10	5	86	8	114	4	76
6N  Blue/Blue	3	26	454	43	606	21	403
	6	13	227	21	302	11	202
	10	8	141	13	188	7	125
8N  Red/Red	3	38	675	64	901	32	600
	6	20	338	32	451	16	301
	10	12	210	20	280	10	187
10N  Grey/Grey	3	52	903	86	1204	43	803
	6	26	451	43	602	21	401
	10	16	281	27	374	13	249