

INTEGRATED SAFEGUARDS DATASHEET RESTRUCTURING STAGE

I. Basic Information

Date prepared/updated: 04/23/2012

Report No.68696:

1. Basic Project Data

Country: Colombia	Project ID: P078220
Project Name: Amoya River Environmental Services	
Task Team Leader: Leopoldo Montanez	
Estimated Appraisal Date: N/A	Estimated Board Date: N/A
Managing Unit: LCSEG	Lending Instrument: Carbon Finance
Sector: Renewable energy (80%), Water supply (20%)	
Theme: Climate Change (P), Biodiversity (S), Water Resource Management (S)	
IBRD Amount (US\$m.):	
IDA Amount (US\$m.):	0.00
GEF Amount (US\$m.):	0.00
ER (tons of CO2 equivalent): NCDMF-ERPA amendment: 211,971 CERs	
UCFT2 LOI: 485,000 CERs	
Other financing amounts by source:	
Borrower	0.00
Environmental Category: B - Partial Assessment	
Repeater ☐	
Is this project processed under OP 8.50 (Emergency Recovery) or OP 8.00 (Rapid Response to Crises and Emergencies)	
Yes ☐	No ☒

2. Project Objectives

The development objective is “to contribute to the reduction of greenhouse gas (GHG) emission from the power sector in Colombia through the promotion of an 80MW, run-of-river, generation facility. Once in operation, the project is expected to displace an estimated 1.87 million metric tons (Mmt) of carbon dioxide equivalent (CO₂e) up to 2012, and an estimated 4.56 Mmt CO₂e up to 2019. It will also support an environmental and social program that will contribute to improvements in the welfare of the community in the area project, and the protection of the local environment”.

3. Project Description

The project consists on a run of the river power plant, with a nominal capacity of 80 MW and an anticipated generation of 510 GWh/year. The turbines and other ancillary facilities are being installed underground, along one side of the river, thus minimizing impacts on the landscape. The power plant will be connected to the grid through an 18km transmission line.

Moreover, the project will support the implementation of a Social and Environmental Program that will contribute to improvements in the welfare of the community in the area project, and the protection of the local environment. The Environmental and Social Program will be financed with 20% of the value of the carbon credits.

4. Project Location and salient physical characteristics relevant to the safeguard analysis

The Project is located in the mid range of the Amoya River at 1,400 meters above sea level. The project site is downstream of the National Park Paramo de Las Hermosas where the headwaters of the Amoya River are found.

The Amoya Hydropower Project has an installed capacity of 80 MW and a design flow of 18 m³/s. The project will affect about 13 km of the Amoya river flow. The project will maintain 1 m³/s as ecological flow downstream of the dam. This ecological flow is expected to improve with the discharge of several small streams (which are estimated to provide an additional mean flow of 16.9 m³/s). The mean annual flow for the Amoya River is estimated to be 44.6 m³/s and the minimum flow: 15.6 m³/s.

The project is located in a narrow cannon covered with agricultural land and patches of riparian vegetation. The conduction of water is completely underground (12 km) which has reduced significantly the project environmental impacts. The powerhouse is also underground. The transmission line is 18 km long and mainly crosses agricultural land. The water of the Amoya river is very clean.

The Amoya River Environmental Services Project is located in the municipality of Chaparral in the south of the department of Tolima at the Colombian Central Andes at an altitude ranging from 800 m to 4,500 m. Chaparral has a population of 41,052 habitants, 51% of which live in urban areas. In the rural areas, the main activities are agriculture, with the most important crops being coffee, sugar cane, corn, and cattle.

The rural population in the project area is around 7,000 inhabitants, out of which 802 inhabitants, representing around 11.4% of the total population are members of recently recognized indigenous *cabildos*. They belong to four settlements: El Escobal, La Virginia, Rionegro and Cimarrona Alta (see further information below).

5. Environmental and Social Safeguards Specialists

Ruth Tiffer-Sotomayor, Sr. Environmental Specialist, LCSSEN
Alonso Zarzar, Sr. Social Scientist, LCSSO (Social Safeguards)

6. Safeguard Policies Triggered	Yes	No
Environmental Assessment (OP/BP 4.01)	X	
Natural Habitats (OP/BP 4.04)	X	
Forests (OP/BP 4.36)	X	
Pest Management (OP 4.09)		X
Physical Cultural Resources (OP/BP 4.11)	X	
Indigenous Peoples (OP/BP 4.10)	X	
Involuntary Resettlement (OP/BP 4.12)	X	
Safety of Dams (OP/BP 4.37)	X	
Projects on International Waterways (OP/BP 7.50)		X
Projects in Disputed Areas (OP/BP 7.60)		X

II. Key Safeguard Policy Issues and Their Management

A. Summary of Key Safeguard Issues

1. Describe any safeguard issues and impacts associated with the proposed project. Identify and describe any potential large scale, significant and/or irreversible impacts:

The agreed Environmental Program in the Project Appraisal Document (PAD) (which included activities to conserve and research the paramo ecosystems of Las Hermosas National Park) is not going to be implemented as agreed before, mainly because the ownership changed and the current Project Entity (PE) named ISAGEN will implement directly their own social and environmental programs. ISAGEN has established a cooperation agreement with the local communities and the new programs will strengthen their cooperation to increase local environmental conservation and social development. The new programs will be agreed with the local communities after a consultation process, and will be in accordance with WB operational policies.

ISAGEN is a mix public-private company with an excellent environmental capacity to perform its environmental management plan (<http://www.isagen.com.co/comunidades/gestion-ambiental/>). The company has a staff of more than 20 professionals (biologists, engineers, sociologist, etc) working in the different projects under construction and operation in the country. In addition, ISAGEN hires universities (e.g. Universidad Católica de Oriente) or independent consultants to perform specific environmental studies. ISAGEN has environmental and social policies and corporate environmental programs.

O.P. 4.01 - Environmental Assessment

The environmental impacts have been monitored and the environmental management plan has been followed. The project has complied with all the terms of the environmental license agreed with the National Environmental Authority (CORTOLIMA). Most of the environmental impacts which were identified in the Environmental Impact Assessment (EIA) are generated during the construction phase of the project. Some of the impacts of the project and mitigation measures being implemented by ISAGEN are indicated in the following table:

Impacts	Caused by	Mitigation
Diversion of the Amoya river flow	Construction of the dam, intake and retention tanks in the Amoya River	Environmental flow of 1m ³ /s
Cutting of about 70 ha of riparian vegetation	Removal of riparian vegetation to build civil works, roads, camps, excavation disposal sites.	A reforestation program which will be implemented in the project area.
Impact on the soil and subsoil structure and composition to place about 444,000 m ³ of blasted rock waste.	Excavation of tunnels	Selection of 10 'disposal sites' in a civil design to ensure security, drainage and slope conformations
Riverbed alterations	Extraction of rock materials (from aluvional sources or quarries)	Mining permits given by the National Environmental Authority
Discharge of contaminated water (domestic, taller, etc)	Camp sites, oil changes, etc	Grease and oil traps built in each camp site. Monitoring of water quality downstream of camp sites.
Solid wastes (domestic, toxic, etc)	Generated by the camp sites. Oil, grease, paint, solvents, contaminated soil.	Recollection of wastes by contractor and proper disposal
Air quality	Cement plant	Monitoring of air quality in the project area.
Recycles waste (metals, batteries, paper, tires, etc)	Different activities	Recollection of wastes in special site and transported by a contractor to recycling site.
Accidents during construction (health and safety issues)	Construction of works	A clinic was installed in the camp site. Health and safety training is given to contractors. Personal health safety equipment is mandatory in the project sites.
Intervention of small rural communities	Construction of overall project	Creation of formal local committees to facilitate communication and negotiations with the company. Rehabilitation of roads and rehabilitation of health clinics, schools, water systems, bridges, etc.

ISAGEN has invested to August 2011 in the implementation of mitigation, prevention and compensation of environmental and social measures, and community projects 27,357,244 USD in the project area.

Themes	Investments (USD)
Human Rights and related issues	120,572
Enviromental management (water, soil,forestry)	884,912
Community infraestructure	23,614,600
Health	339,715
Education and Culture	457,125
Community Development	284,940
Others (archaeology, land acquisition, unforeseen impacts)	1,655,380
TOTAL	27,357,244

O.P. 4.04 – Natural Habitats

The Amoya Hydropower project affected aquatic and terrestrial (forest land) natural habitats for the construction the different components of the project. Aquatic communities have been affected during the construction of the dam and will also be affected during the operation of the project in a stretch of about 13 km.

The environmental staff of ISAGEN has developed a broad monitoring program in seven sites of the Amoya river and several tributaries in the project area (upstream and downstream of the dam) to assess the environmental impact caused during construction to the aquatic communities (fish, algae and macroinvertebrates) and water quality. The program will continue the monitoring during operation of the power plan to monitor the benefits to the ecological flow. ISAGEN has invested in this monitoring program about USD 232,294. This program follows the Environmental Permit given by the Regional Environmental Authority.

The project is located 7 km downstream of the Las Hermosas National Park boundary; the project does not affect critical habitats.

New Safeguards policies to be triggered

The following safeguards were not originally triggered in the planning phase of the project, but need to be triggered now:

O.P. 4.10 – Indigenous People

During project preparation no Indigenous Peoples had been identified either by the Bank team or ISAGEN in the project area. During project supervision the Bank team was unable to perform field visits due to security reasons. The project area and the Paramo de las Hermosas has been for several years and still is a territory with high FARC and

military presence. After several attempts at field supervision the team was finally allowed by the client to make a field visit in 2011, based on the assessment of the security circumstances. During meetings with the Asociacion Las Hermosas, representing all the people in the project area, the team learned of the presence of Indigenous Peoples. The team requested information as to why no reference had been made by the client to the presence of Indigenous Peoples in the previous supervisions that were held in the offices of ISAGEN in Medellin and Bogota. The team was informed that only in 2010 and after following a required Colombian legal process, four settlements (El Escobal, La Virginia, Rionegro and Cimarrona Alta) changed its legal status to be considered indigenous settlements by the Ministry of Justice and Interior. Due to this new circumstance ISAGEN will provide the Bank with an Indigenous Peoples Plan as per OP/BP 4.10. The IPP should include a summary report of the consultations made to the 4 indigenous settlements and the indigenous communities' broad support of the proposed IPP.

Before the beginning of the civil works, and following the national legal procedures, ISAGEN had requested the MIJ to determine the presence of Indigenous Peoples in the Amoya Project area of influence. The MIJ certified at that point that there were no Indigenous communities in the area and this was communicated to the Bank. Also, before the beginning of the civil works, and during two years, ISAGEN developed a process of consultation and benefit agreements with all the communities in the Amoya area. During this process the community representatives requested ISAGEN to financially support the realization of the ethnographic studies so that the MIJ could further determine the legal status of the above mentioned settlements. ISAGEN agreed and signed a collaboration agreement with the Governor of Tolima Department to support those studies that the MIJ will carry out in order to determine if those settlements fulfilled the legal requirement to be considered indigenous under Colombian law. Later on the MIJ considered these settlements as being indigenous communities.

There are four Indigenous communities in the Project area that are made up by 802 inhabitants, representing around 11.4% of the total population in the Amoya area which has approximately 7,000 inhabitants. These Indigenous communities have not been adversely affected by the Project's investments or activities as they live at higher elevations and thus any river flow alterations do not affect their access to water sources or the fish and fauna that depend on these sources. Their agriculture is entirely dependent on rain. However, they have been participating in the consultation processes and benefits of the social program ISAGEN is implementing in the Amoya project area.

Whereas these Indigenous peoples no longer maintain their native languages, they self-identify and are identified by others as Indigenous and, with the help of ISAGEN, have recently gained official recognition as Indigenous peoples by the Ministry of the Interior and Justice.

The Indigenous Peoples Policy was not originally triggered for this Project as the Bank team was informed that there were no Indigenous peoples in the project area. Given the lack of security in the region, the Team was unable to verify this until a recent mission related to this Restructuring at which point the Team recommended the Policy be

triggered and that a separate yet Indigenous Peoples Plan be prepared commensurate to the limited level of impact of the Project.

O.P. 4.11 – Physical Cultural Resources

The project intervened several sites along the Amoya River (terraces) to place many tons of blasted rocks from the tunnel construction and many excavations that were needed for the project construction. Some archeological artifacts were found in the area. The EMP includes procedures that are consistent with the policy such archeological surveys, communication with the Local authority, conservation of artifacts, environmental education activities with contractors and communities, among others. ISAGEN will provide the Bank with an updated Environmental Management Plan (EMP), including an annex with a list of preservation and protection measures, and chance find procedures.

O.P. 4.12 Involuntary Resettlement

The construction of the power plant has led to relocation of five families, with whom land and housing purchase arrangements have been made. The Project Entity (PE) ISAGEN has handled the issue with adequate standards that are at the level of the Bank policy and has provided the Bank with the resettlement compensation plan. See attached table.

The PE is building a transmission line with the total length of 18.6 km, requiring 20m wide right of way throughout. The line goes through 79 properties. The construction of the transmission line does not require relocation of houses or farms and does not entail land acquisition. Even after the transmission line is completed, the area will remain in the hands of the owners and they are free to continue all activities, apart from growing tall trees and building permanent structures closer than 10 meters to the transmission line on both sides. ISAGEN has finalized the process of negotiating the compensations with the property owners. ISAGEN has reached legal agreements with 67 owners but 12 have not accepted ISAGEN offers, and are currently being processed in the judiciary following the country legal procedures. The Bank has received evidence of these agreements.

Summary of Abbreviated Resettlement Plan Implementation – 5 displaced families and 3 affected property owners

Description of affected family	Potential type of impact			Affected person's eligibility		Compensation			Use of cash compensation	Current house and livelihood compensation	Change in access to social services and infrastructure
	Property	House/ Improvements	Livelihood	Property Owner	Occupant	Cash for property	Cash for house	Moving allowance & Livelihood assistance			
Property 1: Couple w/ 2 kids in school	X	X		X	X	X	X	X	Bought new house and land in town	Works in the Amoya company	Now lives in town & closer to services
Property 2: Couple w/3 kids		X	Partial		X		X	X	Bought new land & house & continues their agriculture activities	Left the area after joining the Presidential Demobilization Program	N/A
Property 3: Couple w/3 kids		X			X		X	X	Bought new house and land in town	Left the area after joining the Presidential Demobilization Program	N/A
Property 4: Couple w/5 kids		X			X		X	X	Bought new land and house	Agriculture	Kids now have access to school
Property 5: Couple w/5 kids	X	X			X		X	X	Bought new house and arable land	Works on his own land & kids have access to school	N/A
Property owners were different from Occupants in cases											
Property 2	X			X		Cash for Property					
Property 3	X			X		Cash for Easement					
Property 4	X			X		Cash for Easement					

O.P. 4.36 – Forestry

The project needed to cut 514.9 m³ of riparian vegetation along the Amoya River in order to build the components of the project infrastructure. The Regional Environmental Authority established several measures to compensate this environmental impact. ISAGEN will have to provide the Bank with an updated EMP, including an annex with a description of the Forestry Program (species to be protected, areas to be restored, strategy to follow with the local communities, etc.).

O.P. 4.37 - Safety of Dams

This policy needs to be triggered since the project is building a dam and associated water retention tanks to store about a maximum volume of 20.000 m³ (13.000 m³ in the desilting chambers y 7.000 m³ by the dam) of water upstream of local infrastructure and the project management camp sites. The project will install dam safety instrumentation and will prepare an emergency and maintenance plan to comply with the policy. The procedures follow by ISAGEN during the design and construction stages of the dam are consistent with the policy requirements for small dams. Geological and hydrological studies were contracted to experts to select the dam site and final design plans included dam safety security factors for stability and monitoring. Civil engineers and dam safety experts have supervised the construction of the works.

ISAGEN will provide the Bank with an updated EMP, including an annex with documents related to the maintenance and safety of the dam by June 30, 2012.

The updated EMP and the IPP should be developed by ISAGEN and delivered to the WB team no later than June 30, 2012. The new ERPA to be signed before January 31, 2012, will include a condition precedent of receiving a revision of Amoya's EMP and IPP to the satisfaction of the World Bank Team

Polices which are not triggered

Pest Management (OP 4.09): The project will no finance the use of pesticides or herbicides. In the maintenance of vegetation around facilities only manual or mechanical instruments will be used (machete, weed cutters).

International Waterways (OP 7.50): The project is not located in an international waterway.

Disputed Areas (OP/7.60): The project is not located in a disputed area.

2. Describe any potential indirect and/or long term impacts due to anticipated future activities in the project area:

Some permanent impacts are related to (i) the construction of the run of river dam which has reduced the river flow of about 13 km of the Amoya River which will cause long term impacts to the river aquatic communities, and (ii) the creation of rock disposal sites along the river banks. In the long term, the project will not change the current trends in land use in the area. The design water flow for the Amoya project is 19,0 m³/s.

The mitigation measures apply by the project to the reduced flow are:

- (i) an environmental flow of 1m³/s which is expected to increase with the additional flow of 16.9 m³/s from downstream tributaries;
- (ii) an aquatic monitoring program of the Amoya River before and during project's construction, as well as during the operation of the plant. The Amoya river flows reported in the EIA were: mean annual flow: 44.6 m³/s, minimum flow: 15.6 m³/s and maximum flow: 88.1 m³/s. Ten aquatic monitoring campaigns (including physical-chemical parameters and aquatic fauna) have been performed from February 2008 till 2011, which have been coordinated with river experts from the Universidad Catolica de Oriente. The monitoring reports have been sent to the regional environmental authority (CORTOLIMA) periodically. Moreover, levels of dissolved oxygen which is recorded as part of aquatic monitoring program, has remained with adequate levels (similar to levels existing before the construction of the plant).

The disposal sites of rock debris built along the Amoya river banks does not affect critical habitat. The placement of these debris (produced by tunnel excavations mainly) were following a construction plan taking into consideration the volume, a drainage system, security factor and slope stability. ISAGEN will perform maintenance and security supervision of these areas during the operation of the power plant.

At local level, ISAGEN signed a two-year voluntary agreement of US\$53.500, with the Special Administrative Unit of the National Natural Park System to support Las Hermosas Natural Park, and committed to support the implementation of an environmental education program. See list of activist which will be financed by ISAGEN.

Activities to support the National Park Las Hermosas	Agreement (USD)	Invested to (August 2011) (USD)
Hardware and software equipments, a printer, a photocopy machine and a TV set for the Environmental Education Training Program of El Chaparral and Rio Blanco municipalities.	5,595	5,547
Environmental books, learning materials and games for five educational organizations.	3,916	1,887
Environmental education activities/workshops.	3,357	1,206
Supplies and printing educational materials.	3,357	1,424
Tour for the exchange of educational experiences among environmental trainers.	2,797	2,534

Fees for the professional in charge of preparing the environmental history of the Park's paths in el Chaparral.	8,392	5,595
Dissemination Program of the National Park and its activities.	2,797	1,286
Park wood signs with environmental messages and information.	9,511	9,511
Printing publications, videos.	5,595	2,948
Initial site characterization for land planning/management.	7,833	5,595
Total	53,150	37,533

The project demonstrates the sustainable use of the natural resources in the area, illustrating the linkages between protection and sustainable use of the resource water for power generation and the generation of a stream of revenues. In addition the project will contribute to global sustainability by reducing GHG emissions from the power sector in Colombia. Domestically, the project contributes to sustainable development by promoting diversity in the infrastructure and sources of energy for the power sector and increasing its security of supply while advancing an alternative mode to the expansion of the sector.

Moreover, ISAGEN agreed to invest 20% of the carbon revenues into the implementation of Environmental and Social Programs which will be agreed with the community. This program will contribute to improvements in the welfare of the community in the area project and the protection of the local environment.

3. Describe any project alternatives (if relevant) considered to help avoid or minimize adverse impacts.

Basis for Carbon Finance (CF) project selection. The project was selected based on rules adopted by the United Nations Framework Convention on Climate Change (UNFCCC) parties for eligibility to the Kyoto Protocol's Clean Development Mechanism (CDM), and it meets all of the eligibility criteria of the NCDF which will purchase the CREs. In addition, the project supports the carbon finance portfolio strategy of achieving diversity across countries and regions with emphasis on renewable energy.

Several alternatives were considered for the location of the plant and ancillary facilities, rated capacity and technology. Alternative locations were rejected based on perceived environmental risks, ease of implementation and hydrological (net hydraulic head) potential. On the site, seven alternatives were examined for optimal location of the intake and discharge points. A hydrology analysis has confirmed the generation potential. The rated capacity was selected to take advantage of the maximum power potential. The technology (Pelton turbines) was selected on the basis of reliability and documented

experience. The Feasibility Study conducted by GU, confirmed the viability of the project.

Other alternatives considered during design were: conduction of waters either by superficial channels vs. tunnel, pit sites and rocky deposition sites, location of the power house.

ISAGEN is the sole owner of the project. ISAGEN's participation ensures a partner that knows the electricity business in the country and has the financial clout to carry the project to completion.

4. Describe measures taken by the borrower to address safeguard policy issues. Provide an assessment of borrower capacity to plan and implement the measures described.

The environmental license was granted on December 16, 1999. It included a water concession of 50 years. The construction permit was authorized on June 27, 2000. The Environmental review was done and approved by CORTOLIMA. The Bank reviewed the study. A social assessment serving as the basis for the social program was prepared. A fraction of the carbon revenues will be used to finance the environmental and social programs.

5. Identify the key stakeholders and describe the mechanisms for consultation and disclosure on safeguard policies, with an emphasis on potentially affected people:

ISAGEN has carried out a number of workshops and consultations in the region. The local community has indicated a strong ownership and support to the project. The social assessment was the basis for the social program and it was based on an exhaustive consultation program with the local community.

A result of the consultations and participatory processes carried out by ISAGEN, a plan was agreed with the local communities to generate social and environmental benefits ("Concertacion de beneficios con la comunidad del Area de Influencia del PH Amoya") which was later published by the company and constitutes a bidding document of the company with the local stakeholders (which includes the Parque Nacional Las Hermosas).

B. Disclosure Requirements Date

Environmental Assessment/Audit/Management Plan/Other:

Was the document disclosed prior to appraisal?	Yes
Date of receipt by the Bank	10/02/03
Date of "in-country" disclosure	10/02/03
Date of submission to InfoShop	12/19/03

For category A projects, date of distributing the Executive Summary of the EA to the Executive Directors

Resettlement Action Plan/Framework/Policy Process:

Was the document disclosed prior to appraisal?	Yes
Date of receipt by the Bank	2/16/2010
Date of "in-country" disclosure	2/16/2010
Date of submission to InfoShop	11/16/2011

Indigenous Peoples Plan/Planning Framework:

Was the document disclosed prior to appraisal?	No
Date of receipt by the Bank	Before June 30, 2012
Date of "in-country" disclosure	Before June 30, 2012
Date of submission to InfoShop	Before June 30, 2012

Pest Management Plan:

Was the document disclosed prior to appraisal?	N/A
Date of receipt by the Bank	N/A
Date of "in-country" disclosure	N/A
Date of submission to InfoShop	N/A

*** If the project triggers the Pest Management and/or Physical Cultural Resources, the respective issues are to be addressed and disclosed as part of the Environmental Assessment/Audit/or EMP.**

If in-country disclosure of any of the above documents is not expected, please explain why:

C. Compliance Monitoring Indicators at the Corporate Level (to be filled in when the ISDS is finalized by the project decision meeting)

OP/BP/GP 4.01 - Environment Assessment

Does the project require a stand-alone EA (including EMP) report?	Yes
If yes, then did the Regional Environment Unit or Sector Manager (SM) review and approve the EA report? June 30, 2003	Yes
Are the cost and the accountabilities for the EMP incorporated in the credit/loan?	Yes

OP/BP 4.10 - Indigenous Peoples

Has a separate Indigenous Peoples Plan/Planning Framework (as appropriate) been prepared in consultation with affected Indigenous Peoples?	Underway
If yes, then did the Regional unit responsible for safeguards or Sector Manager review the plan?	Expected before June 30, 2012

If the whole project is designed to benefit IP, has the design been reviewed and approved by the Regional Social Development Unit or Sector Manager? Expected before June 30, 2012

OP/BP 4.12 - Involuntary Resettlement

Has a resettlement plan/abbreviated plan/policy framework/process framework (as appropriate) been prepared? Yes

If yes, then did the Regional unit responsible for safeguards or Sector Manager review the plan? Yes

The World Bank Policy on Disclosure of Information

Have relevant safeguard policies documents been sent to the World Bank's InfoShop? Yes

Have relevant documents been disclosed in-country in a public place in a form and language that are understandable and accessible to project-affected groups and local NGOs? Yes

All Safeguard Policies

Have satisfactory calendar, budget and clear institutional responsibilities been prepared for the implementation of measures related to safeguard policies? Yes

Have costs related to safeguard policy measures been included in the project cost? Yes

Does the Monitoring and Evaluation system of the project includes the monitoring of safeguard impacts and measures related to safeguard policies? Yes

Have satisfactory implementation arrangements been agreed with the borrower and the same been adequately reflected in the project legal documents? Yes

D. Approvals

<i>Signed and submitted by:</i>	<i>Name</i>	<i>Date</i>
Task Team Leader:	Leopoldo Montanez	04.18.2012
Environmental Specialist:	Ruth Tiffer-Sotomayor	04.23.2012
Social Development Specialist	Alonso Zarzar	05.02.2012
Additional Environmental and/or Social Development Specialist(s):		
<i>Approved by:</i>		
Sector Manager:	Todd M. Johnson on behal of Malcom Cosgrove-Davies	05.08.2012
		05.04.2012
Regional Safeguards Advisor:	Glenn Morgan	
Comments: This is the new ISDS corresponding to the additional safeguard for resettlement.		