Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 8, b = ?, c = 17$

(2) Right triangle: $a = 8, b = ?, c = 17$

(3) Right triangle: $a = ?, b = 24, c = 25$

(4) Right triangle: $a = 5, b = ?, c = 13$

(5) Right triangle: $a = 6, b = 8, c = ?$

(6) Right triangle: $a = 9, b = 12, c = ?$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 9, b = ?, c = 15$

(2) Right triangle: $a = 9, b = ?, c = 15$

(3) Right triangle: $a = ?, b = 12, c = 15$

(4) Right triangle: $a = 9, b = 12, c = ?$

(5) Right triangle: $a = 5, b = 12, c = ?$

(6) Right triangle: $a = 6, b = 8, c = ?$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 9, b =?, c = 15$

(2) Right triangle: $a =?, b = 12, c = 15$

(3) Right triangle: $a = 8, b = 15, c =?$

(4) Right triangle: $a = 7, b = 24, c =?$

(5) Right triangle: $a = 6, b = 8, c =?$

(6) Right triangle: $a = 9, b =?, c = 15$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 8, b = 15, c =?$

(2) Right triangle: $a = 6, b =?, c = 10$

(3) Right triangle: $a = 9, b = 12, c =?$

(4) Right triangle: $a = 6, b = 8, c =?$

(5) Right triangle: $a =?, b = 12, c = 13$

(6) Right triangle: $a = 5, b = 12, c =?$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 9, b = 12, c = ?$

(2) Right triangle: $a = 6, b = ?, c = 10$

(3) Right triangle: $a = ?, b = 24, c = 25$

(4) Right triangle: $a = ?, b = 8, c = 10$

(5) Right triangle: $a = 3, b = ?, c = 5$

(6) Right triangle: $a = ?, b = 12, c = 13$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 5, b = 12, c = ?$

(2) Right triangle: $a = 3, b = ?, c = 5$

(3) Right triangle: $a = ?, b = 24, c = 25$

(4) Right triangle: $a = 6, b = 8, c = ?$

(5) Right triangle: $a = 9, b = 12, c = ?$

(6) Right triangle: $a = 5, b = 12, c = ?$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 9, b = 12, c = ?$

(2) Right triangle: $a = ?, b = 24, c = 25$

(3) Right triangle: $a = 6, b = 8, c = ?$

(4) Right triangle: $a = 8, b = 15, c = ?$

(5) Right triangle: $a = ?, b = 12, c = 15$

(6) Right triangle: $a = 7, b = ?, c = 25$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = ?, b = 12, c = 15$

(2) Right triangle: $a = 5, b = ?, c = 13$

(3) Right triangle: $a = 5, b = ?, c = 13$

(4) Right triangle: $a = 9, b = ?, c = 15$

(5) Right triangle: $a = ?, b = 12, c = 13$

(6) Right triangle: $a = 9, b = ?, c = 15$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 7, b = 24, c = ?$

(2) Right triangle: $a = 8, b = 15, c = ?$

(3) Right triangle: $a = ?, b = 4, c = 5$

(4) Right triangle: $a = 9, b = ?, c = 15$

(5) Right triangle: $a = 5, b = 12, c = ?$

(6) Right triangle: $a = ?, b = 24, c = 25$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 8, b = ?, c = 17$

(2) Right triangle: $a = 5, b = 12, c = ?$

(3) Right triangle: $a = ?, b = 4, c = 5$

(4) Right triangle: $a = 5, b = 12, c = ?$

(5) Right triangle: $a = ?, b = 8, c = 10$

(6) Right triangle: $a = ?, b = 24, c = 25$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 7, b =?, c = 25$

(2) Right triangle: $a = 6, b =?, c = 10$

(3) Right triangle: $a =?, b = 12, c = 13$

(4) Right triangle: $a = 6, b =?, c = 10$

(5) Right triangle: $a = 3, b =?, c = 5$

(6) Right triangle: $a = 7, b = 24, c =?$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 9, b = 12, c =?$

(2) Right triangle: $a = 9, b = 12, c =?$

(3) Right triangle: $a = 8, b = 15, c =?$

(4) Right triangle: $a = 6, b = 8, c =?$

(5) Right triangle: $a =?, b = 8, c = 10$

(6) Right triangle: $a =?, b = 12, c = 15$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) $\text{Right triangle: } a = ?, b = 12, c = 13$

(2) $\text{Right triangle: } a = 5, b = ?, c = 13$

(3) $\text{Right triangle: } a = ?, b = 8, c = 10$

(4) $\text{Right triangle: } a = 9, b = 12, c = ?$

(5) $\text{Right triangle: } a = 9, b = ?, c = 15$

(6) $\text{Right triangle: } a = 7, b = 24, c = ?$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) $\text{Right triangle: } a = 7, b = 24, c = ?$

(2) $\text{Right triangle: } a = 6, b = ?, c = 10$

(3) $\text{Right triangle: } a = 3, b = ?, c = 5$

(4) $\text{Right triangle: } a = ?, b = 12, c = 13$

(5) $\text{Right triangle: } a = 9, b = ?, c = 15$

(6) $\text{Right triangle: } a = 8, b = ?, c = 17$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = ?, b = 15, c = 17$

(2) Right triangle: $a = 6, b = 8, c = ?$

(3) Right triangle: $a = 7, b = 24, c = ?$

(4) Right triangle: $a = ?, b = 12, c = 15$

(5) Right triangle: $a = 3, b = 4, c = ?$

(6) Right triangle: $a = 8, b = ?, c = 17$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 6, b = ?, c = 10$

(2) Right triangle: $a = 3, b = 4, c = ?$

(3) Right triangle: $a = 8, b = 15, c = ?$

(4) Right triangle: $a = ?, b = 12, c = 13$

(5) Right triangle: $a = ?, b = 8, c = 10$

(6) Right triangle: $a = ?, b = 8, c = 10$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 5, b = 12, c = ?$

(2) Right triangle: $a = 6, b = 8, c = ?$

(3) Right triangle: $a = ?, b = 12, c = 13$

(4) Right triangle: $a = 9, b = ?, c = 15$

(5) Right triangle: $a = ?, b = 24, c = 25$

(6) Right triangle: $a = 7, b = ?, c = 25$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = ?, b = 12, c = 15$

(2) Right triangle: $a = 8, b = 15, c = ?$

(3) Right triangle: $a = ?, b = 4, c = 5$

(4) Right triangle: $a = 5, b = 12, c = ?$

(5) Right triangle: $a = ?, b = 8, c = 10$

(6) Right triangle: $a = ?, b = 12, c = 15$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 5, b = 12, c =?$

(2) Right triangle: $a =?, b = 12, c = 15$

(3) Right triangle: $a = 9, b =?, c = 15$

(4) Right triangle: $a =?, b = 4, c = 5$

(5) Right triangle: $a = 6, b = 8, c =?$

(6) Right triangle: $a = 9, b =?, c = 15$

Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle: $a = 6, b = 8, c =?$

(2) Right triangle: $a =?, b = 15, c = 17$

(3) Right triangle: $a = 6, b =?, c = 10$

(4) Right triangle: $a = 6, b = 8, c =?$

(5) Right triangle: $a = 7, b =?, c = 25$

(6) Right triangle: $a = 3, b =?, c = 5$

F91a

(1) 15
(2) 15
(3) 7
(4) 12
(5) 10
(6) 15

F92a

(1) 12
(2) 12
(3) 9
(4) 15
(5) 13
(6) 10

F91b

(1) 17
(2) 8
(3) 15
(4) 10
(5) 5
(6) 13

F92b

(1) 12
(2) 9
(3) 17
(4) 25
(5) 10
(6) 12

F95a

(1) 25
(2) 17
(3) 3
(4) 12
(5) 13
(6) 7

F96a

(1) 15
(2) 13
(3) 3
(4) 13
(5) 6
(6) 7

F95b

(1) 15
(2) 15
(3) 17
(4) 10
(5) 6
(6) 9

F96b

(1) 24
(2) 8
(3) 5
(4) 8
(5) 4
(6) 25

F97a

(1) 5
(2) 12
(3) 6
(4) 15
(5) 12
(6) 25

F98a

(1) 25
(2) 8
(3) 4
(4) 5
(5) 12
(6) 15

F97b

(1) 8
(2) 5
(3) 17
(4) 5
(5) 6
(6) 6

F98b

(1) 8
(2) 10
(3) 25
(4) 9
(5) 5
(6) 15

Answer Key JPMethod Polynomials

F93a

(1) 15
(2) 8
(3) 7
(4) 6
(5) 4
(6) 5

F94a

(1) 13
(2) 4
(3) 7
(4) 10
(5) 15
(6) 13

F93b

(1) 9
(2) 12
(3) 12
(4) 12
(5) 5
(6) 12

F94b

(1) 15
(2) 7
(3) 10
(4) 17
(5) 9
(6) 24

Polynomials & Quadratic Equations

F99a

(1) 13
(2) 10
(3) 5
(4) 12
(5) 7
(6) 24

F100a

(1) 9
(2) 17
(3) 3
(4) 13
(5) 6
(6) 9

F99b

(1) 10
(2) 8
(3) 8
(4) 10
(5) 24
(6) 4

F100b

(1) 13
(2) 9
(3) 12
(4) 3
(5) 10
(6) 12