

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 8, b = ?, c = 17$

(2) Right triangle:  $a = 8, b = ?, c = 17$

(3) Right triangle:  $a = ?, b = 24, c = 25$

(4) Right triangle:  $a = 5, b = ?, c = 13$

(5) Right triangle:  $a = 6, b = 8, c = ?$

(6) Right triangle:  $a = 9, b = 12, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = ?, c = 15$

(2) Right triangle:  $a = 9, b = ?, c = 15$

(3) Right triangle:  $a = ?, b = 12, c = 15$

(4) Right triangle:  $a = 9, b = 12, c = ?$

(5) Right triangle:  $a = 5, b = 12, c = ?$

(6) Right triangle:  $a = 6, b = 8, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = ?, c = 15$

(2) Right triangle:  $a = ?, b = 12, c = 15$

(3) Right triangle:  $a = 8, b = 15, c = ?$

(4) Right triangle:  $a = 7, b = 24, c = ?$

(5) Right triangle:  $a = 6, b = 8, c = ?$

(6) Right triangle:  $a = 9, b = ?, c = 15$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 8, b = 15, c = ?$

(2) Right triangle:  $a = 6, b = ?, c = 10$

(3) Right triangle:  $a = 9, b = 12, c = ?$

(4) Right triangle:  $a = 6, b = 8, c = ?$

(5) Right triangle:  $a = ?, b = 12, c = 13$

(6) Right triangle:  $a = 5, b = 12, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = 12, c = ?$

(2) Right triangle:  $a = 6, b = ?, c = 10$

(3) Right triangle:  $a = ?, b = 24, c = 25$

(4) Right triangle:  $a = ?, b = 8, c = 10$

(5) Right triangle:  $a = 3, b = ?, c = 5$

(6) Right triangle:  $a = ?, b = 12, c = 13$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 5, b = 12, c = ?$

(2) Right triangle:  $a = 3, b = ?, c = 5$

(3) Right triangle:  $a = ?, b = 24, c = 25$

(4) Right triangle:  $a = 6, b = 8, c = ?$

(5) Right triangle:  $a = 9, b = 12, c = ?$

(6) Right triangle:  $a = 5, b = 12, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = 12, c = ?$

(2) Right triangle:  $a = ?, b = 24, c = 25$

(3) Right triangle:  $a = 6, b = 8, c = ?$

(4) Right triangle:  $a = 8, b = 15, c = ?$

(5) Right triangle:  $a = ?, b = 12, c = 15$

(6) Right triangle:  $a = 7, b = ?, c = 25$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = ?, b = 12, c = 15$

(2) Right triangle:  $a = 5, b = ?, c = 13$

(3) Right triangle:  $a = 5, b = ?, c = 13$

(4) Right triangle:  $a = 9, b = ?, c = 15$

(5) Right triangle:  $a = ?, b = 12, c = 13$

(6) Right triangle:  $a = 9, b = ?, c = 15$

## Section 10. The Pythagorean Theorem

*Use the Pythagorean theorem to find the missing side.*

(1) Right triangle:  $a = 7, b = 24, c = ?$

(2) Right triangle:  $a = 8, b = 15, c = ?$

(3) Right triangle:  $a = ?, b = 4, c = 5$

(4) Right triangle:  $a = 9, b = ?, c = 15$

(5) Right triangle:  $a = 5, b = 12, c = ?$

(6) Right triangle:  $a = ?, b = 24, c = 25$

## Section 10. The Pythagorean Theorem

*Use the Pythagorean theorem to find the missing side.*

(1) Right triangle:  $a = 8, b = ?, c = 17$

(2) Right triangle:  $a = 5, b = 12, c = ?$

(3) Right triangle:  $a = ?, b = 4, c = 5$

(4) Right triangle:  $a = 5, b = 12, c = ?$

(5) Right triangle:  $a = ?, b = 8, c = 10$

(6) Right triangle:  $a = ?, b = 24, c = 25$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 7, b = ?, c = 25$

(2) Right triangle:  $a = 6, b = ?, c = 10$

(3) Right triangle:  $a = ?, b = 12, c = 13$

(4) Right triangle:  $a = 6, b = ?, c = 10$

(5) Right triangle:  $a = 3, b = ?, c = 5$

(6) Right triangle:  $a = 7, b = 24, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = 12, c = ?$

(2) Right triangle:  $a = 9, b = 12, c = ?$

(3) Right triangle:  $a = 8, b = 15, c = ?$

(4) Right triangle:  $a = 6, b = 8, c = ?$

(5) Right triangle:  $a = ?, b = 8, c = 10$

(6) Right triangle:  $a = ?, b = 12, c = 15$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = ?, b = 12, c = 13$

(2) Right triangle:  $a = 5, b = ?, c = 13$

(3) Right triangle:  $a = ?, b = 8, c = 10$

(4) Right triangle:  $a = 9, b = 12, c = ?$

(5) Right triangle:  $a = 9, b = ?, c = 15$

(6) Right triangle:  $a = 7, b = 24, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 7, b = 24, c = ?$

(2) Right triangle:  $a = 6, b = ?, c = 10$

(3) Right triangle:  $a = 3, b = ?, c = 5$

(4) Right triangle:  $a = ?, b = 12, c = 13$

(5) Right triangle:  $a = 9, b = ?, c = 15$

(6) Right triangle:  $a = 8, b = ?, c = 17$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = ?, b = 15, c = 17$

(2) Right triangle:  $a = 6, b = 8, c = ?$

(3) Right triangle:  $a = 7, b = 24, c = ?$

(4) Right triangle:  $a = ?, b = 12, c = 15$

(5) Right triangle:  $a = 3, b = 4, c = ?$

(6) Right triangle:  $a = 8, b = ?, c = 17$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 6, b = ?, c = 10$

(2) Right triangle:  $a = 3, b = 4, c = ?$

(3) Right triangle:  $a = 8, b = 15, c = ?$

(4) Right triangle:  $a = ?, b = 12, c = 13$

(5) Right triangle:  $a = ?, b = 8, c = 10$

(6) Right triangle:  $a = ?, b = 8, c = 10$



## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 5, b = 12, c = ?$

(2) Right triangle:  $a = 6, b = 8, c = ?$

(3) Right triangle:  $a = ?, b = 12, c = 13$

(4) Right triangle:  $a = 9, b = ?, c = 15$

(5) Right triangle:  $a = ?, b = 24, c = 25$

(6) Right triangle:  $a = 7, b = ?, c = 25$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = ?, b = 12, c = 15$

(2) Right triangle:  $a = 8, b = 15, c = ?$

(3) Right triangle:  $a = ?, b = 4, c = 5$

(4) Right triangle:  $a = 5, b = 12, c = ?$

(5) Right triangle:  $a = ?, b = 8, c = 10$

(6) Right triangle:  $a = ?, b = 12, c = 15$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 5, b = 12, c = ?$

(2) Right triangle:  $a = ?, b = 12, c = 15$

(3) Right triangle:  $a = 9, b = ?, c = 15$

(4) Right triangle:  $a = ?, b = 4, c = 5$

(5) Right triangle:  $a = 6, b = 8, c = ?$

(6) Right triangle:  $a = 9, b = ?, c = 15$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 6, b = 8, c = ?$

(2) Right triangle:  $a = ?, b = 15, c = 17$

(3) Right triangle:  $a = 6, b = ?, c = 10$

(4) Right triangle:  $a = 6, b = 8, c = ?$

(5) Right triangle:  $a = 7, b = ?, c = 25$

(6) Right triangle:  $a = 3, b = ?, c = 5$

## Answer Key

JPMethod Polynomials

### F91a

- (1) 15
- (2) 15
- (3) 7
- (4) 12
- (5) 10
- (6) 15

### F92a

- (1) 12
- (2) 12
- (3) 9
- (4) 15
- (5) 13
- (6) 10

### F91b

- (1) 17
- (2) 8
- (3) 15
- (4) 10
- (5) 5
- (6) 13

### F92b

- (1) 12
- (2) 9
- (3) 17
- (4) 25
- (5) 10
- (6) 12

## Answer Key

JPMethod Polynomials

### F95a

- (1) 25
- (2) 17
- (3) 3
- (4) 12
- (5) 13
- (6) 7

### F96a

- (1) 15
- (2) 13
- (3) 3
- (4) 13
- (5) 6
- (6) 7

### F95b

- (1) 15
- (2) 15
- (3) 17
- (4) 10
- (5) 6
- (6) 9

### F96b

- (1) 24
- (2) 8
- (3) 5
- (4) 8
- (5) 4
- (6) 25

## Answer Key

JPMethod Polynomials

### F97a

- (1) 5
- (2) 12
- (3) 6
- (4) 15
- (5) 12
- (6) 25

### F98a

- (1) 25
- (2) 8
- (3) 4
- (4) 5
- (5) 12
- (6) 15

### F97b

- (1) 8
- (2) 5
- (3) 17
- (4) 5
- (5) 6
- (6) 6

### F98b

- (1) 8
- (2) 10
- (3) 25
- (4) 9
- (5) 5
- (6) 15

## Answer Key

JPMethod Polynomials

### F93a

- (1) 15
- (2) 8
- (3) 7
- (4) 6
- (5) 4
- (6) 5

### F94a

- (1) 13
- (2) 4
- (3) 7
- (4) 10
- (5) 15
- (6) 13

### F93b

- (1) 9
- (2) 12
- (3) 12
- (4) 12
- (5) 5
- (6) 12

### F94b

- (1) 15
- (2) 7
- (3) 10
- (4) 17
- (5) 9
- (6) 24

### F99a

- (1) 13
- (2) 10
- (3) 5
- (4) 12
- (5) 7
- (6) 24

### F100a

- (1) 9
- (2) 17
- (3) 3
- (4) 13
- (5) 6
- (6) 9

### F99b

- (1) 10
- (2) 8
- (3) 8
- (4) 10
- (5) 24
- (6) 4

### F100b

- (1) 13
- (2) 9
- (3) 12
- (4) 3
- (5) 10
- (6) 12

