

Section 3. zeros anywhere — 3/2 up to 4/3  
*Some have a remainder. Write the answer as 'q r N'.*

1.

$$20 \overline{) 83}$$

2.

$$13 \overline{) 70}$$

3.

$$30 \overline{) 97}$$

4.

$$30 \overline{) 483}$$

5.

$$20 \overline{) 367}$$

6.

$$70 \overline{) 847}$$

Section 3. zeros anywhere — 3/2 up to 4/3  
*Some have a remainder. Write the answer as 'q r N'.*

1.

$$14 \overline{) 5063}$$

2.

$$130 \overline{) 4830}$$

3.

$$260 \overline{) 7031}$$

4.

$$60 \overline{) 33}$$

5.

$$65 \overline{) 662}$$

6.

$$67 \overline{) 709}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$13 \overline{) 6205}$$

2.

$$328 \overline{) 8190}$$

3.

$$53 \overline{) 13}$$

4.

$$57 \overline{) 574}$$

5.

$$17 \overline{) 686}$$

6.

$$13 \overline{) 7838}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$17 \overline{) 307}$$

2.

$$14 \overline{) 506}$$

3.

$$26 \overline{) 703}$$

4.

$$13 \overline{) 263}$$

5.

$$15 \overline{) 304}$$

6.

$$17 \overline{) 3067}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$275 \overline{) 5110}$$

2.

$$80 \overline{) 67}$$

3.

$$17 \overline{) 353}$$

4.

$$30 \overline{) 884}$$

5.

$$20 \overline{) 3217}$$

6.

$$370 \overline{) 4590}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$11 \overline{) 663}$$

2.

$$63 \overline{) 692}$$

3.

$$70 \overline{) 3462}$$

4.

$$342 \overline{) 6889}$$

5.

$$32 \overline{) 24}$$

6.

$$60 \overline{) 436}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$20 \overline{) 714}$$

2.

$$18 \overline{) 6707}$$

3.

$$829 \overline{) 8824}$$

4.

$$37 \overline{) 34}$$

5.

$$24 \overline{) 910}$$

6.

$$12 \overline{) 489}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$70 \overline{) 30}$$

2.

$$23 \overline{) 101}$$

3.

$$32 \overline{) 343}$$

4.

$$10 \overline{) 2241}$$

5.

$$170 \overline{) 2079}$$

6.

$$86 \overline{) 11}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$40 \overline{) 3108}$$

2.

$$520 \overline{) 5332}$$

3.

$$32 \overline{) 16}$$

4.

$$30 \overline{) 582}$$

5.

$$30 \overline{) 265}$$

6.

$$60 \overline{) 2925}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$10 \overline{) 10}$$

2.

$$50 \overline{) 317}$$

3.

$$70 \overline{) 237}$$

4.

$$40 \overline{) 5487}$$

5.

$$490 \overline{) 9081}$$

6.

$$70 \overline{) 79}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$20 \overline{) 666}$$

2.

$$90 \overline{) 932}$$

3.

$$72 \overline{) 7311}$$

4.

$$834 \overline{) 8504}$$

5.

$$30 \overline{) 37}$$

6.

$$39 \overline{) 416}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$747 \overline{) 8057}$$

2.

$$60 \overline{) 43}$$

3.

$$70 \overline{) 580}$$

4.

$$50 \overline{) 811}$$

5.

$$51 \overline{) 3509}$$

6.

$$711 \overline{) 7399}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$30 \overline{) 964}$$

2.

$$38 \overline{) 4062}$$

3.

$$250 \overline{) 5917}$$

4.

$$40 \overline{) 20}$$

5.

$$60 \overline{) 782}$$

6.

$$60 \overline{) 627}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$530 \overline{) 6912}$$

2.

$$80 \overline{) 69}$$

3.

$$90 \overline{) 539}$$

4.

$$10 \overline{) 843}$$

5.

$$80 \overline{) 1864}$$

6.

$$538 \overline{) 5907}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$80 \overline{) 87}$$

2.

$$80 \overline{) 679}$$

3.

$$90 \overline{) 401}$$

4.

$$32 \overline{) 5136}$$

5.

$$262 \overline{) 7979}$$

6.

$$50 \overline{) 82}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$90 \overline{) 5757}$$

2.

$$595 \overline{) 6418}$$

3.

$$50 \overline{) 58}$$

4.

$$10 \overline{) 665}$$

5.

$$80 \overline{) 149}$$

6.

$$16 \overline{) 1290}$$



Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$30 \overline{) 614}$$

2.

$$93 \overline{) 900}$$

3.

$$80 \overline{) 3115}$$

4.

$$227 \overline{) 9272}$$

5.

$$88 \overline{) 12}$$

6.

$$50 \overline{) 836}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$92 \overline{) 9793}$$

2.

$$790 \overline{) 2908}$$

3.

$$63 \overline{) 13}$$

4.

$$43 \overline{) 431}$$

5.

$$57 \overline{) 589}$$

6.

$$60 \overline{) 8931}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$700 \overline{) 7097}$$

2.

$$43 \overline{) 26}$$

3.

$$90 \overline{) 181}$$

4.

$$90 \overline{) 724}$$

5.

$$80 \overline{) 2317}$$

6.

$$906 \overline{) 9387}$$

Section 3. zeros anywhere — 3/2 up to 4/3

*Some have a remainder. Write the answer as 'q r N'.*

1.

$$64 \overline{) 673}$$

2.

$$30 \overline{) 5908}$$

3.

$$885 \overline{) 3290}$$

4.

$$31 \overline{) 18}$$

5.

$$90 \overline{) 950}$$

6.

$$62 \overline{) 652}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 20 \overline{) 83} \\ \underline{80} \\ 3 \end{array}$$

2.

$$\begin{array}{r} 13 \overline{) 70} \\ \underline{65} \\ 5 \end{array}$$

3.

$$\begin{array}{r} 30 \overline{) 97} \\ \underline{90} \\ 7 \end{array}$$

4.

$$\begin{array}{r} 30 \overline{) 483} \\ \underline{30} \\ 183 \\ \underline{180} \\ 3 \end{array}$$

5.

$$\begin{array}{r} 20 \overline{) 367} \\ \underline{20} \\ 167 \\ \underline{160} \\ 7 \end{array}$$

6.

$$\begin{array}{r} 70 \overline{) 847} \\ \underline{70} \\ 147 \\ \underline{140} \\ 7 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 14 \overline{) 5063} \\ \underline{42} \\ 86 \\ \underline{84} \\ 23 \\ \underline{14} \\ 9 \end{array}$$

2.

$$\begin{array}{r} 130 \overline{) 4830} \\ \underline{390} \\ 930 \\ \underline{910} \\ 20 \end{array}$$

3.

$$\begin{array}{r} 260 \overline{) 7031} \\ \underline{520} \\ 1831 \\ \underline{1820} \\ 11 \end{array}$$

4.

$$\begin{array}{r} 60 \overline{) 33} \end{array}$$

5.

$$\begin{array}{r} 65 \overline{) 662} \\ \underline{65} \\ 12 \\ \underline{0} \\ 12 \end{array}$$

6.

$$\begin{array}{r} 67 \overline{) 709} \\ \underline{67} \\ 39 \\ \underline{0} \\ 39 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 477 \\ 13 \overline{) 6205} \\ \underline{52} \phantom{00} \\ 100 \phantom{0} \\ \underline{91} \phantom{0} \\ 95 \phantom{0} \\ \underline{91} \phantom{0} \\ 4 \end{array}$$

2.

$$\begin{array}{r} 24 \\ 328 \overline{) 8190} \\ \underline{656} \phantom{0} \\ 1630 \phantom{0} \\ \underline{1312} \phantom{0} \\ 318 \end{array}$$

3.

$$\begin{array}{r} \\ 53 \overline{) 13} \end{array}$$

4.

$$\begin{array}{r} 10 \\ 57 \overline{) 574} \\ \underline{57} \phantom{0} \\ 4 \phantom{0} \\ \underline{0} \phantom{0} \\ 4 \end{array}$$

5.

$$\begin{array}{r} 40 \\ 17 \overline{) 686} \\ \underline{68} \phantom{0} \\ 6 \phantom{0} \\ \underline{0} \phantom{0} \\ 6 \end{array}$$

6.

$$\begin{array}{r} 602 \\ 13 \overline{) 7838} \\ \underline{78} \phantom{00} \\ 3 \phantom{00} \\ \underline{0} \phantom{00} \\ 38 \phantom{0} \\ \underline{26} \phantom{0} \\ 12 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 18 \\ 17 \overline{) 307} \\ \underline{17} \phantom{0} \\ 137 \phantom{0} \\ \underline{136} \phantom{0} \\ 1 \end{array}$$

2.

$$\begin{array}{r} 36 \\ 14 \overline{) 506} \\ \underline{42} \phantom{0} \\ 86 \phantom{0} \\ \underline{84} \phantom{0} \\ 2 \end{array}$$

3.

$$\begin{array}{r} 27 \\ 26 \overline{) 703} \\ \underline{52} \phantom{0} \\ 183 \phantom{0} \\ \underline{182} \phantom{0} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 20 \\ 13 \overline{) 263} \\ \underline{26} \phantom{0} \\ 3 \phantom{0} \\ \underline{0} \phantom{0} \\ 3 \end{array}$$

5.

$$\begin{array}{r} 20 \\ 15 \overline{) 304} \\ \underline{30} \phantom{0} \\ 4 \phantom{0} \\ \underline{0} \phantom{0} \\ 4 \end{array}$$

6.

$$\begin{array}{r} 180 \\ 17 \overline{) 3067} \\ \underline{17} \phantom{00} \\ 136 \phantom{0} \\ \underline{136} \phantom{0} \\ 7 \phantom{0} \\ \underline{0} \phantom{0} \\ 7 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 275 \overline{) 5110} \\ \underline{275} \phantom{0} \\ 2360 \\ \underline{2200} \phantom{0} \\ 160 \end{array}$$

2.

$$80 \overline{) 67}$$

3.

$$\begin{array}{r} 17 \overline{) 353} \\ \underline{34} \phantom{0} \\ 13 \phantom{0} \\ \underline{0} \phantom{0} \\ 13 \end{array}$$

4.

$$\begin{array}{r} 30 \overline{) 884} \\ \underline{60} \phantom{0} \\ 284 \\ \underline{270} \phantom{0} \\ 14 \end{array}$$

5.

$$\begin{array}{r} 20 \overline{) 3217} \\ \underline{20} \phantom{0} \\ 121 \\ \underline{120} \phantom{0} \\ 17 \\ \underline{0} \phantom{0} \\ 17 \end{array}$$

6.

$$\begin{array}{r} 370 \overline{) 4590} \\ \underline{370} \phantom{0} \\ 890 \\ \underline{740} \phantom{0} \\ 150 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 11 \overline{) 663} \\ \underline{66} \phantom{0} \\ 3 \\ \underline{0} \phantom{0} \\ 3 \end{array}$$

2.

$$\begin{array}{r} 63 \overline{) 692} \\ \underline{63} \phantom{0} \\ 62 \\ \underline{0} \phantom{0} \\ 62 \end{array}$$

3.

$$\begin{array}{r} 70 \overline{) 3462} \\ \underline{280} \phantom{0} \\ 662 \\ \underline{630} \phantom{0} \\ 32 \end{array}$$

4.

$$\begin{array}{r} 342 \overline{) 6889} \\ \underline{684} \phantom{0} \\ 49 \\ \underline{0} \phantom{0} \\ 49 \end{array}$$

5.

$$32 \overline{) 24}$$

6.

$$\begin{array}{r} 60 \overline{) 436} \\ \underline{420} \phantom{0} \\ 16 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 20 \overline{) 714} \\ \underline{60} \\ 114 \\ \underline{100} \\ 14 \end{array}$$

2.

$$\begin{array}{r} 18 \overline{) 6707} \\ \underline{54} \\ 130 \\ \underline{126} \\ 47 \\ \underline{36} \\ 11 \end{array}$$

3.

$$\begin{array}{r} 829 \overline{) 8824} \\ \underline{829} \\ 534 \\ \underline{0} \\ 534 \end{array}$$

4.

$$37 \overline{) 34}$$

5.

$$\begin{array}{r} 24 \overline{) 910} \\ \underline{72} \\ 190 \\ \underline{168} \\ 22 \end{array}$$

6.

$$\begin{array}{r} 12 \overline{) 489} \\ \underline{48} \\ 9 \\ \underline{0} \\ 9 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$70 \overline{) 30}$$

2.

$$\begin{array}{r} 23 \overline{) 101} \\ \underline{92} \\ 9 \end{array}$$

3.

$$\begin{array}{r} 32 \overline{) 343} \\ \underline{32} \\ 23 \\ \underline{0} \\ 23 \end{array}$$

4.

$$\begin{array}{r} 10 \overline{) 2241} \\ \underline{20} \\ 24 \\ \underline{20} \\ 41 \\ \underline{40} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 170 \overline{) 2079} \\ \underline{170} \\ 379 \\ \underline{340} \\ 39 \end{array}$$

6.

$$86 \overline{) 11}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 77 \\ 40 \overline{) 3108} \\ \underline{280} \phantom{00} \\ 308 \\ \underline{280} \\ 28 \end{array}$$

2.

$$\begin{array}{r} 10 \\ 520 \overline{) 5332} \\ \underline{520} \phantom{00} \\ 132 \\ \phantom{00} \underline{0} \\ 132 \end{array}$$

3.

$$\begin{array}{r} 32 \overline{) 16} \end{array}$$

4.

$$\begin{array}{r} 19 \\ 30 \overline{) 582} \\ \underline{30} \phantom{00} \\ 282 \\ \underline{270} \\ 12 \end{array}$$

5.

$$\begin{array}{r} 8 \\ 30 \overline{) 265} \\ \underline{240} \\ 25 \end{array}$$

6.

$$\begin{array}{r} 48 \\ 60 \overline{) 2925} \\ \underline{240} \phantom{00} \\ 525 \\ \phantom{00} \underline{480} \\ 45 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 1 \\ 10 \overline{) 10} \\ \underline{10} \\ 0 \end{array}$$

2.

$$\begin{array}{r} 6 \\ 50 \overline{) 317} \\ \underline{300} \\ 17 \end{array}$$

3.

$$\begin{array}{r} 3 \\ 70 \overline{) 237} \\ \underline{210} \\ 27 \end{array}$$

4.

$$\begin{array}{r} 137 \\ 40 \overline{) 5487} \\ \underline{40} \phantom{00} \\ 148 \\ \phantom{00} \underline{120} \\ 287 \\ \phantom{00} \underline{280} \\ 7 \end{array}$$

5.

$$\begin{array}{r} 18 \\ 490 \overline{) 9081} \\ \underline{490} \phantom{00} \\ 4181 \\ \phantom{00} \underline{3920} \\ 261 \end{array}$$

6.

$$\begin{array}{r} 1 \\ 70 \overline{) 79} \\ \underline{70} \\ 9 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 20 \overline{) 666} \\ \underline{60} \phantom{0} \\ 66 \\ \underline{60} \\ 6 \end{array}$$

2.

$$\begin{array}{r} 90 \overline{) 932} \\ \underline{90} \phantom{0} \\ 32 \\ \underline{0} \\ 32 \end{array}$$

3.

$$\begin{array}{r} 72 \overline{) 7311} \\ \underline{72} \phantom{0} \\ 11 \\ \underline{0} \\ 111 \\ \underline{72} \\ 39 \end{array}$$

4.

$$\begin{array}{r} 834 \overline{) 8504} \\ \underline{834} \phantom{0} \\ 164 \\ \underline{0} \\ 164 \end{array}$$

5.

$$\begin{array}{r} 30 \overline{) 37} \\ \underline{30} \\ 7 \end{array}$$

6.

$$\begin{array}{r} 39 \overline{) 416} \\ \underline{39} \phantom{0} \\ 26 \\ \underline{0} \\ 26 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 747 \overline{) 8057} \\ \underline{747} \phantom{0} \\ 587 \\ \underline{0} \\ 587 \end{array}$$

2.

$$60 \overline{) 43}$$

3.

$$\begin{array}{r} 70 \overline{) 580} \\ \underline{560} \\ 20 \end{array}$$

4.

$$\begin{array}{r} 50 \overline{) 811} \\ \underline{50} \phantom{0} \\ 311 \\ \underline{300} \\ 11 \end{array}$$

5.

$$\begin{array}{r} 51 \overline{) 3509} \\ \underline{306} \phantom{0} \\ 449 \\ \underline{408} \\ 41 \end{array}$$

6.

$$\begin{array}{r} 711 \overline{) 7399} \\ \underline{711} \phantom{0} \\ 289 \\ \underline{0} \\ 289 \end{array}$$



Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 30 \overline{) 964} \\ \underline{90} \phantom{0} \\ 64 \\ \underline{60} \\ 4 \end{array}$$

2.

$$\begin{array}{r} 38 \overline{) 4062} \\ \underline{38} \phantom{00} \\ 26 \\ \phantom{0} \underline{0} \\ 262 \\ \phantom{0} \underline{22} 8 \\ 34 \end{array}$$

3.

$$\begin{array}{r} 250 \overline{) 5917} \\ \underline{500} \phantom{0} \\ 917 \\ \phantom{0} \underline{750} \\ 167 \end{array}$$

4.

$$40 \overline{) 20}$$

5.

$$\begin{array}{r} 60 \overline{) 782} \\ \underline{60} \phantom{0} \\ 182 \\ \phantom{0} \underline{180} \\ 2 \end{array}$$

6.

$$\begin{array}{r} 60 \overline{) 627} \\ \underline{60} \phantom{0} \\ 27 \\ \phantom{0} \underline{0} \\ 27 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 530 \overline{) 6912} \\ \underline{530} \phantom{0} \\ 1612 \\ \phantom{0} \underline{1590} \\ 22 \end{array}$$

2.

$$80 \overline{) 69}$$

3.

$$\begin{array}{r} 90 \overline{) 539} \\ \underline{450} \\ 89 \end{array}$$

4.

$$\begin{array}{r} 10 \overline{) 843} \\ \underline{80} \phantom{0} \\ 43 \\ \phantom{0} \underline{40} \\ 3 \end{array}$$

5.

$$\begin{array}{r} 80 \overline{) 1864} \\ \underline{160} \phantom{0} \\ 264 \\ \phantom{0} \underline{240} \\ 24 \end{array}$$

6.

$$\begin{array}{r} 538 \overline{) 5907} \\ \underline{538} \phantom{0} \\ 527 \\ \phantom{0} \underline{0} \\ 527 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 80 \overline{) 87} \\ \underline{80} \\ 7 \end{array}$$

2.

$$\begin{array}{r} 80 \overline{) 679} \\ \underline{640} \\ 39 \end{array}$$

3.

$$\begin{array}{r} 90 \overline{) 401} \\ \underline{360} \\ 41 \end{array}$$

4.

$$\begin{array}{r} 32 \overline{) 160} \\ \underline{32} \\ 193 \\ \underline{192} \\ 16 \\ \underline{0} \\ 16 \end{array}$$

5.

$$\begin{array}{r} 262 \overline{) 7979} \\ \underline{786} \\ 119 \\ \underline{0} \\ 119 \end{array}$$

6.

$$\begin{array}{r} 50 \overline{) 82} \\ \underline{50} \\ 32 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 90 \overline{) 5757} \\ \underline{540} \\ 357 \\ \underline{270} \\ 87 \end{array}$$

2.

$$\begin{array}{r} 595 \overline{) 6418} \\ \underline{595} \\ 468 \\ \underline{0} \\ 468 \end{array}$$

3.

$$\begin{array}{r} 50 \overline{) 58} \\ \underline{50} \\ 8 \end{array}$$

4.

$$\begin{array}{r} 10 \overline{) 665} \\ \underline{60} \\ 65 \\ \underline{60} \\ 5 \end{array}$$

5.

$$\begin{array}{r} 80 \overline{) 149} \\ \underline{80} \\ 69 \end{array}$$

6.

$$\begin{array}{r} 16 \overline{) 1290} \\ \underline{128} \\ 10 \\ \underline{0} \\ 10 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 20 \\ 30 \overline{) 614} \\ \underline{60} \phantom{0} \\ 14 \\ \underline{0} \\ 14 \end{array}$$

2.

$$\begin{array}{r} 9 \\ 93 \overline{) 900} \\ \underline{837} \phantom{0} \\ 63 \end{array}$$

3.

$$\begin{array}{r} 38 \\ 80 \overline{) 3115} \\ \underline{240} \phantom{0} \\ 715 \\ \underline{640} \phantom{0} \\ 75 \end{array}$$

4.

$$\begin{array}{r} 40 \\ 227 \overline{) 9272} \\ \underline{908} \phantom{0} \\ 192 \\ \underline{0} \\ 192 \end{array}$$

5.

$$\begin{array}{r} \\ 88 \overline{) 12} \end{array}$$

6.

$$\begin{array}{r} 16 \\ 50 \overline{) 836} \\ \underline{50} \phantom{0} \\ 336 \\ \underline{300} \phantom{0} \\ 36 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 106 \\ 92 \overline{) 9793} \\ \underline{92} \phantom{0} \\ 59 \\ \underline{0} \\ 593 \\ \underline{552} \phantom{0} \\ 41 \end{array}$$

2.

$$\begin{array}{r} 3 \\ 790 \overline{) 2908} \\ \underline{2370} \phantom{0} \\ 538 \end{array}$$

3.

$$\begin{array}{r} \\ 63 \overline{) 13} \end{array}$$

4.

$$\begin{array}{r} 10 \\ 43 \overline{) 431} \\ \underline{43} \phantom{0} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 10 \\ 57 \overline{) 589} \\ \underline{57} \phantom{0} \\ 19 \\ \underline{0} \\ 19 \end{array}$$

6.

$$\begin{array}{r} 148 \\ 60 \overline{) 8931} \\ \underline{60} \phantom{0} \\ 293 \\ \underline{240} \phantom{0} \\ 531 \\ \underline{480} \phantom{0} \\ 51 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 700 \overline{) 107097} \\ \underline{7000} \phantom{0} \\ 970 \phantom{0} \\ \underline{970} \phantom{0} \\ 0 \phantom{0} \\ \underline{0} \phantom{0} \\ 97 \end{array}$$

2.

$$43 \overline{) 26}$$

3.

$$\begin{array}{r} 90 \overline{) 2181} \\ \underline{180} \phantom{0} \\ 1 \phantom{0} \end{array}$$

4.

$$\begin{array}{r} 90 \overline{) 8724} \\ \underline{720} \phantom{0} \\ 4 \phantom{0} \end{array}$$

5.

$$\begin{array}{r} 80 \overline{) 282317} \\ \underline{160} \phantom{0} \\ 717 \phantom{0} \\ \underline{640} \phantom{0} \\ 77 \end{array}$$

6.

$$\begin{array}{r} 906 \overline{) 109387} \\ \underline{906} \phantom{0} \\ 327 \phantom{0} \\ \underline{0} \phantom{0} \\ 327 \end{array}$$

Section 3. zeros anywhere — 3/2 up to 4/3

1.

$$\begin{array}{r} 64 \overline{) 10673} \\ \underline{64} \phantom{0} \\ 33 \phantom{0} \\ \underline{0} \phantom{0} \\ 33 \end{array}$$

2.

$$\begin{array}{r} 30 \overline{) 1965908} \\ \underline{30} \phantom{0} \\ 290 \phantom{0} \\ \underline{270} \phantom{0} \\ 208 \phantom{0} \\ \underline{180} \phantom{0} \\ 28 \end{array}$$

3.

$$\begin{array}{r} 885 \overline{) 3290} \\ \underline{2655} \phantom{0} \\ 635 \end{array}$$

4.

$$31 \overline{) 18}$$

5.

$$\begin{array}{r} 90 \overline{) 10950} \\ \underline{90} \phantom{0} \\ 50 \phantom{0} \\ \underline{0} \phantom{0} \\ 50 \end{array}$$

6.

$$\begin{array}{r} 62 \overline{) 10652} \\ \underline{62} \phantom{0} \\ 32 \phantom{0} \\ \underline{0} \phantom{0} \\ 32 \end{array}$$