

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$15 \overline{) 200}$$

2.

$$25 \overline{) 370}$$

3.

$$12 \overline{) 160}$$

4.

$$13 \overline{) 147}$$

5.

$$16 \overline{) 196}$$

6.

$$33 \overline{) 405}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$50 \overline{) 156}$$

2.

$$85 \overline{) 445}$$

3.

$$11 \overline{) 862}$$

4.

$$13 \overline{) 127}$$

5.

$$86 \overline{) 530}$$

6.

$$58 \overline{) 775}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$60 \overline{) 277}$$

2.

$$47 \overline{) 741}$$

3.

$$61 \overline{) 139}$$

4.

$$99 \overline{) 738}$$

5.

$$64 \overline{) 381}$$

6.

$$85 \overline{) 179}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$30 \overline{) 482}$$

2.

$$63 \overline{) 734}$$

3.

$$37 \overline{) 284}$$

4.

$$69 \overline{) 965}$$

5.

$$16 \overline{) 593}$$

6.

$$38 \overline{) 929}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$77 \overline{) 995}$$

2.

$$64 \overline{) 557}$$

3.

$$28 \overline{) 169}$$

4.

$$19 \overline{) 937}$$

5.

$$73 \overline{) 717}$$

6.

$$28 \overline{) 207}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$67 \overline{) 344}$$

2.

$$51 \overline{) 115}$$

3.

$$51 \overline{) 167}$$

4.

$$60 \overline{) 413}$$

5.

$$81 \overline{) 634}$$

6.

$$92 \overline{) 694}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$62 \overline{) 300}$$

2.

$$96 \overline{) 352}$$

3.

$$65 \overline{) 310}$$

4.

$$40 \overline{) 997}$$

5.

$$10 \overline{) 138}$$

6.

$$47 \overline{) 773}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$31 \overline{) 460}$$

2.

$$90 \overline{) 845}$$

3.

$$65 \overline{) 166}$$

4.

$$35 \overline{) 654}$$

5.

$$69 \overline{) 160}$$

6.

$$33 \overline{) 678}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$64 \overline{) 816}$$

2.

$$18 \overline{) 539}$$

3.

$$37 \overline{) 191}$$

4.

$$54 \overline{) 203}$$

5.

$$60 \overline{) 557}$$

6.

$$46 \overline{) 935}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$17 \overline{) 996}$$

2.

$$67 \overline{) 584}$$

3.

$$30 \overline{) 136}$$

4.

$$55 \overline{) 747}$$

5.

$$91 \overline{) 798}$$

6.

$$35 \overline{) 739}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$80 \overline{) 369}$$

2.

$$41 \overline{) 770}$$

3.

$$78 \overline{) 589}$$

4.

$$59 \overline{) 195}$$

5.

$$17 \overline{) 834}$$

6.

$$79 \overline{) 315}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$13 \overline{) 249}$$

2.

$$39 \overline{) 340}$$

3.

$$83 \overline{) 521}$$

4.

$$73 \overline{) 539}$$

5.

$$38 \overline{) 430}$$

6.

$$61 \overline{) 230}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$\begin{array}{r} 48 \overline{) 585} \end{array}$$

2.

$$\begin{array}{r} 59 \overline{) 219} \end{array}$$

3.

$$\begin{array}{r} 79 \overline{) 753} \end{array}$$

4.

$$\begin{array}{r} 54 \overline{) 158} \end{array}$$

5.

$$\begin{array}{r} 56 \overline{) 199} \end{array}$$

6.

$$\begin{array}{r} 74 \overline{) 660} \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$\begin{array}{r} 17 \overline{) 713} \end{array}$$

2.

$$\begin{array}{r} 93 \overline{) 478} \end{array}$$

3.

$$\begin{array}{r} 26 \overline{) 321} \end{array}$$

4.

$$\begin{array}{r} 70 \overline{) 916} \end{array}$$

5.

$$\begin{array}{r} 28 \overline{) 794} \end{array}$$

6.

$$\begin{array}{r} 62 \overline{) 229} \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$10 \overline{) 616}$$

2.

$$76 \overline{) 199}$$

3.

$$30 \overline{) 160}$$

4.

$$77 \overline{) 802}$$

5.

$$83 \overline{) 696}$$

6.

$$25 \overline{) 755}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$12 \overline{) 618}$$

2.

$$79 \overline{) 537}$$

3.

$$74 \overline{) 635}$$

4.

$$78 \overline{) 211}$$

5.

$$72 \overline{) 506}$$

6.

$$70 \overline{) 371}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$12 \overline{) 247}$$

2.

$$23 \overline{) 681}$$

3.

$$85 \overline{) 335}$$

4.

$$69 \overline{) 985}$$

5.

$$25 \overline{) 426}$$

6.

$$53 \overline{) 146}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$40 \overline{) 696}$$

2.

$$61 \overline{) 807}$$

3.

$$56 \overline{) 424}$$

4.

$$48 \overline{) 233}$$

5.

$$43 \overline{) 345}$$

6.

$$69 \overline{) 649}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$94 \overline{) 535}$$

2.

$$94 \overline{) 726}$$

3.

$$31 \overline{) 786}$$

4.

$$94 \overline{) 661}$$

5.

$$79 \overline{) 169}$$

6.

$$74 \overline{) 504}$$

Section 4. 3-digit / 2-digit, with remainder

Some have a remainder. Write the answer as 'q r N'.

1.

$$56 \overline{) 647}$$

2.

$$12 \overline{) 424}$$

3.

$$87 \overline{) 713}$$

4.

$$62 \overline{) 447}$$

5.

$$87 \overline{) 802}$$

6.

$$91 \overline{) 719}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 15 \overline{) 200} \\ \underline{15} \\ 50 \\ \underline{45} \\ 5 \end{array}$$

2.

$$\begin{array}{r} 25 \overline{) 370} \\ \underline{25} \\ 120 \\ \underline{100} \\ 20 \end{array}$$

3.

$$\begin{array}{r} 12 \overline{) 160} \\ \underline{12} \\ 40 \\ \underline{36} \\ 4 \end{array}$$

4.

$$\begin{array}{r} 13 \overline{) 147} \\ \underline{13} \\ 17 \\ \underline{13} \\ 4 \end{array}$$

5.

$$\begin{array}{r} 16 \overline{) 196} \\ \underline{16} \\ 36 \\ \underline{32} \\ 4 \end{array}$$

6.

$$\begin{array}{r} 33 \overline{) 405} \\ \underline{33} \\ 75 \\ \underline{66} \\ 9 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 50 \overline{) 156} \\ \underline{150} \\ 6 \end{array}$$

2.

$$\begin{array}{r} 85 \overline{) 445} \\ \underline{425} \\ 20 \end{array}$$

3.

$$\begin{array}{r} 11 \overline{) 862} \\ \underline{77} \\ 92 \\ \underline{88} \\ 4 \end{array}$$

4.

$$\begin{array}{r} 13 \overline{) 127} \\ \underline{117} \\ 10 \end{array}$$

5.

$$\begin{array}{r} 86 \overline{) 530} \\ \underline{516} \\ 14 \end{array}$$

6.

$$\begin{array}{r} 58 \overline{) 775} \\ \underline{58} \\ 195 \\ \underline{174} \\ 21 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 60 \overline{) 277} \\ \underline{240} \\ 37 \end{array}$$

2.

$$\begin{array}{r} 47 \overline{) 741} \\ \underline{47} \\ 271 \\ \underline{235} \\ 36 \end{array}$$

3.

$$\begin{array}{r} 61 \overline{) 139} \\ \underline{122} \\ 17 \end{array}$$

4.

$$\begin{array}{r} 99 \overline{) 738} \\ \underline{693} \\ 45 \end{array}$$

5.

$$\begin{array}{r} 64 \overline{) 381} \\ \underline{320} \\ 61 \end{array}$$

6.

$$\begin{array}{r} 85 \overline{) 179} \\ \underline{170} \\ 9 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 30 \overline{) 482} \\ \underline{30} \\ 182 \\ \underline{180} \\ 2 \end{array}$$

2.

$$\begin{array}{r} 63 \overline{) 734} \\ \underline{63} \\ 104 \\ \underline{63} \\ 41 \end{array}$$

3.

$$\begin{array}{r} 37 \overline{) 284} \\ \underline{259} \\ 25 \end{array}$$

4.

$$\begin{array}{r} 69 \overline{) 965} \\ \underline{69} \\ 275 \\ \underline{207} \\ 68 \end{array}$$

5.

$$\begin{array}{r} 16 \overline{) 593} \\ \underline{48} \\ 113 \\ \underline{112} \\ 1 \end{array}$$

6.

$$\begin{array}{r} 38 \overline{) 929} \\ \underline{76} \\ 169 \\ \underline{152} \\ 17 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 12 \\ 77 \overline{) 995} \\ \underline{77} \\ 225 \\ \underline{154} \\ 71 \end{array}$$

2.

$$\begin{array}{r} 8 \\ 64 \overline{) 557} \\ \underline{512} \\ 45 \end{array}$$

3.

$$\begin{array}{r} 6 \\ 28 \overline{) 169} \\ \underline{168} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 49 \\ 19 \overline{) 937} \\ \underline{76} \\ 177 \\ \underline{171} \\ 6 \end{array}$$

5.

$$\begin{array}{r} 9 \\ 73 \overline{) 717} \\ \underline{657} \\ 60 \end{array}$$

6.

$$\begin{array}{r} 7 \\ 28 \overline{) 207} \\ \underline{196} \\ 11 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 5 \\ 67 \overline{) 344} \\ \underline{335} \\ 9 \end{array}$$

2.

$$\begin{array}{r} 2 \\ 51 \overline{) 115} \\ \underline{102} \\ 13 \end{array}$$

3.

$$\begin{array}{r} 3 \\ 51 \overline{) 167} \\ \underline{153} \\ 14 \end{array}$$

4.

$$\begin{array}{r} 6 \\ 60 \overline{) 413} \\ \underline{360} \\ 53 \end{array}$$

5.

$$\begin{array}{r} 7 \\ 81 \overline{) 634} \\ \underline{567} \\ 67 \end{array}$$

6.

$$\begin{array}{r} 7 \\ 92 \overline{) 694} \\ \underline{644} \\ 50 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 4 \\ 62 \overline{) 300} \\ \underline{248} \\ 52 \end{array}$$

2.

$$\begin{array}{r} 3 \\ 96 \overline{) 352} \\ \underline{288} \\ 64 \end{array}$$

3.

$$\begin{array}{r} 4 \\ 65 \overline{) 310} \\ \underline{260} \\ 50 \end{array}$$

4.

$$\begin{array}{r} 24 \\ 40 \overline{) 997} \\ \underline{80} \\ 197 \\ \underline{160} \\ 37 \end{array}$$

5.

$$\begin{array}{r} 13 \\ 10 \overline{) 138} \\ \underline{10} \\ 38 \\ \underline{30} \\ 8 \end{array}$$

6.

$$\begin{array}{r} 16 \\ 47 \overline{) 773} \\ \underline{47} \\ 303 \\ \underline{282} \\ 21 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 14 \\ 31 \overline{) 460} \\ \underline{31} \\ 150 \\ \underline{124} \\ 26 \end{array}$$

2.

$$\begin{array}{r} 9 \\ 90 \overline{) 845} \\ \underline{810} \\ 35 \end{array}$$

3.

$$\begin{array}{r} 2 \\ 65 \overline{) 166} \\ \underline{130} \\ 36 \end{array}$$

4.

$$\begin{array}{r} 18 \\ 35 \overline{) 654} \\ \underline{35} \\ 304 \\ \underline{280} \\ 24 \end{array}$$

5.

$$\begin{array}{r} 2 \\ 69 \overline{) 160} \\ \underline{138} \\ 22 \end{array}$$

6.

$$\begin{array}{r} 20 \\ 33 \overline{) 678} \\ \underline{66} \\ 18 \\ \underline{0} \\ 18 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 64 \overline{) 816} \\ \underline{64} \\ 176 \\ \underline{128} \\ 48 \end{array}$$

2.

$$\begin{array}{r} 18 \overline{) 539} \\ \underline{36} \\ 179 \\ \underline{162} \\ 17 \end{array}$$

3.

$$\begin{array}{r} 37 \overline{) 191} \\ \underline{185} \\ 6 \end{array}$$

4.

$$\begin{array}{r} 54 \overline{) 203} \\ \underline{162} \\ 41 \end{array}$$

5.

$$\begin{array}{r} 60 \overline{) 557} \\ \underline{540} \\ 17 \end{array}$$

6.

$$\begin{array}{r} 46 \overline{) 935} \\ \underline{92} \\ 15 \\ \underline{0} \\ 15 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 17 \overline{) 996} \\ \underline{85} \\ 146 \\ \underline{136} \\ 10 \end{array}$$

2.

$$\begin{array}{r} 67 \overline{) 584} \\ \underline{536} \\ 48 \end{array}$$

3.

$$\begin{array}{r} 30 \overline{) 136} \\ \underline{120} \\ 16 \end{array}$$

4.

$$\begin{array}{r} 55 \overline{) 747} \\ \underline{55} \\ 197 \\ \underline{165} \\ 32 \end{array}$$

5.

$$\begin{array}{r} 91 \overline{) 798} \\ \underline{728} \\ 70 \end{array}$$

6.

$$\begin{array}{r} 35 \overline{) 739} \\ \underline{70} \\ 39 \\ \underline{35} \\ 4 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 80 \overline{) 369} \\ \underline{320} \\ 49 \end{array}$$

2.

$$\begin{array}{r} 41 \overline{) 770} \\ \underline{41} \\ 360 \\ \underline{328} \\ 32 \end{array}$$

3.

$$\begin{array}{r} 78 \overline{) 589} \\ \underline{546} \\ 43 \end{array}$$

4.

$$\begin{array}{r} 59 \overline{) 195} \\ \underline{177} \\ 18 \end{array}$$

5.

$$\begin{array}{r} 17 \overline{) 834} \\ \underline{68} \\ 154 \\ \underline{153} \\ 1 \end{array}$$

6.

$$\begin{array}{r} 79 \overline{) 315} \\ \underline{237} \\ 78 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 13 \overline{) 249} \\ \underline{13} \\ 119 \\ \underline{117} \\ 2 \end{array}$$

2.

$$\begin{array}{r} 39 \overline{) 340} \\ \underline{312} \\ 28 \end{array}$$

3.

$$\begin{array}{r} 83 \overline{) 521} \\ \underline{498} \\ 23 \end{array}$$

4.

$$\begin{array}{r} 73 \overline{) 539} \\ \underline{511} \\ 28 \end{array}$$

5.

$$\begin{array}{r} 38 \overline{) 430} \\ \underline{38} \\ 50 \\ \underline{38} \\ 12 \end{array}$$

6.

$$\begin{array}{r} 61 \overline{) 230} \\ \underline{183} \\ 47 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 12 \\ 48 \overline{) 585} \\ \underline{48} \\ 105 \\ \underline{96} \\ 9 \end{array}$$

2.

$$\begin{array}{r} 3 \\ 59 \overline{) 219} \\ \underline{177} \\ 42 \end{array}$$

3.

$$\begin{array}{r} 9 \\ 79 \overline{) 753} \\ \underline{711} \\ 42 \end{array}$$

4.

$$\begin{array}{r} 2 \\ 54 \overline{) 158} \\ \underline{108} \\ 50 \end{array}$$

5.

$$\begin{array}{r} 3 \\ 56 \overline{) 199} \\ \underline{168} \\ 31 \end{array}$$

6.

$$\begin{array}{r} 8 \\ 74 \overline{) 660} \\ \underline{592} \\ 68 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 41 \\ 17 \overline{) 713} \\ \underline{68} \\ 33 \\ \underline{17} \\ 16 \end{array}$$

2.

$$\begin{array}{r} 5 \\ 93 \overline{) 478} \\ \underline{465} \\ 13 \end{array}$$

3.

$$\begin{array}{r} 12 \\ 26 \overline{) 321} \\ \underline{26} \\ 61 \\ \underline{52} \\ 9 \end{array}$$

4.

$$\begin{array}{r} 13 \\ 70 \overline{) 916} \\ \underline{70} \\ 216 \\ \underline{210} \\ 6 \end{array}$$

5.

$$\begin{array}{r} 28 \\ 28 \overline{) 794} \\ \underline{56} \\ 234 \\ \underline{224} \\ 10 \end{array}$$

6.

$$\begin{array}{r} 3 \\ 62 \overline{) 229} \\ \underline{186} \\ 43 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 10 \overline{) 616} \\ \underline{60} \\ 16 \\ \underline{10} \\ 6 \end{array}$$

2.

$$\begin{array}{r} 76 \overline{) 199} \\ \underline{152} \\ 47 \end{array}$$

3.

$$\begin{array}{r} 30 \overline{) 160} \\ \underline{150} \\ 10 \end{array}$$

4.

$$\begin{array}{r} 77 \overline{) 802} \\ \underline{77} \\ 32 \\ \underline{0} \\ 32 \end{array}$$

5.

$$\begin{array}{r} 83 \overline{) 696} \\ \underline{664} \\ 32 \end{array}$$

6.

$$\begin{array}{r} 25 \overline{) 755} \\ \underline{75} \\ 5 \\ \underline{0} \\ 5 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 12 \overline{) 618} \\ \underline{60} \\ 18 \\ \underline{12} \\ 6 \end{array}$$

2.

$$\begin{array}{r} 79 \overline{) 537} \\ \underline{474} \\ 63 \end{array}$$

3.

$$\begin{array}{r} 74 \overline{) 635} \\ \underline{592} \\ 43 \end{array}$$

4.

$$\begin{array}{r} 78 \overline{) 211} \\ \underline{156} \\ 55 \end{array}$$

5.

$$\begin{array}{r} 72 \overline{) 506} \\ \underline{504} \\ 2 \end{array}$$

6.

$$\begin{array}{r} 70 \overline{) 371} \\ \underline{350} \\ 21 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 12 \overline{) 247} \\ \underline{24} \\ 7 \\ \underline{0} \\ 7 \end{array}$$

2.

$$\begin{array}{r} 23 \overline{) 681} \\ \underline{46} \\ 221 \\ \underline{207} \\ 14 \end{array}$$

3.

$$\begin{array}{r} 85 \overline{) 335} \\ \underline{255} \\ 80 \end{array}$$

4.

$$\begin{array}{r} 69 \overline{) 985} \\ \underline{69} \\ 295 \\ \underline{276} \\ 19 \end{array}$$

5.

$$\begin{array}{r} 25 \overline{) 426} \\ \underline{25} \\ 176 \\ \underline{175} \\ 1 \end{array}$$

6.

$$\begin{array}{r} 53 \overline{) 146} \\ \underline{106} \\ 40 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 40 \overline{) 696} \\ \underline{40} \\ 296 \\ \underline{280} \\ 16 \end{array}$$

2.

$$\begin{array}{r} 61 \overline{) 807} \\ \underline{61} \\ 197 \\ \underline{183} \\ 14 \end{array}$$

3.

$$\begin{array}{r} 56 \overline{) 424} \\ \underline{392} \\ 32 \end{array}$$

4.

$$\begin{array}{r} 48 \overline{) 233} \\ \underline{192} \\ 41 \end{array}$$

5.

$$\begin{array}{r} 43 \overline{) 345} \\ \underline{344} \\ 1 \end{array}$$

6.

$$\begin{array}{r} 69 \overline{) 649} \\ \underline{621} \\ 28 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 94 \overline{) 535} \\ \underline{470} \\ 65 \end{array}$$

2.

$$\begin{array}{r} 94 \overline{) 726} \\ \underline{658} \\ 68 \end{array}$$

3.

$$\begin{array}{r} 31 \overline{) 786} \\ \underline{62} \\ 166 \\ \underline{155} \\ 11 \end{array}$$

4.

$$\begin{array}{r} 94 \overline{) 661} \\ \underline{658} \\ 3 \end{array}$$

5.

$$\begin{array}{r} 79 \overline{) 169} \\ \underline{158} \\ 11 \end{array}$$

6.

$$\begin{array}{r} 74 \overline{) 504} \\ \underline{444} \\ 60 \end{array}$$

Section 4. 3-digit / 2-digit, with remainder

1.

$$\begin{array}{r} 56 \overline{) 647} \\ \underline{56} \\ 87 \\ \underline{56} \\ 31 \end{array}$$

2.

$$\begin{array}{r} 12 \overline{) 424} \\ \underline{36} \\ 64 \\ \underline{60} \\ 4 \end{array}$$

3.

$$\begin{array}{r} 87 \overline{) 713} \\ \underline{696} \\ 17 \end{array}$$

4.

$$\begin{array}{r} 62 \overline{) 447} \\ \underline{434} \\ 13 \end{array}$$

5.

$$\begin{array}{r} 87 \overline{) 802} \\ \underline{783} \\ 19 \end{array}$$

6.

$$\begin{array}{r} 91 \overline{) 719} \\ \underline{637} \\ 82 \end{array}$$