

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 8, b = ?, c = 17$

(2) Right triangle:  $a = 8, b = ?, c = 17$

(3) Right triangle:  $a = ?, b = 24, c = 25$

(4) Right triangle:  $a = 5, b = ?, c = 13$

(5) Right triangle:  $a = 6, b = 8, c = ?$

(6) Right triangle:  $a = 9, b = 12, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = ?, c = 15$

(2) Right triangle:  $a = 9, b = ?, c = 15$

(3) Right triangle:  $a = ?, b = 12, c = 15$

(4) Right triangle:  $a = 9, b = 12, c = ?$

(5) Right triangle:  $a = 5, b = 12, c = ?$

(6) Right triangle:  $a = 6, b = 8, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = ?, c = 15$

(2) Right triangle:  $a = ?, b = 12, c = 15$

(3) Right triangle:  $a = 8, b = 15, c = ?$

(4) Right triangle:  $a = 7, b = 24, c = ?$

(5) Right triangle:  $a = 6, b = 8, c = ?$

(6) Right triangle:  $a = 9, b = ?, c = 15$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 8, b = 15, c = ?$

(2) Right triangle:  $a = 6, b = ?, c = 10$

(3) Right triangle:  $a = 9, b = 12, c = ?$

(4) Right triangle:  $a = 6, b = 8, c = ?$

(5) Right triangle:  $a = ?, b = 12, c = 13$

(6) Right triangle:  $a = 5, b = 12, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = 12, c = ?$

(2) Right triangle:  $a = 6, b = ?, c = 10$

(3) Right triangle:  $a = ?, b = 24, c = 25$

(4) Right triangle:  $a = ?, b = 8, c = 10$

(5) Right triangle:  $a = 3, b = ?, c = 5$

(6) Right triangle:  $a = ?, b = 12, c = 13$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 5, b = 12, c = ?$

(2) Right triangle:  $a = 3, b = ?, c = 5$

(3) Right triangle:  $a = ?, b = 24, c = 25$

(4) Right triangle:  $a = 6, b = 8, c = ?$

(5) Right triangle:  $a = 9, b = 12, c = ?$

(6) Right triangle:  $a = 5, b = 12, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = 12, c = ?$

(2) Right triangle:  $a = ?, b = 24, c = 25$

(3) Right triangle:  $a = 6, b = 8, c = ?$

(4) Right triangle:  $a = 8, b = 15, c = ?$

(5) Right triangle:  $a = ?, b = 12, c = 15$

(6) Right triangle:  $a = 7, b = ?, c = 25$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = ?, b = 12, c = 15$

(2) Right triangle:  $a = 5, b = ?, c = 13$

(3) Right triangle:  $a = 5, b = ?, c = 13$

(4) Right triangle:  $a = 9, b = ?, c = 15$

(5) Right triangle:  $a = ?, b = 12, c = 13$

(6) Right triangle:  $a = 9, b = ?, c = 15$

## Section 10. The Pythagorean Theorem

*Use the Pythagorean theorem to find the missing side.*

(1) Right triangle:  $a = 7, b = 24, c = ?$

(2) Right triangle:  $a = 8, b = 15, c = ?$

(3) Right triangle:  $a = ?, b = 4, c = 5$

(4) Right triangle:  $a = 9, b = ?, c = 15$

(5) Right triangle:  $a = 5, b = 12, c = ?$

(6) Right triangle:  $a = ?, b = 24, c = 25$

## Section 10. The Pythagorean Theorem

*Use the Pythagorean theorem to find the missing side.*

(1) Right triangle:  $a = 8, b = ?, c = 17$

(2) Right triangle:  $a = 5, b = 12, c = ?$

(3) Right triangle:  $a = ?, b = 4, c = 5$

(4) Right triangle:  $a = 5, b = 12, c = ?$

(5) Right triangle:  $a = ?, b = 8, c = 10$

(6) Right triangle:  $a = ?, b = 24, c = 25$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 7, b = ?, c = 25$

(2) Right triangle:  $a = 6, b = ?, c = 10$

(3) Right triangle:  $a = ?, b = 12, c = 13$

(4) Right triangle:  $a = 6, b = ?, c = 10$

(5) Right triangle:  $a = 3, b = ?, c = 5$

(6) Right triangle:  $a = 7, b = 24, c = ?$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 9, b = 12, c = ?$

(2) Right triangle:  $a = 9, b = 12, c = ?$

(3) Right triangle:  $a = 8, b = 15, c = ?$

(4) Right triangle:  $a = 6, b = 8, c = ?$

(5) Right triangle:  $a = ?, b = 8, c = 10$

(6) Right triangle:  $a = ?, b = 12, c = 15$

## Section 10. The Pythagorean Theorem

*Use the Pythagorean theorem to find the missing side.*

(1) Right triangle:  $a = ?, b = 12, c = 13$

(2) Right triangle:  $a = 5, b = ?, c = 13$

(3) Right triangle:  $a = ?, b = 8, c = 10$

(4) Right triangle:  $a = 9, b = 12, c = ?$

(5) Right triangle:  $a = 9, b = ?, c = 15$

(6) Right triangle:  $a = 7, b = 24, c = ?$

## Section 10. The Pythagorean Theorem

*Use the Pythagorean theorem to find the missing side.*

(1) Right triangle:  $a = 7, b = 24, c = ?$

(2) Right triangle:  $a = 6, b = ?, c = 10$

(3) Right triangle:  $a = 3, b = ?, c = 5$

(4) Right triangle:  $a = ?, b = 12, c = 13$

(5) Right triangle:  $a = 9, b = ?, c = 15$

(6) Right triangle:  $a = 8, b = ?, c = 17$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = ?, b = 15, c = 17$

(2) Right triangle:  $a = 6, b = 8, c = ?$

(3) Right triangle:  $a = 7, b = 24, c = ?$

(4) Right triangle:  $a = ?, b = 12, c = 15$

(5) Right triangle:  $a = 3, b = 4, c = ?$

(6) Right triangle:  $a = 8, b = ?, c = 17$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 6, b = ?, c = 10$

(2) Right triangle:  $a = 3, b = 4, c = ?$

(3) Right triangle:  $a = 8, b = 15, c = ?$

(4) Right triangle:  $a = ?, b = 12, c = 13$

(5) Right triangle:  $a = ?, b = 8, c = 10$

(6) Right triangle:  $a = ?, b = 8, c = 10$



## Section 10. The Pythagorean Theorem

*Use the Pythagorean theorem to find the missing side.*

(1) Right triangle:  $a = 5, b = 12, c = ?$

(2) Right triangle:  $a = 6, b = 8, c = ?$

(3) Right triangle:  $a = ?, b = 12, c = 13$

(4) Right triangle:  $a = 9, b = ?, c = 15$

(5) Right triangle:  $a = ?, b = 24, c = 25$

(6) Right triangle:  $a = 7, b = ?, c = 25$

## Section 10. The Pythagorean Theorem

*Use the Pythagorean theorem to find the missing side.*

(1) Right triangle:  $a = ?, b = 12, c = 15$

(2) Right triangle:  $a = 8, b = 15, c = ?$

(3) Right triangle:  $a = ?, b = 4, c = 5$

(4) Right triangle:  $a = 5, b = 12, c = ?$

(5) Right triangle:  $a = ?, b = 8, c = 10$

(6) Right triangle:  $a = ?, b = 12, c = 15$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 5, b = 12, c = ?$

(2) Right triangle:  $a = ?, b = 12, c = 15$

(3) Right triangle:  $a = 9, b = ?, c = 15$

(4) Right triangle:  $a = ?, b = 4, c = 5$

(5) Right triangle:  $a = 6, b = 8, c = ?$

(6) Right triangle:  $a = 9, b = ?, c = 15$

## Section 10. The Pythagorean Theorem

Use the Pythagorean theorem to find the missing side.

(1) Right triangle:  $a = 6, b = 8, c = ?$

(2) Right triangle:  $a = ?, b = 15, c = 17$

(3) Right triangle:  $a = 6, b = ?, c = 10$

(4) Right triangle:  $a = 6, b = 8, c = ?$

(5) Right triangle:  $a = 7, b = ?, c = 25$

(6) Right triangle:  $a = 3, b = ?, c = 5$

## Section 10 - Solutions

|         |    |
|---------|----|
| 100a-1: | 9  |
| 100a-2: | 17 |
| 100a-3: | 3  |
| 100a-4: | 13 |
| 100a-5: | 6  |
| 100a-6: | 9  |
| 100b-1: | 13 |
| 100b-2: | 9  |
| 100b-3: | 12 |
| 100b-4: | 3  |
| 100b-5: | 10 |
| 100b-6: | 12 |
| 91a-1:  | 15 |
| 91a-2:  | 15 |
| 91a-3:  | 7  |

## Section 10 - Solutions (continued)

|        |    |
|--------|----|
| 92b-1: | 12 |
| 92b-2: | 9  |
| 92b-3: | 17 |
| 92b-4: | 25 |
| 92b-5: | 10 |
| 92b-6: | 12 |
| 93a-1: | 15 |
| 93a-2: | 8  |
| 93a-3: | 7  |
| 93a-4: | 6  |
| 93a-5: | 4  |
| 93a-6: | 5  |
| 93b-1: | 9  |
| 93b-2: | 12 |
| 93b-3: | 12 |

### Section 10 - Solutions (continued)

|        |    |
|--------|----|
| 93b-4: | 12 |
| 93b-5: | 5  |
| 93b-6: | 12 |
| 94a-1: | 13 |
| 94a-2: | 4  |
| 94a-3: | 7  |
| 94a-4: | 10 |
| 94a-5: | 15 |
| 94a-6: | 13 |
| 94b-1: | 15 |
| 94b-2: | 7  |
| 94b-3: | 10 |
| 94b-4: | 17 |
| 94b-5: | 9  |
| 94b-6: | 24 |

### Section 10 - Solutions (continued)

|        |    |
|--------|----|
| 91a-4: | 12 |
| 91a-5: | 10 |
| 91a-6: | 15 |
| 91b-1: | 17 |
| 91b-2: | 8  |
| 91b-3: | 15 |
| 91b-4: | 10 |
| 91b-5: | 5  |
| 91b-6: | 13 |
| 92a-1: | 12 |
| 92a-2: | 12 |
| 92a-3: | 9  |
| 92a-4: | 15 |
| 92a-5: | 13 |
| 92a-6: | 10 |

### Section 10 - Solutions (continued)

|        |    |
|--------|----|
| 95a-1: | 25 |
| 95a-2: | 17 |
| 95a-3: | 3  |
| 95a-4: | 12 |
| 95a-5: | 13 |
| 95a-6: | 7  |
| 95b-1: | 15 |
| 95b-2: | 15 |
| 95b-3: | 17 |
| 95b-4: | 10 |
| 95b-5: | 6  |
| 95b-6: | 9  |
| 96a-1: | 15 |
| 96a-2: | 13 |
| 96a-3: | 3  |

### Section 10 - Solutions (continued)

|        |    |
|--------|----|
| 97b-1: | 8  |
| 97b-2: | 5  |
| 97b-3: | 17 |
| 97b-4: | 5  |
| 97b-5: | 6  |
| 97b-6: | 6  |
| 98a-1: | 25 |
| 98a-2: | 8  |
| 98a-3: | 4  |
| 98a-4: | 5  |
| 98a-5: | 12 |
| 98a-6: | 15 |
| 98b-1: | 8  |
| 98b-2: | 10 |
| 98b-3: | 25 |

## Section 10 - Solutions (continued)

|        |    |
|--------|----|
| 98b-4: | 9  |
| 98b-5: | 5  |
| 98b-6: | 15 |
| 99a-1: | 13 |
| 99a-2: | 10 |
| 99a-3: | 5  |
| 99a-4: | 12 |
| 99a-5: | 7  |
| 99a-6: | 24 |
| 99b-1: | 10 |
| 99b-2: | 8  |
| 99b-3: | 8  |
| 99b-4: | 10 |
| 99b-5: | 24 |
| 99b-6: | 4  |

## Section 10 - Solutions (continued)

|        |    |
|--------|----|
| 96a-4: | 13 |
| 96a-5: | 6  |
| 96a-6: | 7  |
| 96b-1: | 24 |
| 96b-2: | 8  |
| 96b-3: | 5  |
| 96b-4: | 8  |
| 96b-5: | 4  |
| 96b-6: | 25 |
| 97a-1: | 5  |
| 97a-2: | 12 |
| 97a-3: | 6  |
| 97a-4: | 15 |
| 97a-5: | 12 |
| 97a-6: | 25 |