

Section 2. 3-digit / 1-digit — zero in quotient
Some have a remainder. Write the answer as 'q r N'.

1.

$$\begin{array}{r} 3 \overline{) 307} \end{array}$$

2.

$$\begin{array}{r} 4 \overline{) 409} \end{array}$$

3.

$$\begin{array}{r} 5 \overline{) 511} \end{array}$$

4.

$$\begin{array}{r} 6 \overline{) 613} \end{array}$$

5.

$$\begin{array}{r} 7 \overline{) 715} \end{array}$$

6.

$$\begin{array}{r} 8 \overline{) 817} \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient
Some have a remainder. Write the answer as 'q r N'.

1.

$$\begin{array}{r} 5 \overline{) 531} \end{array}$$

2.

$$\begin{array}{r} 6 \overline{) 637} \end{array}$$

3.

$$\begin{array}{r} 7 \overline{) 743} \end{array}$$

4.

$$\begin{array}{r} 5 \overline{) 532} \end{array}$$

5.

$$\begin{array}{r} 4 \overline{) 434} \end{array}$$

6.

$$\begin{array}{r} 6 \overline{) 123} \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$2 \overline{) 417}$$

2.

$$4 \overline{) 438}$$

3.

$$2 \overline{) 217}$$

4.

$$3 \overline{) 326}$$

5.

$$5 \overline{) 519}$$

6.

$$7 \overline{) 764}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$9 \overline{) 919}$$

2.

$$2 \overline{) 205}$$

3.

$$3 \overline{) 361}$$

4.

$$4 \overline{) 481}$$

5.

$$3 \overline{) 319}$$

6.

$$4 \overline{) 425}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$7 \overline{) 758}$$

2.

$$6 \overline{) 423}$$

3.

$$7 \overline{) 421}$$

4.

$$6 \overline{) 619}$$

5.

$$9 \overline{) 988}$$

6.

$$5 \overline{) 529}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$5 \overline{) 454}$$

2.

$$2 \overline{) 101}$$

3.

$$8 \overline{) 851}$$

4.

$$8 \overline{) 861}$$

5.

$$5 \overline{) 521}$$

6.

$$8 \overline{) 847}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$7 \overline{) 744}$$

2.

$$6 \overline{) 639}$$

3.

$$6 \overline{) 635}$$

4.

$$9 \overline{) 983}$$

5.

$$3 \overline{) 926}$$

6.

$$5 \overline{) 506}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$2 \overline{) 881}$$

2.

$$7 \overline{) 713}$$

3.

$$7 \overline{) 754}$$

4.

$$2 \overline{) 609}$$

5.

$$7 \overline{) 719}$$

6.

$$7 \overline{) 760}$$

Section 2. 3-digit / 1-digit — zero in quotient
Some have a remainder. Write the answer as 'q r N'.

1.

$$\begin{array}{r} 7 \overline{) 842} \end{array}$$

2.

$$\begin{array}{r} 5 \overline{) 516} \end{array}$$

3.

$$\begin{array}{r} 3 \overline{) 625} \end{array}$$

4.

$$\begin{array}{r} 4 \overline{) 422} \end{array}$$

5.

$$\begin{array}{r} 4 \overline{) 721} \end{array}$$

6.

$$\begin{array}{r} 7 \overline{) 726} \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient
Some have a remainder. Write the answer as 'q r N'.

1.

$$\begin{array}{r} 9 \overline{) 818} \end{array}$$

2.

$$\begin{array}{r} 7 \overline{) 739} \end{array}$$

3.

$$\begin{array}{r} 8 \overline{) 641} \end{array}$$

4.

$$\begin{array}{r} 3 \overline{) 619} \end{array}$$

5.

$$\begin{array}{r} 6 \overline{) 608} \end{array}$$

6.

$$\begin{array}{r} 7 \overline{) 562} \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$4 \overline{) 415}$$

2.

$$7 \overline{) 492}$$

3.

$$2 \overline{) 615}$$

4.

$$6 \overline{) 625}$$

5.

$$2 \overline{) 207}$$

6.

$$2 \overline{) 141}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$9 \overline{) 980}$$

2.

$$3 \overline{) 916}$$

3.

$$8 \overline{) 839}$$

4.

$$3 \overline{) 631}$$

5.

$$6 \overline{) 622}$$

6.

$$2 \overline{) 261}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$2 \overline{) 607}$$

2.

$$2 \overline{) 619}$$

3.

$$4 \overline{) 431}$$

4.

$$9 \overline{) 362}$$

5.

$$7 \overline{) 748}$$

6.

$$5 \overline{) 527}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$7 \overline{) 708}$$

2.

$$9 \overline{) 979}$$

3.

$$8 \overline{) 820}$$

4.

$$7 \overline{) 566}$$

5.

$$5 \overline{) 301}$$

6.

$$2 \overline{) 681}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$6 \overline{) 125}$$

2.

$$3 \overline{) 542}$$

3.

$$2 \overline{) 361}$$

4.

$$2 \overline{) 181}$$

5.

$$4 \overline{) 361}$$

6.

$$3 \overline{) 811}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$9 \overline{) 454}$$

2.

$$5 \overline{) 508}$$

3.

$$9 \overline{) 637}$$

4.

$$9 \overline{) 452}$$

5.

$$9 \overline{) 911}$$

6.

$$7 \overline{) 745}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$5 \overline{) 252}$$

2.

$$2 \overline{) 209}$$

3.

$$8 \overline{) 835}$$

4.

$$6 \overline{) 365}$$

5.

$$5 \overline{) 903}$$

6.

$$8 \overline{) 244}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$5 \overline{) 513}$$

2.

$$8 \overline{) 485}$$

3.

$$2 \overline{) 221}$$

4.

$$5 \overline{) 154}$$

5.

$$6 \overline{) 615}$$

6.

$$3 \overline{) 181}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$5 \overline{) 354}$$

2.

$$9 \overline{) 913}$$

3.

$$3 \overline{) 271}$$

4.

$$5 \overline{) 546}$$

5.

$$8 \overline{) 860}$$

6.

$$9 \overline{) 815}$$

Section 2. 3-digit / 1-digit — zero in quotient

Some have a remainder. Write the answer as 'q r N'.

1.

$$5 \overline{) 403}$$

2.

$$4 \overline{) 883}$$

3.

$$9 \overline{) 986}$$

4.

$$5 \overline{) 302}$$

5.

$$7 \overline{) 495}$$

6.

$$6 \overline{) 620}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 102 \\ 3 \overline{) 307} \\ \underline{3} \\ 0 \\ \underline{0} \\ 7 \\ \underline{6} \\ 1 \end{array}$$

2.

$$\begin{array}{r} 102 \\ 4 \overline{) 409} \\ \underline{4} \\ 0 \\ \underline{0} \\ 9 \\ \underline{8} \\ 1 \end{array}$$

3.

$$\begin{array}{r} 102 \\ 5 \overline{) 511} \\ \underline{5} \\ 1 \\ \underline{0} \\ 11 \\ \underline{10} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 102 \\ 6 \overline{) 613} \\ \underline{6} \\ 1 \\ \underline{0} \\ 13 \\ \underline{12} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 102 \\ 7 \overline{) 715} \\ \underline{7} \\ 1 \\ \underline{0} \\ 15 \\ \underline{14} \\ 1 \end{array}$$

6.

$$\begin{array}{r} 102 \\ 8 \overline{) 817} \\ \underline{8} \\ 1 \\ \underline{0} \\ 17 \\ \underline{16} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 106 \\ 5 \overline{) 531} \\ \underline{5} \\ 3 \\ \underline{0} \\ 31 \\ \underline{30} \\ 1 \end{array}$$

2.

$$\begin{array}{r} 106 \\ 6 \overline{) 637} \\ \underline{6} \\ 3 \\ \underline{0} \\ 37 \\ \underline{36} \\ 1 \end{array}$$

3.

$$\begin{array}{r} 106 \\ 7 \overline{) 743} \\ \underline{7} \\ 4 \\ \underline{0} \\ 43 \\ \underline{42} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 106 \\ 5 \overline{) 532} \\ \underline{5} \\ 3 \\ \underline{0} \\ 32 \\ \underline{30} \\ 2 \end{array}$$

5.

$$\begin{array}{r} 108 \\ 4 \overline{) 434} \\ \underline{4} \\ 3 \\ \underline{0} \\ 34 \\ \underline{32} \\ 2 \end{array}$$

6.

$$\begin{array}{r} 20 \\ 6 \overline{) 123} \\ \underline{12} \\ 3 \\ \underline{0} \\ 3 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} \text{2 } \overline{) 208} \\ \underline{4} \\ 1 \\ \underline{0} \\ 17 \\ \underline{16} \\ 1 \end{array}$$

2.

$$\begin{array}{r} \text{4 } \overline{) 109} \\ \underline{4} \\ 3 \\ \underline{0} \\ 38 \\ \underline{36} \\ 2 \end{array}$$

3.

$$\begin{array}{r} \text{2 } \overline{) 108} \\ \underline{2} \\ 1 \\ \underline{0} \\ 17 \\ \underline{16} \\ 1 \end{array}$$

4.

$$\begin{array}{r} \text{3 } \overline{) 108} \\ \underline{3} \\ 2 \\ \underline{0} \\ 26 \\ \underline{24} \\ 2 \end{array}$$

5.

$$\begin{array}{r} \text{5 } \overline{) 103} \\ \underline{5} \\ 1 \\ \underline{0} \\ 19 \\ \underline{15} \\ 4 \end{array}$$

6.

$$\begin{array}{r} \text{7 } \overline{) 109} \\ \underline{7} \\ 6 \\ \underline{0} \\ 64 \\ \underline{63} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} \text{9 } \overline{) 102} \\ \underline{9} \\ 1 \\ \underline{0} \\ 19 \\ \underline{18} \\ 1 \end{array}$$

2.

$$\begin{array}{r} \text{2 } \overline{) 102} \\ \underline{2} \\ 0 \\ \underline{0} \\ 5 \\ \underline{4} \\ 1 \end{array}$$

3.

$$\begin{array}{r} \text{3 } \overline{) 120} \\ \underline{3} \\ 6 \\ \underline{6} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

4.

$$\begin{array}{r} \text{4 } \overline{) 120} \\ \underline{4} \\ 8 \\ \underline{8} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

5.

$$\begin{array}{r} \text{3 } \overline{) 106} \\ \underline{3} \\ 1 \\ \underline{0} \\ 19 \\ \underline{18} \\ 1 \end{array}$$

6.

$$\begin{array}{r} \text{4 } \overline{) 106} \\ \underline{4} \\ 2 \\ \underline{0} \\ 25 \\ \underline{24} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 7 \overline{) 108} \\ \underline{7} \\ 5 \\ \underline{0} \\ 58 \\ \underline{56} \\ 2 \end{array}$$

2.

$$\begin{array}{r} 6 \overline{) 70} \\ \underline{42} \\ 3 \\ \underline{0} \\ 3 \end{array}$$

3.

$$\begin{array}{r} 7 \overline{) 60} \\ \underline{42} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 6 \overline{) 103} \\ \underline{6} \\ 1 \\ \underline{0} \\ 19 \\ \underline{18} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 9 \overline{) 109} \\ \underline{9} \\ 8 \\ \underline{0} \\ 88 \\ \underline{81} \\ 7 \end{array}$$

6.

$$\begin{array}{r} 5 \overline{) 105} \\ \underline{5} \\ 2 \\ \underline{0} \\ 29 \\ \underline{25} \\ 4 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 5 \overline{) 90} \\ \underline{45} \\ 4 \\ \underline{0} \\ 4 \end{array}$$

2.

$$\begin{array}{r} 2 \overline{) 50} \\ \underline{10} \\ 1 \\ \underline{0} \\ 3 \end{array}$$

3.

$$\begin{array}{r} 8 \overline{) 106} \\ \underline{8} \\ 5 \\ \underline{0} \\ 51 \\ \underline{48} \\ 3 \end{array}$$

4.

$$\begin{array}{r} 8 \overline{) 107} \\ \underline{8} \\ 6 \\ \underline{0} \\ 61 \\ \underline{56} \\ 5 \end{array}$$

5.

$$\begin{array}{r} 5 \overline{) 104} \\ \underline{5} \\ 2 \\ \underline{0} \\ 21 \\ \underline{20} \\ 1 \end{array}$$

6.

$$\begin{array}{r} 8 \overline{) 105} \\ \underline{8} \\ 4 \\ \underline{0} \\ 47 \\ \underline{40} \\ 7 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 106 \\ 7 \overline{) 744} \\ \underline{7} \\ 4 \\ \underline{0} \\ 44 \\ \underline{42} \\ 2 \end{array}$$

2.

$$\begin{array}{r} 106 \\ 6 \overline{) 639} \\ \underline{6} \\ 3 \\ \underline{0} \\ 39 \\ \underline{36} \\ 3 \end{array}$$

3.

$$\begin{array}{r} 105 \\ 6 \overline{) 635} \\ \underline{6} \\ 3 \\ \underline{0} \\ 35 \\ \underline{30} \\ 5 \end{array}$$

4.

$$\begin{array}{r} 109 \\ 9 \overline{) 983} \\ \underline{9} \\ 8 \\ \underline{0} \\ 83 \\ \underline{81} \\ 2 \end{array}$$

5.

$$\begin{array}{r} 308 \\ 3 \overline{) 926} \\ \underline{9} \\ 2 \\ \underline{0} \\ 26 \\ \underline{24} \\ 2 \end{array}$$

6.

$$\begin{array}{r} 101 \\ 5 \overline{) 506} \\ \underline{5} \\ 0 \\ \underline{0} \\ 6 \\ \underline{5} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 440 \\ 2 \overline{) 881} \\ \underline{8} \\ 8 \\ \underline{8} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

2.

$$\begin{array}{r} 101 \\ 7 \overline{) 713} \\ \underline{7} \\ 1 \\ \underline{0} \\ 13 \\ \underline{7} \\ 6 \end{array}$$

3.

$$\begin{array}{r} 107 \\ 7 \overline{) 754} \\ \underline{7} \\ 5 \\ \underline{0} \\ 54 \\ \underline{49} \\ 5 \end{array}$$

4.

$$\begin{array}{r} 304 \\ 2 \overline{) 609} \\ \underline{6} \\ 0 \\ \underline{0} \\ 9 \\ \underline{8} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 102 \\ 7 \overline{) 719} \\ \underline{7} \\ 1 \\ \underline{0} \\ 19 \\ \underline{14} \\ 5 \end{array}$$

6.

$$\begin{array}{r} 108 \\ 7 \overline{) 760} \\ \underline{7} \\ 6 \\ \underline{0} \\ 60 \\ \underline{56} \\ 4 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 120 \\ 7 \overline{) 842} \\ \underline{7} \\ 14 \\ \underline{14} \\ 2 \\ \underline{0} \\ 2 \end{array}$$

2.

$$\begin{array}{r} 103 \\ 5 \overline{) 516} \\ \underline{5} \\ 1 \\ \underline{0} \\ 16 \\ \underline{15} \\ 1 \end{array}$$

3.

$$\begin{array}{r} 208 \\ 3 \overline{) 625} \\ \underline{6} \\ 2 \\ \underline{0} \\ 25 \\ \underline{24} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 105 \\ 4 \overline{) 422} \\ \underline{4} \\ 2 \\ \underline{0} \\ 22 \\ \underline{20} \\ 2 \end{array}$$

5.

$$\begin{array}{r} 180 \\ 4 \overline{) 721} \\ \underline{4} \\ 32 \\ \underline{32} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

6.

$$\begin{array}{r} 103 \\ 7 \overline{) 726} \\ \underline{7} \\ 2 \\ \underline{0} \\ 26 \\ \underline{21} \\ 5 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 90 \\ 9 \overline{) 818} \\ \underline{81} \\ 8 \\ \underline{0} \\ 8 \end{array}$$

2.

$$\begin{array}{r} 105 \\ 7 \overline{) 739} \\ \underline{7} \\ 3 \\ \underline{0} \\ 39 \\ \underline{35} \\ 4 \end{array}$$

3.

$$\begin{array}{r} 80 \\ 8 \overline{) 641} \\ \underline{64} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 206 \\ 3 \overline{) 619} \\ \underline{6} \\ 1 \\ \underline{0} \\ 19 \\ \underline{18} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 101 \\ 6 \overline{) 608} \\ \underline{6} \\ 0 \\ \underline{0} \\ 8 \\ \underline{6} \\ 2 \end{array}$$

6.

$$\begin{array}{r} 80 \\ 7 \overline{) 562} \\ \underline{56} \\ 2 \\ \underline{0} \\ 2 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 103 \\ 4 \overline{) 415} \\ \underline{4} \\ 1 \\ \underline{0} \\ 15 \\ \underline{12} \\ 3 \end{array}$$

2.

$$\begin{array}{r} 70 \\ 7 \overline{) 492} \\ \underline{49} \\ 2 \\ \underline{0} \\ 2 \end{array}$$

3.

$$\begin{array}{r} 307 \\ 2 \overline{) 615} \\ \underline{6} \\ 1 \\ \underline{0} \\ 15 \\ \underline{14} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 104 \\ 6 \overline{) 625} \\ \underline{6} \\ 2 \\ \underline{0} \\ 25 \\ \underline{24} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 103 \\ 2 \overline{) 207} \\ \underline{2} \\ 0 \\ \underline{0} \\ 7 \\ \underline{6} \\ 1 \end{array}$$

6.

$$\begin{array}{r} 70 \\ 2 \overline{) 141} \\ \underline{14} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 108 \\ 9 \overline{) 980} \\ \underline{9} \\ 8 \\ \underline{0} \\ 80 \\ \underline{72} \\ 8 \end{array}$$

2.

$$\begin{array}{r} 305 \\ 3 \overline{) 916} \\ \underline{9} \\ 1 \\ \underline{0} \\ 16 \\ \underline{15} \\ 1 \end{array}$$

3.

$$\begin{array}{r} 104 \\ 8 \overline{) 839} \\ \underline{8} \\ 3 \\ \underline{0} \\ 39 \\ \underline{32} \\ 7 \end{array}$$

4.

$$\begin{array}{r} 210 \\ 3 \overline{) 631} \\ \underline{6} \\ 3 \\ \underline{3} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 103 \\ 6 \overline{) 622} \\ \underline{6} \\ 2 \\ \underline{0} \\ 22 \\ \underline{18} \\ 4 \end{array}$$

6.

$$\begin{array}{r} 130 \\ 2 \overline{) 261} \\ \underline{2} \\ 6 \\ \underline{6} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} \textbf{3 0 3} \\ 2 \overline{) 607} \\ \underline{6} \\ 0 \\ \underline{0} \\ 7 \\ \underline{6} \\ 1 \end{array}$$

2.

$$\begin{array}{r} \textbf{3 0 9} \\ 2 \overline{) 619} \\ \underline{6} \\ 1 \\ \underline{0} \\ 19 \\ \underline{18} \\ 1 \end{array}$$

3.

$$\begin{array}{r} \textbf{1 0 7} \\ 4 \overline{) 431} \\ \underline{4} \\ 3 \\ \underline{0} \\ 31 \\ \underline{28} \\ 3 \end{array}$$

4.

$$\begin{array}{r} \textbf{4 0} \\ 9 \overline{) 362} \\ \underline{36} \\ 2 \\ \underline{0} \\ 2 \end{array}$$

5.

$$\begin{array}{r} \textbf{1 0 6} \\ 7 \overline{) 748} \\ \underline{7} \\ 4 \\ \underline{0} \\ 48 \\ \underline{42} \\ 6 \end{array}$$

6.

$$\begin{array}{r} \textbf{1 0 5} \\ 5 \overline{) 527} \\ \underline{5} \\ 2 \\ \underline{0} \\ 27 \\ \underline{25} \\ 2 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} \textbf{1 0 1} \\ 7 \overline{) 708} \\ \underline{7} \\ 0 \\ \underline{0} \\ 8 \\ \underline{7} \\ 1 \end{array}$$

2.

$$\begin{array}{r} \textbf{1 0 8} \\ 9 \overline{) 979} \\ \underline{9} \\ 7 \\ \underline{0} \\ 79 \\ \underline{72} \\ 7 \end{array}$$

3.

$$\begin{array}{r} \textbf{1 0 2} \\ 8 \overline{) 820} \\ \underline{8} \\ 2 \\ \underline{0} \\ 20 \\ \underline{16} \\ 4 \end{array}$$

4.

$$\begin{array}{r} \textbf{8 0} \\ 7 \overline{) 566} \\ \underline{56} \\ 6 \\ \underline{0} \\ 6 \end{array}$$

5.

$$\begin{array}{r} \textbf{6 0} \\ 5 \overline{) 301} \\ \underline{30} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

6.

$$\begin{array}{r} \textbf{3 4 0} \\ 2 \overline{) 681} \\ \underline{6} \\ 8 \\ \underline{8} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} \text{20} \\ 6 \overline{) 125} \\ \underline{12} \\ 5 \\ \underline{0} \\ 5 \end{array}$$

2.

$$\begin{array}{r} \text{180} \\ 3 \overline{) 542} \\ \underline{3} \\ 24 \\ \underline{24} \\ 2 \\ \underline{0} \\ 2 \end{array}$$

3.

$$\begin{array}{r} \text{180} \\ 2 \overline{) 361} \\ \underline{2} \\ 16 \\ \underline{16} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

4.

$$\begin{array}{r} \text{90} \\ 2 \overline{) 181} \\ \underline{18} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

5.

$$\begin{array}{r} \text{90} \\ 4 \overline{) 361} \\ \underline{36} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

6.

$$\begin{array}{r} \text{270} \\ 3 \overline{) 811} \\ \underline{6} \\ 21 \\ \underline{21} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} \text{50} \\ 9 \overline{) 454} \\ \underline{45} \\ 4 \\ \underline{0} \\ 4 \end{array}$$

2.

$$\begin{array}{r} \text{101} \\ 5 \overline{) 508} \\ \underline{5} \\ 0 \\ \underline{0} \\ 8 \\ \underline{5} \\ 3 \end{array}$$

3.

$$\begin{array}{r} \text{70} \\ 9 \overline{) 637} \\ \underline{63} \\ 7 \\ \underline{0} \\ 7 \end{array}$$

4.

$$\begin{array}{r} \text{50} \\ 9 \overline{) 452} \\ \underline{45} \\ 2 \\ \underline{0} \\ 2 \end{array}$$

5.

$$\begin{array}{r} \text{101} \\ 9 \overline{) 911} \\ \underline{9} \\ 1 \\ \underline{0} \\ 11 \\ \underline{9} \\ 2 \end{array}$$

6.

$$\begin{array}{r} \text{106} \\ 7 \overline{) 745} \\ \underline{7} \\ 4 \\ \underline{0} \\ 45 \\ \underline{42} \\ 3 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 50 \\ 5 \overline{) 252} \\ \underline{25} \\ 2 \\ \underline{0} \\ 2 \end{array}$$

2.

$$\begin{array}{r} 104 \\ 2 \overline{) 209} \\ \underline{2} \\ 0 \\ \underline{0} \\ 9 \\ \underline{8} \\ 1 \end{array}$$

3.

$$\begin{array}{r} 104 \\ 8 \overline{) 835} \\ \underline{8} \\ 3 \\ \underline{0} \\ 35 \\ \underline{32} \\ 3 \end{array}$$

4.

$$\begin{array}{r} 60 \\ 6 \overline{) 365} \\ \underline{36} \\ 5 \\ \underline{0} \\ 5 \end{array}$$

5.

$$\begin{array}{r} 180 \\ 5 \overline{) 903} \\ \underline{5} \\ 40 \\ \underline{40} \\ 3 \\ \underline{0} \\ 3 \end{array}$$

6.

$$\begin{array}{r} 30 \\ 8 \overline{) 244} \\ \underline{24} \\ 4 \\ \underline{0} \\ 4 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 102 \\ 5 \overline{) 513} \\ \underline{5} \\ 1 \\ \underline{0} \\ 13 \\ \underline{10} \\ 3 \end{array}$$

2.

$$\begin{array}{r} 60 \\ 8 \overline{) 485} \\ \underline{48} \\ 5 \\ \underline{0} \\ 5 \end{array}$$

3.

$$\begin{array}{r} 110 \\ 2 \overline{) 221} \\ \underline{2} \\ 2 \\ \underline{2} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 30 \\ 5 \overline{) 154} \\ \underline{15} \\ 4 \\ \underline{0} \\ 4 \end{array}$$

5.

$$\begin{array}{r} 102 \\ 6 \overline{) 615} \\ \underline{6} \\ 1 \\ \underline{0} \\ 15 \\ \underline{12} \\ 3 \end{array}$$

6.

$$\begin{array}{r} 60 \\ 3 \overline{) 181} \\ \underline{18} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 70 \\ 5 \overline{) 354} \\ \underline{35} \\ 4 \\ \underline{0} \\ 4 \end{array}$$

2.

$$\begin{array}{r} 101 \\ 9 \overline{) 913} \\ \underline{9} \\ 1 \\ \underline{0} \\ 13 \\ \underline{9} \\ 4 \end{array}$$

3.

$$\begin{array}{r} 90 \\ 3 \overline{) 271} \\ \underline{27} \\ 1 \\ \underline{0} \\ 1 \end{array}$$

4.

$$\begin{array}{r} 109 \\ 5 \overline{) 546} \\ \underline{5} \\ 4 \\ \underline{0} \\ 46 \\ \underline{45} \\ 1 \end{array}$$

5.

$$\begin{array}{r} 107 \\ 8 \overline{) 860} \\ \underline{8} \\ 6 \\ \underline{0} \\ 60 \\ \underline{56} \\ 4 \end{array}$$

6.

$$\begin{array}{r} 90 \\ 9 \overline{) 815} \\ \underline{81} \\ 5 \\ \underline{0} \\ 5 \end{array}$$

Section 2. 3-digit / 1-digit — zero in quotient

1.

$$\begin{array}{r} 80 \\ 5 \overline{) 403} \\ \underline{40} \\ 3 \\ \underline{0} \\ 3 \end{array}$$

2.

$$\begin{array}{r} 220 \\ 4 \overline{) 883} \\ \underline{8} \\ 8 \\ \underline{8} \\ 3 \\ \underline{0} \\ 3 \end{array}$$

3.

$$\begin{array}{r} 109 \\ 9 \overline{) 986} \\ \underline{9} \\ 8 \\ \underline{0} \\ 86 \\ \underline{81} \\ 5 \end{array}$$

4.

$$\begin{array}{r} 60 \\ 5 \overline{) 302} \\ \underline{30} \\ 2 \\ \underline{0} \\ 2 \end{array}$$

5.

$$\begin{array}{r} 70 \\ 7 \overline{) 495} \\ \underline{49} \\ 5 \\ \underline{0} \\ 5 \end{array}$$

6.

$$\begin{array}{r} 103 \\ 6 \overline{) 620} \\ \underline{6} \\ 2 \\ \underline{0} \\ 20 \\ \underline{18} \\ 2 \end{array}$$