

Section 7. Quadratic Equations I

Solve each quadratic equation.

(1) $2y^2 - 2 = 0$

(2) $2y^2 - 14 = 0$

(3) $3x^2 - 6 = 0$

(4) $y^2 + 2y + 1 = 0$

(5) $y^2 + 6y + 9 = 0$

(6) $y^2 + 4y + 4 = 0$

Section 7. Quadratic Equations I

Solve each quadratic equation.

(1) $2x^2 - 10 = 0$

(2) $4x^2 - 20 = 0$

(3) $x^2 + 7x + 12 = 0$

(4) $2x^2 - 16 = 0$

(5) $x^2 + 6x = 8$

(6) $4x^2 - 4 = 0$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad y^2 + 6y = 7$$

$$(2) \quad 3y^2 - 9 = 0$$

$$(3) \quad x^2 + 4x = 10$$

$$(4) \quad x^2 + 5x + 6 = 0$$

$$(5) \quad x^2 + 7x + 12 = 0$$

$$(6) \quad 3y^2 - 21 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad x^2 + 6x + 8 = 0$$

$$(2) \quad x^2 + 14x = 3$$

$$(3) \quad y^2 + 16y = 4$$

$$(4) \quad x^2 + 3x + 2 = 0$$

$$(5) \quad 3y^2 - 21 = 0$$

$$(6) \quad x^2 + 6x = 5$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad x^2 + 4x + 3 = 0$$

$$(2) \quad x^2 + 12x = 4$$

$$(3) \quad y^2 + 5y + 4 = 0$$

$$(4) \quad y^2 + 14y = 4$$

$$(5) \quad x^2 + 5x + 4 = 0$$

$$(6) \quad y^2 + 4y + 3 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad x^2 + 10x = 8$$

$$(2) \quad 2y^2 - 16 = 0$$

$$(3) \quad 3x^2 - 9 = 0$$

$$(4) \quad x^2 + 12x = 2$$

$$(5) \quad x^2 + 2x + 1 = 0$$

$$(6) \quad x^2 + 7x + 12 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad x^2 + 6x = 1$$

$$(2) \quad 2y^2 - 12 = 0$$

$$(3) \quad y^2 + 6y + 9 = 0$$

$$(4) \quad y^2 + 2y + 1 = 0$$

$$(5) \quad x^2 + 5x + 4 = 0$$

$$(6) \quad y^2 + 6y + 9 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad 2x^2 - 2 = 0$$

$$(2) \quad 4x^2 - 4 = 0$$

$$(3) \quad y^2 + 6y + 9 = 0$$

$$(4) \quad y^2 + 5y + 6 = 0$$

$$(5) \quad 2x^2 - 12 = 0$$

$$(6) \quad y^2 + 12y = 2$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

(1) $x^2 + 12x = 8$

(2) $y^2 + 5y + 6 = 0$

(3) $4y^2 - 16 = 0$

(4) $y^2 + 12y = 8$

(5) $x^2 + 3x + 2 = 0$

(6) $x^2 + 6x = 9$

Section 7. Quadratic Equations I

Solve each quadratic equation.

(1) $4x^2 - 12 = 0$

(2) $2y^2 - 2 = 0$

(3) $x^2 + 6x = 5$

(4) $y^2 + 16y = 7$

(5) $3y^2 - 24 = 0$

(6) $x^2 + 4x = 4$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad x^2 + 3x + 2 = 0$$

$$(2) \quad y^2 + 7y + 12 = 0$$

$$(3) \quad x^2 + 12x = 6$$

$$(4) \quad y^2 + 7y + 12 = 0$$

$$(5) \quad x^2 + 4x = 3$$

$$(6) \quad 4y^2 - 4 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad x^2 + 8x = 1$$

$$(2) \quad 4y^2 - 20 = 0$$

$$(3) \quad x^2 + 6x + 8 = 0$$

$$(4) \quad x^2 + 6x = 5$$

$$(5) \quad x^2 + 6x + 8 = 0$$

$$(6) \quad 3y^2 - 6 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad y^2 + 3y + 2 = 0$$

$$(2) \quad 3x^2 - 21 = 0$$

$$(3) \quad 4x^2 - 20 = 0$$

$$(4) \quad x^2 + 4x = 7$$

$$(5) \quad x^2 + 4x = 8$$

$$(6) \quad x^2 + 2x + 1 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad y^2 + 10y = 1$$

$$(2) \quad y^2 + 6y = 6$$

$$(3) \quad x^2 + 6x + 9 = 0$$

$$(4) \quad x^2 + 4x = 10$$

$$(5) \quad 4x^2 - 20 = 0$$

$$(6) \quad y^2 + 12y = 8$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

(1) $x^2 + 7x + 12 = 0$

(2) $y^2 + 4y + 4 = 0$

(3) $3x^2 - 18 = 0$

(4) $y^2 + 8y = 10$

(5) $3y^2 - 15 = 0$

(6) $x^2 + 5x + 6 = 0$

Section 7. Quadratic Equations I

Solve each quadratic equation.

(1) $x^2 + 4x + 4 = 0$

(2) $y^2 + 14y = 2$

(3) $2y^2 - 2 = 0$

(4) $x^2 + 6x + 8 = 0$

(5) $y^2 + 2y + 1 = 0$

(6) $x^2 + 6x = 10$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad y^2 + 5y + 4 = 0$$

$$(2) \quad 4y^2 - 16 = 0$$

$$(3) \quad x^2 + 4x + 4 = 0$$

$$(4) \quad x^2 + 16x = 4$$

$$(5) \quad 3y^2 - 9 = 0$$

$$(6) \quad x^2 + 6x + 9 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad x^2 + 16x = 6$$

$$(2) \quad x^2 + 4x + 4 = 0$$

$$(3) \quad y^2 + 4y + 3 = 0$$

$$(4) \quad 4y^2 - 8 = 0$$

$$(5) \quad y^2 + 8y = 3$$

$$(6) \quad y^2 + 7y + 12 = 0$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad y^2 + 4y + 4 = 0$$

$$(2) \quad y^2 + 14y = 5$$

$$(3) \quad x^2 + 5x + 4 = 0$$

$$(4) \quad 2x^2 - 12 = 0$$

$$(5) \quad 4x^2 - 8 = 0$$

$$(6) \quad x^2 + 8x = 2$$

Section 7. Quadratic Equations I

Solve each quadratic equation.

$$(1) \quad 4x^2 - 24 = 0$$

$$(2) \quad 4x^2 - 16 = 0$$

$$(3) \quad y^2 + 6y = 8$$

$$(4) \quad x^2 + 3x + 2 = 0$$

$$(5) \quad 2x^2 - 16 = 0$$

$$(6) \quad y^2 + 4y + 4 = 0$$

F61a

- (1) $y = \pm 1$
- (2) $y = \pm 2$
- (3) $x = \pm 1$
- (4) $y = -1, -1$
- (5) $y = -3, -3$
- (6) $y = -2, -2$

F62a

- (1) $x = \pm 2$
- (2) $x = \pm 2$
- (3) $x = -4, -3$
- (4) $x = \pm 2$
- (5) $(x + 3)^2 = 17$
- (6) $x = \pm 1$

F61b

- (1) $x = -2, -4$
- (2) $(x + 7)^2 = 52$
- (3) $(y + 8)^2 = 68$
- (4) $x = -2, -1$
- (5) $y = \pm 2$
- (6) $(x + 3)^2 = 14$

F62b

- (1) $(y + 3)^2 = 16$
- (2) $y = \pm 1$
- (3) $(x + 2)^2 = 14$
- (4) $x = -3, -2$
- (5) $x = -4, -3$
- (6) $y = \pm 2$

F65a

- (1) $(x + 6)^2 = 44$
- (2) $y = -2, -3$
- (3) $y = \pm 2$
- (4) $(y + 6)^2 = 44$
- (5) $x = -2, -1$
- (6) $(x + 3)^2 = 18$

F66a

- (1) $x = \pm 1$
- (2) $y = \pm 1$
- (3) $(x + 3)^2 = 14$
- (4) $(y + 8)^2 = 71$
- (5) $y = \pm 2$
- (6) $(x + 2)^2 = 8$

F65b

- (1) $(x + 4)^2 = 17$
- (2) $y = \pm 2$
- (3) $x = -2, -4$
- (4) $(x + 3)^2 = 14$
- (5) $x = -2, -4$
- (6) $y = \pm 1$

F66b

- (1) $x = -2, -1$
- (2) $y = -4, -3$
- (3) $(x + 6)^2 = 42$
- (4) $y = -3, -4$
- (5) $(x + 2)^2 = 7$
- (6) $y = \pm 1$

F67a

- (1) $y = -2, -1$
- (2) $x = \pm 2$
- (3) $x = \pm 2$
- (4) $(x + 2)^2 = 11$
- (5) $(x + 2)^2 = 12$
- (6) $x = -1, -1$

F68a

- (1) $(y + 5)^2 = 26$
- (2) $(y + 3)^2 = 15$
- (3) $x = -3, -3$
- (4) $(x + 2)^2 = 14$
- (5) $x = \pm 2$
- (6) $(y + 6)^2 = 44$

F67b

- (1) $x = -2, -2$
- (2) $(y + 7)^2 = 51$
- (3) $y = \pm 1$
- (4) $x = -4, -2$
- (5) $y = -1, -1$
- (6) $(x + 3)^2 = 19$

F68b

- (1) $x = -3, -4$
- (2) $y = -2, -2$
- (3) $x = \pm 2$
- (4) $(y + 4)^2 = 26$
- (5) $y = \pm 2$
- (6) $x = -3, -2$

F63a

- (1) $x = -3, -1$
- (2) $(x + 6)^2 = 40$
- (3) $y = -4, -1$
- (4) $(y + 7)^2 = 53$
- (5) $x = -1, -4$
- (6) $y = -1, -3$

F64a

- (1) $(x + 5)^2 = 33$
- (2) $y = \pm 2$
- (3) $x = \pm 1$
- (4) $(x + 6)^2 = 38$
- (5) $x = -1, -1$
- (6) $x = -4, -3$

F63b

- (1) $x = \pm 1$
- (2) $x = \pm 1$
- (3) $y = -3, -3$
- (4) $y = -2, -3$
- (5) $x = \pm 2$
- (6) $(y + 6)^2 = 38$

F64b

- (1) $(x + 3)^2 = 10$
- (2) $y = \pm 2$
- (3) $y = -3, -3$
- (4) $y = -1, -1$
- (5) $x = -1, -4$
- (6) $y = -3, -3$

F69a

- (1) $y = -1, -4$
- (2) $y = \pm 2$
- (3) $x = -2, -2$
- (4) $(x + 8)^2 = 68$
- (5) $y = \pm 1$
- (6) $x = -3, -3$

F70a

- (1) $(x + 8)^2 = 70$
- (2) $x = -2, -2$
- (3) $y = -1, -3$
- (4) $y = \pm 1$
- (5) $(y + 4)^2 = 19$
- (6) $y = -4, -3$

F69b

- (1) $x = \pm 2$
- (2) $x = \pm 2$
- (3) $(y + 3)^2 = 17$
- (4) $x = -1, -2$
- (5) $x = \pm 2$
- (6) $y = -2, -2$

F70b

- (1) $y = -2, -2$
- (2) $(y + 7)^2 = 54$
- (3) $x = -1, -4$
- (4) $x = \pm 2$
- (5) $x = \pm 1$
- (6) $(x + 4)^2 = 18$

