Topic

Firmware

Selections

Select Firmware Option: Drive Support Package
Drive Support Package Release Notes: DSP 1.60.1

If you find any errors in this procedure or have comments regarding this application, please submit feedback here - https://contentfeedback.dell.com/home

Copyright © 2026 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

The information in this publication is provided “as is.” Dell Inc. makes no representations or warranties of any kind with respect to the information in this publication, and specifically disclaims implied warranties of merchantability or fitness for a particular purpose.

Use, copying, and distribution of any software described in this publication requires an applicable software license.

This document may contain certain words that are not consistent with Dell's current language guidelines. Dell plans to update the document over subsequent future releases to revise these words accordingly.

This document may contain language from third party content that is not under Dell's control and is not consistent with Dell's current guidelines for Dell's own content. When such third party content is updated by the relevant third parties, this document will be revised accordingly.

Dell Technologies – Restricted Use – Confidential

Contents

Preliminary Activity Tasks 3
Read, understand, and perform these tasks 3
PowerScale-Drive-Support-Package-1.60.1-Release-Notes 5

Preliminary Activity Tasks

This section may contain tasks that you must complete before performing this procedure.

Read, understand, and perform these tasks

1. Table 1 lists tasks, cautions, warnings, notes, and/or knowledgebase (KB) solutions that you need to be aware of before performing this activity. Read, understand, and when necessary perform any tasks contained in this table and any tasks contained in any associated knowledgebase solution.

Table 1 List of cautions, warnings, notes, and/or KB solutions related to this activity

PowerScale-Drive-Support-Package-1.60.1-Release-Notes

PowerScale Drive Support Package

1.60.1

Release Notes

April 2026

Contents

Overview 3
New features 3
New drives 3
Regression drive FWs 3
Resolved issues 3
Known issues 4
Supported drives 4
Supported bootflash drives 25
Installation 26
Update the drive firmware 27
Verify a drive firmware update 27
Verify free disk space 27
Extract the drive support package 28
Verify drives that need firmware updates 28
Where to get help 28
Additional options for getting help 28
Notes, cautions, and warnings 29

Overview

Install a drive support package (DSP) to update the drives on your PowerScale cluster to the latest supported drive firmware versions.

The drive support package also updates the following information about the drives in a cluster:

- List of supported drives
- Drive firmware metadata
- SSD wear monitoring data
- SAS and SATA settings and attributes

New features

This DSP includes the following new features:

New drives

This DSP includes the following newly supported drives:

Drive	Platform	FW	Type
WD Paris C 16TB SATA ISE	A310/A3100/H710/H7100	T290	NPI

Regression drive FWs

Drive	Platform	FW	Type
STX Marlin BP 32TB SATA ISE	A310/A310L/A3100/A3100L /H710/H7100	MLR2	Regression
STX 12TB SAS FIPS	A310/A3100/H710/H7100 A300/A3000/H700/H7000	SW75	Regression
STX 16 & 20TB SAS FIPS	A310/A3100/H710/H7100 A300/A3000/H700/H7000	SY75	Regression
STX 24TB SAS FIPS	A310/A3100/H710/H7100 A300/A3000/H700/H7000	SU75	Regression

Resolved issues

This DSP fixed a FW upgrade issue for the following drives and platforms:

Drive	Platform
STX Cimarron BP 2/4/8TB SAS FIPS	A310/A3100/H710/H7100
STX Evans BP 12/16TB SAS FIPS	A310/A3100/H710/H7100
STX Cimarron BP 2/4/8TB SAS FIPS	A300/A3000/H700/H7000
STX Evans BP 12/16TB SAS FIPS	A300/A3000/H700/H7000

Known issues

This DSP does not include any known issues.

Supported drives

The following table lists all the supported drives and drive firmware included in this DSP. Bootflash drives are in a separate table further below.

Manufacturer	Series	Capacity	Model	Firmware revision
HGST	Deskstar	400 GB	HDS724040KLSA80	KFAOA46A and KFAOAC6A
HGST	Deskstar	500 GB	HDS725050KLA360	K2AOAD1A
HGST	Ultrastar C10K1200	1.2 TB	HUC101212CSS600	A469
HGST	Ultrastar 7K4000	2 TB	HUS724020ALA640	MF6OAC50
HGST	Ultrastar 7K4000	3 TB	HUS724030ALA640	MF8OAC50
HGST	Ultrastar 7K4000	4 TB	HUS724040ALA640	MFAOAC50
HGST	Ultrastar SSD800MM	200 GB	HUSMM8020ASS200	A210
HGST	Ultrastar SSD800MM	400 GB	HUSMM8040ASS200	A210
HGST	Ultrastar SSD800MM	800 GB	HUSMM8080ASS200	A210
HGST	Ultrastar SSD800MM SAS SED SSD	800 GB	HUSMM8080ASS205	D254
HGST	Ultrastar C10K900	300 GB	HUC106030CSS600	A430
HGST	Ultrastar C10K900	300 GB	HUC10603CLAR300	C330
HGST	Ultrastar C10K900	600 GB	HUC106060CSS600	A430
HGST	Ultrastar C10K900	300 GB	HUC109030CSS600	A5B0
HGST	Ultrastar C10K900	300 GB	HUC10903CLAR300	C600
HGST	Ultrastar C10K900	600 GB	HUC109060CSS600	A5B0
HGST	Ultrastar C10K900	900 GB	HUC109090CSS600	A5B0
HGST	Ultrastar 15K450	450 GB	HUS154545VLS300	A570

HGST	Ultrastar 15K600	450 GB	HUS156045VLS600	A760
HGST	Ultrastar SSD400M	200 GB	HUSML4020ASS600	A337
HGST	Ultrastar SSD400M	400 GB	HUSML4040ASS600	A337
HGST	Ultrastar SSD400S	100 GB	HUSSL4010ASS600	A18M and A182
HGST	Ultrastar SSD400S	100 GB	HUSSL4010BSS600	A1D0
HGST	Ultrastar SSD400S	200 GB	HUSSL4020ASS600	A18M and A182
HGST	Ultrastar SSD400S	200 GB	HUSSL4020BSS600	A1D0

Manufacturer	Series	Capacity	Model	Firmware revision
HGST	Ultrastar SSD400S	400 GB	HUSSL4040ASS600	A18M and A182
HGST	Ultrastar SSD400S	400 GB	HUSSL4040BSS600	A1D0
HGST	Ultrastar A7K1000	1 TB	HUA721010KLA330	GKAOA70M and GKAOAB0A
HGST	Ultrastar A7K1000	500 GB	HUA721050KLA330	GK6OAB0A
HGST	Ultrastar A7K1000	750 GB	HUA721075KLA330	GK8OAB0A and GK8OA70M
HGST	Ultrastar A7K2000	1 TB	HUA722010CLA330	JP4OA3PA
HGST	Ultrastar A7K2000	2 TB	HUA722020ALA330	JKAOA3PA
HGST	Ultrastar A7K2000	500 GB	HUA722050CLA330	JP2OA3PA
HGST	Ultrastar 7K3000	2 TB	HUA723020ALA640	MK7OAA50
HGST	Ultrastar 7K3000	3 TB	HUA723030ALA640	MKAOAA50
HGST	Ultrastar 7K4000	4 TB	HUS724040ALE640	MJAOA3K0
HGST	Ultrastar 7K6000 SATA	2 TB	HUS726020ALA610	A5EITD40
HGST	Ultrastar 7K6000 SATA	4 TB	HUS726040ALA610	A5EITD40
HGST	Ultrastar 4kn 7K6000	2 TB	HUS726020ALN610	APGNTDY0
HGST	Ultrastar 4kn 7K6000	4 TB	HUS726040ALN610	APGNTDY0
HGST	Ultrastar 4kn 7K6000	6 TB	HUS726060ALN610	APEITD40

HGST	Ultrastar 7K6000 SAS SED 4kn	2 TB	HITACHI H5472602CLAR2000	DDW0
HGST	Ultrastar 7K6000 SAS SED 4kn	4 TB	HITACHI H5472604CLAR4000	DDW0
HGST	Ultrastar 7K6000 4K SED	6 TB	H5472606CLAR6000	NDY0
HGST	Ultrastar SSD1600MM	200 GB	HUSMM1620ASS200	A204
HGST	Ultrastar SSD1600MM	400 GB	HUSMM1640ASS200	A204
HGST	Ultrastar SSD1600MM	800 GB	HUSMM1680ASS200	A204
HGST	Ultrastar SSD1600MM	1.6 TB	HUSMM1616ASS200	A204
HGST	Ultrastar SSD1600MM 10WPD SED SSD	800 GB	HUSMM1680ASS205	D32A
HGST	Ultrastar SSD1600MM 3WPD SED SSD	1.6 TB	HUSMM151CLAR1600	D348
HGST	Ultrastar He6	6 TB	HUS726060ALA640	AHIST1EZ
HGST	Ultrastar C10K1800	1.2 TB	HUC101812CSS200	AE00
HGST	Ultrastar He8	8 TB	HUH728080ALN600	A4EITD40

Manufacturer	Series	Capacity	Model	Firmware revision
HGST	Ultrastar He8 SED	8 TB	H5H72808CLAR8000	MDY0
HGST	Ultrastar He10	8 TB	HUH721008ALN600	LHGNT290
HGST	Ultrastar He10	10 TB	HUH721010ALN600	LHGNT290
HGST	Ultrastar He10 SAS SED	8 TB	H5H72108CLAR8000	D614
HGST	Ultrastar He10 SAS SED	10 TB	H5H72101CLAR10T0	D614
HGST	Ultrastar He10 SATA 4kn	8 TB	HUH721008ALN600	LHEIT382
HGST	Ultrastar C10K1800	300 GB	HUC101830CSS200	AE00
HGST	Ultrastar C10K1800	600 GB	HUC101860CSS200	AE00
HGST	Ultrastar C10K1800	900 GB	HUC101890CSS200	AE00
HGST	Ultrastar C10K1800 512n	600 GB	HUC10186CLAR600	AE00
HGST	Ultrastar C10K1800 512n	1.2 TB	HUC10181CLAR1200	AE00

HGST	Ultrastar C10K1800 512n SAS SED	600 GB	H5C10186CLAR600	DE00
HGST	Ultrastar C10K1800 512n SAS SED	900 GB	HUC101890CSS205	DE00
HGST	Ultrastar C10K1800 512n SAS SED	1.2 TB	H5C10181CLAR1200	DE00
HGST	Ultrastar SS300 SAS SED SSD	400 GB	H5SMR324CLAR400	D176
HGST	Ultrastar SS300 SAS SED SSD	800 GB	H5SMR328CLAR800	D176
HGST	Ultrastar SS300 SAS SED SSD	1.6 TB	H5SMR321CLAR1600	D176
HGST	Ultrastar SS300 SAS SED SSD	3.2 TB	H5SMR323CLAR3200	D176
HGST	Ultrastar SS300 SSD 10WPD	200 GB	H4SMR324CLAR200	S116
HGST	Ultrastar SS300 SSD 10WPD	400 GB	H4SMM324CLAR400	S116
HGST	Ultrastar SS300 SSD 10WPD	800 GB	H4SMM328CLAR800	S116
HGST	Ultrastar SS300 SSD 10WPD	1.6 TB	H4SMM321CLAR1600	S116
HGST	Ultrastar SS300 SED SSD 10WPD	800 GB	H5SMM328 CLAR800	S116
HGST	Ultrastar SS300 SED SSD 10WPD	1.6 TB	H5SMM321CLAR1600	S116
HGST	Ultrastar SS300 SAS SSD 3WPD	400 GB	H4SMR324CLAR400	S177
HGST	Ultrastar SS300 SAS SSD 3WPD	800 GB	H4SMR328CLAR800	S177

Manufacturer	Series	Capacity	Model	Firmware revision
HGST	Ultrastar SS300 SAS SSD 3WPD	1.6 TB	H4SMR321CLAR1600	S177
HGST	Ultrastar SS300 SAS SSD 3WPD	3.2 TB	H4SMR323CLAR3200	S177
HGST	Ultrastar SS300 SSD 1WPD	3.84 TB	H4STR763CLAR3840	S52K
HGST	Ultrastar SS300 SSD 1WPD	7.68 TB	H4STR767CLAR7680	S52K
Intel	Intel P4510 (Support for PowerScale F600 nodes)	2 TB	Dell Express Flash NVMe P4510 2TB SFF	VDV1DP25

Intel	Intel P4510 (Support for PowerScale F600 nodes)	4 TB	Dell Express Flash NVMe P4510 4TB SFF	VDV1DP25
Intel	Intel P5520 3.84TB ISE NVMe (Support for PowerScale F600 nodes)	3.84 TB	Dell Ent NVMe P5520 RI 3.84TB	1.0.0
Kioxia	PM5 (Gen6/Legacy)	1.6 TB 3WPD	P5V1T60D EMC1600 (SAS SED SSD)	PD5F
Kioxia	PM5 (Gen6)	3.2 TB 3WPD	P5V3T20D EMC3200 (SAS SED SSD)	PD5F
Kioxia	PM5 (Gen6)	400 GB 3WPD	P5V400GD EMC400 (SAS SED SSD)	PD5F
Kioxia	PM5 (Gen6/Legacy)	800 GB 3WPD	P5V800GD EMC800 (SAS SED SSD)	PD5F
Kioxia	PM5 (Legacy)	1.6 TB 10WPD	P5M1T60D EMC1600 (SAS SED SSD)	PD5F
Kioxia	PM5 (Legacy)	800 GB 10WPD	P5M800GD EMC800 (SAS SED SSD)	PD5F
Kioxia	PM5 (Gen6)	15.36 TB 1WPD	P5R15T3D EMC15T3 (SAS SED SSD)	PD5F
Kioxia	PM5 (Gen6)	3.84 TB 1WPD	P5R3T84D EMC3840 (SAS SED SSD)	PD5F
Kioxia	PM5 (Gen6)	7.68 TB 1WPD	P5R7T68D EMC7680 (SAS SED SSD)	PD5F
Kioxia	PM5 (Gen6)	15.36 TB 1WPD	P5R15T3A EMC15T3 (SAS SSD)	PA5F
Kioxia	PM5 (Gen6)	3.84 TB 1WPD	P5R3T84A EMC3840 (SAS SSD)	PA5F
Kioxia	PM5 (Gen6)	7.68 TB 1WPD	P5R7T68A EMC7680 (SAS SSD)	PA5F
Kioxia	PM5 (Gen6/legacy)	1.6 TB 3WPD	P5V1T60A EMC1600 (SAS SSD)	PA5F
Kioxia	PM5 (Gen6)	3.2 TB 3WPD	P5V3T20A EMC3200 (SAS SSD)	PA5F
Kioxia	PM5 (Gen6/Legacy)	400 GB 3WPD	P5V400GA EMC400 (SAS SSD)	PA5F
Kioxia	PM5 (Gen6/Legacy)	800 GB 3WPD	P5V800GA EMC800 (SAS SSD)	PA5F

Manufacturer	Series	Capacity	Model	Firmware revision
Kioxia	PM5 (Legacy)	1.6 TB 10WPD	P5M1T60A EMC1600 (SAS SSD)	PA5F
Kioxia	PM5 (Legacy)	400 GB 10WPD	P5M400GA EMC400 (SAS SSD)	PA5F

Kioxia	PM5 (Legacy)	800 GB 10WPD	P5M800GA EMC800 (SAS SSD)	PA5F
Kioxia	Dell_Express_Flash_CD5_7.68T_SFF ISE (PowerScale F600 nodes)	7.68 TB	Dell Express Flash 7.68TB SFF	1.1.5
Kioxia	PM5 (PowerScale F200 nodes)	960 GB	KPM5XRUG960G	B01C
Kioxia	PM5 (PowerScale F200 nodes)	1.92 TB	KPM5XRUG1T92	B01C
Kioxia	PM5 (PowerScale F200 nodes)	3.84 TB	KPM5XRUG3T84	B01C
Kioxia	PM5 1WPD ISE (PowerScale F200 nodes)	7.68 TB	KPM5XRUG7T68	B01C
Kioxia	PM5 FIPS 3WPD (PowerScale F200 nodes)	960 GB	KPM5WVUG960G	B320
Kioxia	PM5 FIPS 3WPD (PowerScale F200 nodes)	1.92 TB	KPM5WVUG1T92	B320
Kioxia	PM5 FIPS 3WPD (PowerScale F200 nodes)	3.84 TB	KPM5WVUG3T84	B320
Kioxia	PM6 SAS (Gen6/MLK)	400 GB	KIOXIA P6M400GA EMC400	PA68
Kioxia	PM6 SAS (Gen6/MLK)	800 GB	KIOXIA P6V800GA EMC800	PA68
Kioxia	PM6 SAS (Gen6/MLK)	1.6 TB	KIOXIA P6V1T60A EMC1600	PA68
Kioxia	PM6 SAS (Gen6/MLK)	3.2 TB	KIOXIA P6V3T20A EMC3200	PA68
Kioxia	PM6 SAS (Gen6/MLK)	3.84 TB	KIOXIA P6R3T84A EMC3840	PA68
Kioxia	PM6 SAS (Gen6/MLK)	7.68 TB	KIOXIA P6R7T68A EMC7680	PA68
Kioxia	PM6 SAS (Gen6/MLK)	15.36 TB	KIOXIA P6R15T3A EMC15T3	PA68
Kioxia	PM6 SAS SED FIPS (Gen6/MLK)	400 GB	KIOXIA P6M400GD EMC400	PD68
Kioxia	PM6 SAS SED FIPS (Gen6/MLK)	800 GB	KIOXIA P6V800GD EMC800	PD68
Kioxia	PM6 SAS SED FIPS (Gen6/MLK)	1.6 TB	KIOXIA P6V1T60D EMC1600	PD68
Kioxia	PM6 SAS SED FIPS (Gen6/MLK)	3.2 TB	KIOXIA P6V3T20D EMC3200	PD68
Kioxia	PM6 SAS SED FIPS (Gen6/MLK)	3.84 TB	KIOXIA P6R3T84D EMC3840	PD68
Kioxia	PM6 SAS SED FIPS (Gen6/MLK)	7.68 TB	KIOXIA P6R7T68D EMC7680	PD68

Manufacturer	Series	Capacity	Model	Firmware revision
Kioxia	PM6 SAS SED FIPS (Gen6/MLK)	15.36 TB	KIOXIA P6R15T3D EMC15T3	PD68
Kioxia	PM6 SAS (F200)	960 GB	KIOXIA KPM6XRUG960G	BA0D
Kioxia	PM6 SAS (F200)	1.92 TB	KIOXIA KPM6XRUG1T92	BA0D
Kioxia	PM6 SAS (F200)	3.84 TB	KIOXIA KPM6XRUG3T84	BA0D
Kioxia	PM6 SAS (F200)	7.68 TB	KIOXIA KPM6XRUG7T68	BA0D
Kioxia	PM6 SAS SED FIPS (F200)	960 GB	KIOXIA KPM6WVUG960G	BD0D
Kioxia	PM6 SAS SED FIPS (F200)	1.92 TB	KIOXIA KPM6WRUG1T92	BD0D
Kioxia	PM6 SAS SED FIPS (F200)	3.84 TB	KIOXIA KPM6WRUG3T84	BD0D
Kioxia	PM6 SAS SED FIPS (F200)	7.68 TB	KIOXIA KPM6WRUG7T68	BD0D
Kioxia	CM6 RI 1.92TB FIPS NVMe	1.92 TB	Dell Ent NVMe FIPS CM6 RI 1.92TB	3.1.3
Kioxia	CM6 RI 3.84TB FIPS NVMe	3.84 TB	Dell Ent NVMe FIPS CM6 RI 3.84TB	3.1.3
Kioxia	CM6 RI 7.68TB FIPS NVMe	7.68 TB	Dell Ent NVMe FIPS CM6 RI 7.68TB	3.1.3
Kioxia	CM6 RI 15.36TB FIPS NVMe	15.36 TB	Dell Ent NVMe FIPS CM6 RI 15.36TB	3.1.3
Kioxia	CM6 RI 1.92TB ISE NVMe	1.92 TB	Dell Ent NVMe CM6 RI 1.92TB	2.2.1
Kioxia	CM6 RI 3.84TB ISE NVMe	3.84 TB	Dell Ent NVMe CM6 RI 3.84TB	2.2.1
Kioxia	CM6 RI 7.68TB ISE NVMe	7.68 TB	Dell Ent NVMe CM6 RI 7.68TB	2.2.1
Kioxia	CM6 RI 15.36TB ISE NVMe	15.36 TB	Dell Ent NVMe CM6 RI 15.36TB	2.2.1
Kioxia	CM7 RI 1.92TB ISE NVMe	1.92 TB	Dell Ent NVMe CM7 U.2 RI 1.92TB	2.0.0

Kioxia	CM7 RI 3.84TB ISE NVMe	3.84 TB	Dell Ent NVMe CM7 U.2 RI 3.84TB	2.0.0
Kioxia	CM7 RI 7.68TB ISE NVMe	7.68 TB	Dell Ent NVMe CM7 U.2 RI 7.68TB	2.0.0
Kioxia	CM7 RI 15.36TB ISE NVMe	15.36 TB	Dell Ent NVMe CM7 U.2 RI 15.36TB	2.0.0
Kioxia	CM7 RI 1.92TB FIPS NVMe	1.92 TB	Dell Ent NVMe CM7 FIPS U.2 RI 1.92TB	3.0.1
Kioxia	CM7 RI 3.84TB FIPS NVMe	3.84 TB	Dell Ent NVMe CM7 FIPS U.2 RI 3.84TB	3.0.1
Kioxia	CM7 RI 7.68TB FIPS NVMe	7.68 TB	Dell Ent NVMe CM7 FIPS U.2 RI 7.68TB	3.0.1
Kioxia	CM7 RI 15.36TB FIPS NVMe	15.36 TB	Dell Ent NVMe CM7 FIPS U.2 RI 15.36TB	3.0.1
Kioxia	PM7 SAS 800GB ISE (Gen6/MLK)	800 GB	KIOXIA P7V800GA EMC800	PA78
Kioxia	PM7 SAS 1.6TB ISE (Gen6/MLK)	1.6 TB	KIOXIA P7V1T60A EMC1600	PA78
Kioxia	PM7 SAS 3.2TB ISE (Gen6/MLK)	3.2 TB	KIOXIA P7V3T20A EMC3200	PA78

Manufacturer	Series	Capacity	Model	Firmware revision
Kioxia	PM7 SAS 3.84TB ISE (Gen6/MLK)	3.84 TB	KIOXIA P7R3T84A EMC3840	PA78
Kioxia	PM7 SAS 7.68TB ISE (Gen6/MLK)	7.68 TB	KIOXIA P7R7T68A EMC7680	PA78
Kioxia	PM7 SAS 15.36TB ISE (Gen6/MLK)	15.36 TB	KIOXIA P7R15T3A EMC15T3	PA78
Kioxia	PM7 SAS 800GB FIPS (Gen6/MLK)	800 GB	KIOXIA P7V800GD EMC800	PE78
Kioxia	PM7 SAS 1.6TB FIPS (Gen6/MLK)	1.6 TB	KIOXIA P7V1T60D EMC1600	PE78
Kioxia	PM7 SAS 3.2TB FIPS (Gen6/MLK)	3.2 TB	KIOXIA P7V3T20D EMC3200	PE78
Kioxia	PM7 SAS 3.84TB FIPS (Gen6/MLK)	3.84 TB	KIOXIA P7R3T84D EMC3840	PE78
Kioxia	PM7 SAS 7.68TB FIPS (Gen6/MLK)	7.68 TB	KIOXIA P7R7T68D EMC7680	PE78
Kioxia	PM7 SAS 15.36TB FIPS (Gen6/MLK)	15.36 TB	KIOXIA P7R15T3D EMC15T3	PE78

Kioxia	PM7 SAS 960GB ISE (F200)	960 GB	KIOXIA KPM7XRUG960G	C10C
Kioxia	PM7 SAS 1.92TB ISE (F200)	1.92 TB	KIOXIA KPM7XRUG1T92	C10C
Kioxia	PM7 SAS 3.84TB ISE (F200)	3.84 TB	KIOXIA KPM7XRUG3T84	C10C
Kioxia	PM7 SAS 7.68TB ISE (F200)	7.68 TB	KIOXIA KPM7XRUG7T68	C10C
Kioxia	PM7 SAS 960GB FIPS (F200)	960 GB	KIOXIA KPM7WRUG960G	C40E
Kioxia	PM7 SAS 1.92TB FIPS (F200)	1.92 TB	KIOXIA KPM7WRUG1T92	C40E
Kioxia	PM7 SAS 3.84TB FIPS (F200)	3.84 TB	KIOXIA KPM7WRUG3T84	C40E
Kioxia	PM7 SAS 7.68TB FIPS (F200)	7.68 TB	KIOXIA KPM7WRUG7T68	C40E
Micron	RealSSD P300	100 GB	MTFDDAC100SAL	0001
Micron	RealSSD P300	200 GB	MTFDDAC200SAL	0001
Micron	Micron ION 6500, NVMe, ISE, and 30.72TB	30.72 TB	Dell Ent NVMe 6500 RI 30.72TB	1.0.0
Samsung	REX	400 GB	S1635N04 EMC400	EQS2
Samsung	REX	800 GB	S1635N08 EMC800	EQS2
Samsung	REX	1.6 TB	S1635N16 EMC1600	EQS2
Samsung	REX	400 GB	PA35N400 EMC400	EQL3
Samsung	REX	800 GB	PA35N800 EMC800	EQL3
Samsung	REX	1.6 TB	PA35N1T6 EMC1600	EQL3
Samsung	REX	3.2 TB	PA35N3T2 EMC3200	EQL3
Samsung	REX	15.36 TB	PA33N15T EMC15T3	EQHA
Samsung	PM1643 1WPD SED SSD	3.84 TB	P043F3T8 EMC3840	EXF3

Manufacturer	Series	Capacity	Model	Firmware revision
Samsung	PM1643 1WPD SED SSD	7.68 TB	P043F7T6 EMC7680	EXV3
Samsung	PM1643 1WPD SSD	3.84 TB	P043S3T8 EMC3840	ESF7
Samsung	PM1643 1WPD SSD	7.68 TB	P043S7T6 EMC7680	ESV5

Dell Customer Communication - Confidential

Samsung	PM1643 1WPD SSD	15.36 TB	P043S15T EMC15T3	ESV5
Samsung	PM1645 3WPD SSD	800 GB	P045S800 EMC800	ESF6
Samsung	PM1645 3WPD SSD	1.6 TB	P045S1T6 EMC1600	ESF6
Samsung	PM1645 3WPD SSD	3.2 TB	P045S3T2 EMC3200	ESF6
Samsung	RFX	15.36 TB	P043S15T EMC15T3 (SAS)	ESV5
Samsung	Samsung RFX LC FIPs SAS SED 12G (Gen6 Cache)	400 GB	P045F800 EMC400	EZF7
Samsung	Samsung RFX LC FIPs SAS SED 12G (Gen6 Cache)	800 GB	P045F800 EMC800	EZF7
Samsung	Samsung RFX LC FIPs SAS SED 12G (Gen6 Cache)	1.6 TB	P045F1T6 EMC1600	EZF7
Samsung	Samsung RFX LC FIPs SAS SED 12G (Gen6 Cache)	3.2 TB	P045F3T2 EMC3200	EZF7
Samsung	Samsung RFX FIPs LC SAS SED 12G (F800)	1.6 TB	P045F1T6 EMC1600	EZF7
Samsung		3.2 TB	P045F3T2 EMC3200	EZF7
Samsung	Samsung RFX SED 3WPD (Gen4 and Gen5 Cache)	800 GB	P045F800 EMC800	EZF7
Samsung		1.6 TB	P045F1T6 EMC1600	
Samsung	Samsung RFX SS (Gen4 and Gen5 Cache)	400 GB	P045F800 EMC400	ESF7
Samsung	Samsung RFX LC (Gen6 Cache)	400 GB SF	P045F800 EMC400	ESF7
Samsung	PM1643a FIPS (Gen6)	3.84 TB	PA43F3T8 EMC3840	EXA1
Samsung	PM1643a FIPS (Gen6)	7.68 TB	PA43F7T6 EMC7680	EXA1
Samsung	PM1643a FIPS (Gen6)	15.36 TB	PA43F15T EMC15T3	EXA1
Samsung	PM1643a Non-SED (Gen6)	3.84 TB	PA43S3T8 EMC3840	ESA4
Samsung	PM1643a Non-SED (Gen6)	7.68 TB	PA43S7T6 EMC7680	ESA4
Samsung	PM1643a Non-SED (Gen6)	15.36 TB	PA43S15T EMC15T3	ESA4
Samsung	PM1645a FIPS (Gen5)	1.6 TB	PA45F1T6 EMC1600	EZA1

Manufacturer	Series	Capacity	Model	Firmware revision
Samsung	PM1645a FIPS (Gen5)	3.2 TB	PA45F3T2 EMC3200	EZA1
Samsung	PM1645a Non-SED (Gen5)	1.6 TB	PA45S1T6 EMC1600	EWA4
Samsung	PM1645a Non-SED (Gen5)	3.2 TB	PA45S3T2 EMC3200	EWA4
Samsung	PM1645a Non-SED (Gen6 Cache)	400 GB	PA45S800 EMC400	EWA4
Samsung	PM1645a SAS (Gen6 Data and Cache)	800 GB	PA45S800 EMC800	EWA4
Samsung	PM1645a SAS (Gen6 Data and Cache)	1.6 TB	PA45S1T6 EMC1600	EWA4
Samsung	PM1645a SAS (Gen6 Data and Cache)	3.2 TB	PA45S3T2 EMC3200	EWA4
Samsung	PM1645a SAS FIPS (Gen6 Data and Cache)	400 GB	PA45F800 EMC400	EZA1
Samsung	PM1645a SAS FIPS (Gen6 Data and Cache)	800 GB	PA45F800 EMC800	EZA1
Samsung	PM1645a SAS FIPS (Gen6 Data and Cache)	1.6 TB	PA45F1T6 EMC1600	EZA1
Samsung	PM1645a SAS FIPS (Gen6 Data and Cache)	3.2 TB	PA45F3T2 EMC3200	EZA1
Samsung	PM1643a (PowerScale F200)	960 GB	SAMSUNG MZILT960HBHQ0D3	DSA3
Samsung	PM1643a (PowerScale F200)	1.92 TB	SAMSUNG MZILT1T9HBJR0D3	DSA3
Samsung	PM1643a (PowerScale F200)	3.84 TB	SAMSUNG MZILT3T8HBLS0D3	DSA3
Samsung	PM1643a (PowerScale F200)	7.68 TB	SAMSUNG MZILT7T6HALA0D3	DSA3
Samsung	PM1733v1 (PowerScale F600)	1.92 TB	Dell Ent NVMe AGN RI U.2 1.92TB	2.1.2
Samsung	PM1733v1 (PowerScale F600)	3.84 TB	Dell Ent NVMe AGN RI U.2 3.84TB	2.1.2
Samsung	PM1733v1 (PowerScale F600)	7.68 TB	Dell Ent NVMe AGN RI U.2 7.68TB	2.1.2
Samsung	PM1733v1 (PowerScale F600)	15.36 TB	Dell Ent NVMe AGN RI U.2 15.36TB	2.1.2
Samsung	PM1733v2 (PowerScale F600)	1.92 TB	Dell Ent NVMe v2 AGN RI U.2 1.92TB	2.0.0
Samsung	PM1733v2 (PowerScale F600)	3.84 TB	Dell Ent NVMe v2 AGN RI U.2 3.84TB	2.0.0

Samsung	PM1733v2 (PowerScale F600)	7.68 TB	Dell Ent NVMe v2 AGN RI U.2 7.68TB	2.0.0
Samsung	PM1733v2 (PowerScale F600)	15.36 TB	Dell Ent NVMe v2 AGN RI U.2 15.36TB	2.0.0
Samsung	PM1733a 1.92TB NVMe SSD 1WPD	1.92 TB	Dell Ent NVMe PM1733a RI 1.92TB	1.0.0

Manufacturer	Series	Capacity	Model	Firmware revision
Samsung	PM1733a 3.84TB NVMe SSD 1WPD	3.84 TB	Dell Ent NVMe PM1733a RI 3.84TB	1.0.0
Samsung	PM1733a 7.68TB NVMe SSD 1WPD	7.68 TB	Dell Ent NVMe PM1733a RI 7.68TB	1.0.0
Samsung	PM1733a 15.36TB NVMe SSD 1WPD	15.36 TB	Dell Ent NVMe PM1733a RI 15.36TB	1.0.0
Samsung	PM1733a FIPS 1.92TB NVMe SSD 1WPD	1.92 TB	Dell Ent NVMe FIPS PM1733a RI 1.92TB	3.1.0
Samsung	PM1733a FIPS 3.84TB NVMe SSD 1WPD	3.84 TB	Dell Ent NVMe FIPS PM1733a RI 3.84TB	3.1.0
Samsung	PM1733a FIPS 7.68TB NVMe SSD 1WPD	7.68 TB	Dell Ent NVMe FIPS PM1733a RI 7.68TB	3.1.0
Samsung	PM1733a FIPS 15.36TB NVMe SSD 1WPD	15.36 TB	Dell Ent NVMe FIPS PM1733a RI 15.36TB	3.1.0
Samsung	PM1653 ISE 960GB 1WPD SSD (PowerScale F200)	960 GB	MZILG960HCHQAD3	DSG7
Samsung	PM1653 ISE 1.92TB 1WPD SSD (PowerScale F200)	1.92 TB	MZILG1T9HCJRAD3	DSG7
Samsung	PM1653 ISE 3.84TB 1WPD SSD (PowerScale F200)	3.84 TB	MZILG3T8HCLSAD3	DSG7
Samsung	PM1653 ISE 7.68TB 1WPD SSD (PowerScale F200)	7.68 TB	MZILG7T6HBLAAD3	DSG7
Samsung	PM1655 ISE 800GB (L-EMC)	800 GB	SAMSUNG S550S800 EMC800	EWG0
Samsung	PM1655 ISE 1.6TB (L-EMC)	1.6 TB	SAMSUNG S1635N16 EMC1600	EWG0
Samsung	PM1655 ISE 3.2TB (L-EMC)	3.2 TB	SAMSUNG S550S3T2 EMC3200	EWG0

Samsung	PM1653 ISE 7.68TB (L-EMC)	7.68 TB	SAMSUNG S530S7T6 EMC7680	ESG0
Samsung	PM1655 FIPS 800GB (L-EMC)	800 GB	SAMSUNG S550F800 EMC800	EZG6
Samsung	PM1655 FIPS 1.6TB (L-EMC)	1.6 TB	SAMSUNG S550F1T6 EMC1600	EZG6
Samsung	PM1655 FIPS 3.2TB (L-EMC)	3.2 TB	SAMSUNG S550F3T2 EMC3200	EZG6
Samsung	PM1653 FIPS 7.68TB (L-EMC)	7.68 TB	SAMSUNG S530F7T6 EMC7680	EXG6
Samsung	Dell NVMe PM1743 RI U.2 1.92TB	1.92TB	Dell NVMe PM1743 RI U.2 1.92TB	1.0.0
Samsung	Dell NVMe PM1743 RI U.2 3.84TB	3.84TB	Dell NVMe PM1743 RI U.2 3.84TB	1.0.0
Samsung	Dell NVMe PM1743 RI U.2 7.68TB	7.68TB	Dell NVMe PM1743 RI U.2 7.68TB	1.0.0
Samsung	Dell NVMe PM1743 RI U.2 15.36TB	15.36TB	Dell NVMe PM1743 RI U.2 15.36TB	1.0.0
Samsung	Dell NVMe BM1743 QLC U.2 15.36TB	15.36TB	Dell NVMe BM1743 QLC U.2 15.36TB	1.1.1
Samsung	Dell NVMe BM1743 QLC U.2 30.72TB	30.72TB	Dell NVMe BM1743 QLC U.2 30.72TB	1.1.1
Samsung	Dell NVMe BM1743 QLC U.2 61.44TB	61TB	Dell NVMe BM1743 QLC U.2 61.44TB	1.1.1
Samsung	Dell NVMe BM1743 QLC U.2 122.88TB	122TB	Dell NVMe BM1743 QLC U.2 122.88TB	1.1.1
Seagate	Savvio 10K.6	300 GB	ST300MM0006	0003
Seagate	Savvio	300 GB	ST300MM0CLAR300	LS17
Seagate	Constellation	3 TB	ST33000652SS	0005 and 0006
Seagate	Constellation	3 TB	ST330006CLAR3000	YE04
Seagate	Cheetah 15K.7	450 GB	ST3450857SS	IS03
Seagate	Savvio 10K.6	600 GB	ST600MM0006	0003
Seagate	Savvio 10K.6	900 GB	ST900MM0006	0003
Seagate	Savvio 10K.6	900 GB	ST900MM0036	0003
Seagate	Savvio 10K.3	300 GB	ST9300603SS	IS01

Seagate	Savvio 10K.5	300 GB	ST9300605SS	IS00
Seagate	Savvio	300 GB	ST930060CLAR300	CS18 and CS19
Seagate	Savvio 10K.4	600 GB	ST9600204SS	IS01
Seagate	Savvio 10K.5	600 GB	ST9600205SS	IS00

Manufacturer	Series	Capacity	Model	Firmware revision
Seagate	Savvio 10K.5	900 GB	ST9900805SS	IS00
Seagate	Constellation ES	1 TB	ST1000NM0011	SN03
Seagate	Constellation ES.3	1 TB	ST1000NM0033 9ZM173	EN09
Seagate	Constellation ES	2 TB	ST2000NM0011	SN03
Seagate	Constellation ES.3	2 TB	ST2000NM0033 9ZM175	EN09
Seagate	Constellation ES.3	3 TB	ST3000NM0033 9ZM178	EN09
Seagate	Constellation ES	1 TB	ST31000524NS	IS00
Seagate	Constellation ES	2 TB	ST32000644NS	IS00
Seagate	Constellation ES	3 TB	ST33000650NS	0002 and 0006
Seagate	Barracuda ES	750 GB	ST3750641NS	4IST
Seagate	Constellation ES.3	4 TB	ST4000NM0033 9ZM170	EN09
Seagate	Constellation ES.2	3 TB	ST33000652SS	A006
Seagate	Enterprise	6 TB	ST6000NM0114	KFH5
Seagate	Enterprise	6 TB	ST6000NM0004-1FT17Z	EN05
Seagate	Enterprise Capacity 3.5 HDD V5	1 TB	ST1000NM0055-1V410C	BL06
Seagate	Enterprise Capacity 3.5 HDD V5	2 TB	ST2000NM0055-1V4104	BL06
Seagate	Enterprise Capacity 3.5 HDD V5	3 TB	ST3000NM0005-1V410N	BL06
Seagate	Enterprise Capacity 3.5 HDD V5	4 TB	ST4000NM0035-1V4107	BL06
Seagate	Enterprise Capacity 3.5 HDD V5	6 TB	ST6000NM0125-1YY110	PW06

Seagate	Enterprise Capacity 3.5 HDD V5	2 TB	ST2000NM0105-1YY104	BG05
Seagate	Enterprise Capacity 3.5 HDD V5	4 TB	ST4000NM0085-1YY107	BG05
Seagate	Enterprise Capacity 3.5 SAS SED	3 TB	STMFSNF3CLAR3000	BE05
Seagate	Enterprise Capacity 3.5 SAS SED	4 TB	STMFSNF2CLAR4000	BE05
Seagate	Enterprise Capacity 3.5 SATA 4kn	8 TB	ST8000NM0045-1RL112	UW07
Seagate	Enterprise Capacity 3.5 SATA 4kn (Gen6)	8 TB	ST8000NM0045-1RL112	UG07
Seagate	Enterprise Capacity 3.5 SAS SED 4kn	8 TB	STMPSKF1CLAR8000	UV05

Manufacturer	Series	Capacity	Model	Firmware revision
Seagate	Enterprise Capacity 3.5 SATA 512n	6 TB	ST6000NM0235-2AB11C	UL05
Seagate	Constellation ES.3 SAS SED	3 TB	ST3000NM0063	G007
Seagate	Constellation ES.3 SAS SED	4 TB	ST4000NM0063	G007
Seagate	Enterprise Performance 10k SED (Gen6)	600 GB	SEAGATE STSBSNF5 CLAR600	SE0G
Seagate	Enterprise Performance 10k SED (Gen6)	1.2 TB	SEAGATE STSBSNF3CLAR1200	SE0G
Seagate	Enterprise Performance 10k SED	900 GB	SEAGATE STSBSNF3CLAR1200	SE07
Seagate	Enterprise Performance 10k	300 GB	SEAGATE STSBSNI5 CLAR600	SI07
Seagate	Enterprise Performance 10k	600 GB	SEAGATE STSBSNI5 CLAR600	SI07
Seagate	Enterprise Performance 10k	900 GB	SEAGATE STSBSNI3CLAR1200	SI07
Seagate	Enterprise Performance 10k	1.2 TB	SEAGATE STSBSNI3CLAR1200	SI07
Seagate	Enterprise Performance 10k (Gen6)	600 GB	SEAGATE STSBSNI5 CLAR600	SI0G
Seagate	Enterprise Performance 10k (Gen6)	1.2 TB	SEAGATE STSBSNI3CLAR1200	SI0G
Seagate	Constellation ES.3	3 TB	ST3000NM0063	0006
Seagate	MakaraBP SAS SED 12G FIPs	2 TB	SEAGATE STMFSKF2CLAR4000	BV01

Seagate	MakaraBP SAS SED 12G FIPs	4 TB	SEAGATE STMFSKF4CLAR2000	BV01
Seagate	Evans SATA	10 TB	ST10000NM005G_2MU133	VW04
Seagate	Evans SATA	12 TB	ST12000NM005G_2MT133	VW04
Seagate	Evans SATA	16 TB	ST16000NM005G-2KH133	EAN4
Seagate	Evans-BP SATA	12 TB	ST12000NM002J-2TY133	P20F
Seagate	Evans-BP SATA	16 TB	ST16000NM002J-2TW133	P20F
Seagate	Longs Peak SATA	20 TB	ST20000NM008D-3DJ133	G208
Seagate	Longs Peak SAS FIPS	20 TB	ST20000NM005D	G706
Seagate	Cimarron 2TB SAS FIPS 4K	2 TB	SEAGATE STCRSKF5CLAR2000	CV05
Seagate	Cimarron SATA 4K	2 TB	ST2000NM014A-2J2132	CW04
Seagate	Cimarron SATA 4K	4 TB	ST4000NM022A-2HZ132	CW04
Seagate	Cimarron SATA 4K	8 TB	ST8000NM013A-2KE132	CW04
Seagate	Cimarron-BP SATA 4K	4 TB / 2 TB	ST4000NM030B-2TF133	L208

Manufacturer	Series	Capacity	Model	Firmware revision
Seagate	Cimarron-BP SATA 4K	8 TB	ST8000NM023B-2TJ133	L208
Seagate	Cimarron 3TB (4TB SF) SAS FIPS 512n (Legacy)	3 TB	SEAGATE STCRSNF3CLAR4000	CE05
Seagate	Cimarron SAS FIPS 512n (Legacy)	4 TB	SEAGATE STCRSNF3CLAR4000	CE05
Seagate	Cimarron SAS FIPS 4K (Legacy)	6 TB	SEAGATE STCRSKF2CLAR6000	CV04
Seagate	Cimarron SAS FIPS 4K (Legacy)	8 TB	SEAGATE STCRSKF1CLAR8000	CV04
Seagate	Cimarron SATA 4K (Legacy)	6 TB	ST6000NM028A-2R7132	CK01
Seagate	Cimarron SATA 4K (Legacy)	8 TB	ST8000NM013A-2KE132	CK01
Seagate	Cimarron SATA 512n (Legacy)	1 TB	ST1W00NM004A-2MN130	CB03
Seagate	Cimarron SATA 512n (Legacy)	2 TB	ST2W00NM012A-2MP130	CB03

Seagate	Cimarron SATA 512n (Legacy)	3 TB / 4 TB	ST4W00NM016A-2HZ130	CB03
Seagate	Cimarron SATA 512n (Legacy)	6 TB	ST6W00NM038A-2KF130	CB03
Seagate	Cimarron SAS FIPS 4K	2 TB	STCRSKF2CLAR2000	CV06
Seagate	Cimarron SAS FIPS 4K	4 TB	STCRSKF3CLAR4000	CV06
Seagate	Cimarron SAS FIPS 4K	8 TB	STCRSKF1 EMC8000	CV06
Seagate	Evans SAS FIPS	10 TB	STENSKF4CLAR10T0	VV06
Seagate	Evans SAS FIPS	12 TB	STENSKF3CLAR12T0	VV06
Seagate	Evans SAS FIPS	16 TB	ST16000NM009G	ESH8
Seagate	Evans-BP SAS FIPS	12 TB	ST12000NM007J	P705
Seagate	Evans-BP SAS FIPS	16 TB	ST16000NM007J	P705
Seagate	Summit ISE SATA 4K	24 TB	ST24000NM002H-3KS133	SUR2
Seagate	Summit ISE SATA 4K	12 TB	ST12000NM002H-3KX133	SYR2
Seagate	Summit ISE SATA 4K	16 TB	ST16000NM002H-3KW133	SYR2
Seagate	Summit ISE SATA 4K	20 TB	ST20000NM002H-3KV133	SYR2
Seagate	Summit FIPS SAS 4K	12 TB	ST12000NM009H	SW75
Seagate	Summit FIPS SAS 4K	16 TB	ST16000NM006H	SY75
Seagate	Summit FIPS SAS 4K	20 TB	ST20000NM006H	SY75
Seagate	Summit FIPS SAS 4K	24 TB	ST24000NM006H	SU75
Seagate	Cimarron-BP 2TB / 4TB 4K SAS FIPS	2 TB / 4 TB	SEAGATE ST4000NM017B	L708
Seagate	Cimarron-BP 8TB 4K SAS FIPS	8 TB	SEAGATE ST8000NM011B	L708
Seagate	Marlin-BP 32TB ISE SATA	32 TB	ST32000NM001K-3SH132	MLR2
Solidigm	P5316 15.36TB NVMe QLC	15.36 TB	Dell Ent NVMe P5316 RI 15.36TB	1.7.0
Solidigm	P5316 30.72TB NVMe QLC	30.72 TB	Dell Ent NVMe P5316 RI 30.72TB	1.7.0

Solidigm	P5316 15.36TB NVMe QLC SED Non-FIPS	15.36 TB	Dell Ent NVMe SED P5316 RI 15.36TB	1.7.0
Solidigm	P5316 30.72TB NVMe QLC SED Non-FIPS	30.72 TB	Dell Ent NVMe SED P5316 RI 30.72TB	1.7.0
Solidigm	P5316 15.36TB NVMe QLC SED FIPS	15.36 TB	Dell Ent NVMe FIPS P5316 RI 15.36TB	1.7.0
Solidigm	P5316 30.72TB NVMe QLC SED FIPS	30.72 TB	Dell Ent NVMe FIPS P5316 RI 30.72TB	1.7.0
Solidigm	P5336 15.36TB NVMe QLC ISE	15.36 TB	Dell Ent NVMe P5336 RI ISE 15.36TB	1.4.0
Solidigm	P5336 30.72TB NVMe QLC ISE	30.72 TB	Dell Ent NVMe P5336 RI ISE 30.72TB	1.4.0
Solidigm	P5336 61.44TB NVMe QLC ISE	61.44 TB	Dell Ent NVMe P5336 RI ISE 61.44TB	1.4.0
Solidigm	P5336 15.36TB NVMe QLC FIPS	15.36 TB	Dell Ent NVMe P5336 RI FIPS 15.36TB	1.4.0
Solidigm	P5336 30.72TB NVMe QLC FIPS	30.72 TB	Dell Ent NVMe P5336 RI FIPS 30.72TB	1.4.0
Solidigm	P5336 61.44TB NVMe QLC FIPS	61.44 TB	Dell Ent NVMe P5336 RI FIPS 61.44TB	1.4.0
Solidigm	Dell Ent NVMe P5336 RI ISE 122.88TB	122.88 TB	Dell Ent NVMe P5336 RI ISE 122.88TB	1.2.0
Solidigm	Dell Ent NVMe P5336 RI FIPS 122.88TB	122.88 TB	Dell Ent NVMe P5336 RI FIPS 122.88TB	1.2.0

Manufacturer	Series	Capacity	Model	Firmware revision
STEC	MACH16	100 GB	M16ISD2-100UCT	00000061
Western Digital	RE3	1 TB	WD1002FBYS 02A6B0	03.02C06
Western Digital	RE4	2 TB	WD2002FYPS 01U1B0	04.05G04
Western Digital	RE3	500 GB	WD5002ABYS 02B1B0	02.05B03
Western Digital	Vela-A	6 TB	HITACHI H54726T6CLAR6000 (SAS SED HDD)	D9C0
Western Digital	Vela-AP	8 TB	HITACHI H54728T8CLAR8000 (SAS SED HDD)	D9C0
Western Digital	Vela-A	6 TB	HUS726T6TALN6L0 (SATA HDD)	VKEIT9C0
Western Digital	Vela-AP	8 TB	HUS728T8TALN6L0 (SATA HDD)	V8EMT9C0
Western Digital	Vela-A	2 TB	HUS726T4TALN6L0 (SATA HDD)	VKEMT9C0
Western Digital	Vela-A	4 TB	HUS726T4TALN6L0 (SATA HDD)	VKEMT9C0
Western Digital	Vela-A	3 TB	HGST H5S726T4CLAR4000 (SAS SED HDD)	S9C0

Western Digital	Vela-A	4 TB	HGST H5S726T4CLAR4000 (SAS SED HDD)	S9C0
Western Digital	Vela-A	2 TB and 4 TB	HITACHI H54726T4CLAR4000 (SAS SED)	D9C0
Western Digital	Vela-A	3 TB	HUS726T4TALA6L0 (SATA HDD)	VLEIT9C0
Western Digital	Vela-A	4 TB	HUS726T4TALA6L0 (SATA HDD)	VLEIT9C0
Western Digital	Leo-A (Gen6)	12 TB	HITACHI H5H72121 EMC12T0 (SAS SED 4kn)	D614
Western Digital	Leo-A (Gen6)	12 TB	HUH721212ALN600 (SATA 4kn)	LEEMT614
Western Digital	Leo-A FIPS (Gen6)	10 TB	Leo-A 10TB FIPS (SAS SED 4kn)	D614
Western Digital	Leo-A (Gen6)	10 TB	Leo-A 10TB (SATA 4kn)	T614
Western Digital	WDC BearCovePlus 1WPD FIPS SAS Non-SED 12G (F800)	3.84 TB	W0STR153 EMC3840	D95A
Western Digital	WDC BearCovePlus 1WPD SAS Non-SED 12G (F800)	7.68 TB	W0STR157 EMC7680	D95A
Western Digital	WDC BearCovePlus 1WPD SAS Non-SED 12G (F800)	15.36 TB	W0STR155 EMC15T3	D95A
Western Digital	WDC BearCovePlus 1WPD SAS SAS SED 12G (F800)	3.84 TB	W5STR153 EMC3840	S95A
Western Digital	WDC BearCovePlus 1WPD SAS SAS SED 12G (F800)	7.68 TB	W5STR157 EMC7680	D95A

Manufacturer	Series	Capacity	Model	Firmware revision
Western Digital	WDC BearCovePlus 1WPD SAS SAS SED 12G (F800)	15.36 TB	W5STR155 EMC15T3	D95A
Western Digital	WDC BearCovePlus 3WPD FIPS SAS SED 12G (F800)	1.6 TB	W5STR641 EMC1600	D95A
Western Digital	WDC BearCovePlus 3WPD FIPS SAS SED 12G (F800)	3.2 TB	W5STR643 EMC3200	D95A
Western Digital	WDC BearCovePlus 3WPD FIPS SAS SED 12G (Gen6 Cache)	400 GB	W5STR644 EMC400	D95A

Western Digital	WDC BearCovePlus 3WPD FIPS SAS SED 12G (Gen6 Cache)	800 GB	W5STR648 EMC800	D95A
Western Digital	WDC BearCovePlus 3WPD FIPS SAS SED 12G (Gen6 Cache)	1.6 TB	W5STR641 EMC1600	D95A
Western Digital	WDC BearCovePlus 3WPD FIPS SAS SED 12G (Gen6 Cache)	3.2 TB	W5STR643 EMC3200	D95A
Western Digital	WDC BearCovePlus 3WPD SAS SAS 12G (F800)	1.6 TB	W5STR641 EMC1600	S95A
Western Digital	WDC BearCovePlus 3WPD SAS 3WPD SAS 12G (F800)	3.2 TB	W5STR643 EMC3200	S95A
Western Digital	WDC BearCovePlus 3WPD SAS SAS 12G (Gen 6 Cache)	400 GB	W5STR644 EMC400	S95A
Western Digital	WDC BearCovePlus 3WPD SAS SAS 12G (Gen6 Cache)	800 GB	W5STR648 EMC800	S95A
Western Digital	WDC BearCovePlus 3WPD SAS SAS 12G (Gen6 Cache)	1.6 TB	W0STR641 EMC1600	S95A
Western Digital	WDC BearCovePlus 3WPD SAS SAS 12G (Gen6 Cache)	3.2 TB	W0STR643 EMC3200	S95A
Western Digital	WDC BearCovePlus Non-SED (Gen4 and Gen5 Cache)	200 GB	W0STR644 EMC200	S95A
Western Digital	WDC BearCovePlus Non-SED (Gen4 and Gen5 Cache)	400 GB	W0STR644 EMC400	S95A
Western Digital	WDC BearCovePlus Non-SED (Gen4 and Gen5 Cache)	800 GB	W0STR648 EMC800	S95A

Manufacturer	Series	Capacity	Model	Firmware revision
Western Digital	WDC BearCovePlus Non-SED (Gen4 and Gen5 Cache)	1.6 TB	W0STR641 EMC1600	S95A
Western Digital	WDC BearCovePlus SED (Gen4 and Gen5 Cache)	800 GB	W5STR648 EMC800	D95A
Western Digital	WDC BearCovePlus SED (Gen4 and Gen5 Cache)	1.6 TB	W5STR641 EMC1600	D95A

Western Digital	WDC AriesKP 5xxN SATA 512n 6G X210/ X410/NL410 (Gen4 and Gen5)	2 TB	HUS726020ALA610	A5EITDY0
Western Digital	WDC AriesKP 5xxN SATA 512n 6G X210/ X410/NL410 (Gen4 and Gen5)	4 TB	HUS726040ALA610	A5EITDY0
Western Digital	WDC Aries KP 4Kn 6G SATA NL410/HD400 (Gen4 and Gen5)	6 TB	HUS726060ALN610	APEITDY0
Western Digital	WD Bear Cove Quantum: 1WPD SAS	3.84 TB	W0QTVA13 EMC3840	S109
Western Digital	WD Bear Cove Quantum: 1WPD SAS	7.68 TB	W0QTVA17 EMC7680	S109
Western Digital	WD Bear Cove Quantum: 1WPD SAS	15.36 TB	W0QTVA1A EMC15T3	S109
Western Digital	WD Bear Cove Quantum: 1WPD SAS FIPS	3.84 TB	W5QTVA13 EMC3840	D109
Western Digital	WD Bear Cove Quantum: 1WPD SAS FIPS	7.68 TB	W5QTVA17 EMC7680	D109
Western Digital	WD Bear Cove Quantum: 1WPD SAS FIPS	15.36 TB	W5QTVA1A EMC15T3	D109
Western Digital	WD Bear Cove Quantum: 3WPD SAS FIPS	1.6 TB	W5QTR641 EMC1600	EAN4
Western Digital	WD Bear Cove Quantum: 3WPD SAS FIPS	3.2 TB	W5QTR643 EMC3200	EAN4
Western Digital	WD Bear Cove Quantum: 3WPD SAS	1.6 TB	W0QTR641 EMC1600	S109
Western Digital	WD Bear Cove Quantum: 3WPD SAS	3.2 TB	W0QTR643 EMC3200	S109
Western Digital	WD Bear Cove Quantum: Cache 3WPD SAS	400 GB	400 GB - W0QTR648 EMC400	S109
Western Digital	WD Bear Cove Quantum: Cache 3WPD SAS	800 GB	800 GB - W0QTR648 EMC800	S109
Western Digital	WD Bear Cove Quantum: Cache 3WPD SAS	1.6 TB	1.6 TB - W0QTR641 EMC1600	S109

Manufacturer	Series	Capacity	Model	Firmware revision
Western Digital	WD Bear Cove Quantum: Cache 3WPD SAS	3.2 TB	3.2 TB - W0QTR643 EMC3200	S109

Western Digital	WD Bear Cove Quantum: Cache 3WPD SAS FIPS	400 GB	W5QTR648 EMC400	EAN4
Western Digital	WD Bear Cove Quantum: Cache 3WPD SAS FIPS	800 GB	W5QTR648 EMC800	EAN4
Western Digital	WD Bear Cove Quantum: Cache 3WPD SAS FIPS	1.6 TB	W5QTR641 EMC1600	EAN4
Western Digital	WD Bear Cove Quantum: Cache 3WPD SAS FIPS	3.2 TB	W5QTR643 EMC3200	EAN4
Western Digital	WDC PARIS-C DR 7.2K 3.5 SAS 12G 4K FIP	16 TB	W5H72181CLAR16T0	D290
Western Digital	WDC PARIS-C DR 7.2K 3.5 SATA 6G 4K ISE	16 TB	WUH721816ALE6L0	T290
Western Digital	WDC PARIS-D DR 7.2K 3.5 SATA 6G 4K ISE	20 TB	WUH722020BLN600	PQEMT550

Supported bootflash drives

The following table lists all the supported bootflash drives.

Manufacturer	Series	Capacity	Model	Firmware revision
HGST	Ultrastar C10K1800	300 GB	HGST HUC10183CLAR300	L9H0
Intel	S3500 m.2	80 GB	SSDSCKHB080G4M 118000039	G201EM05
Netlist	mSATA Slim SSD	8 GB	Netlist 8GB-001	S5FAM018
Netlist	mSATA Slim SSD	8 GB	Netlist 8GB-002	S9FM01.6
Smart Modular	mSATA XP+	32 GB	SGMST3D32GBM01EMC 118033093	Ver7.02w

Smart Modular	Xceed IOPS iSATA Slim	8 GB	SMART iSATA SG9SLM3B8GBM11ISI	Ver7.02w
Smart Modular	Xceed IOPS iSATA Slim	8 GB	SMART iSATA SG9SLM3E8GBM11ISI	Ver7.02w
Smart Modular	Xceed IOPS iSATA Slim	8 GB	SMART iSATA SGSLM3E8GBM01ISI	Ver7.02w
Smart Modular	mSATA XL	32 GB	SMART mSATA SG9MST3D32GBM01	Ver7.02w
Smart Modular	mSATA XL	32 GB	SMART mSATA SGMST3D32GBM11ISI	Ver7.02w
Smart Modular	mSATA XL	32 GB	SHMST6D032GHM11EMC 118000100	S8FM08.2
Smart Modular	PS3108 (XP+)	32 GB	SHSLM6B032GHM11EMC	S8FM08.2
Smart Modular	PS3108	32 GB (Formatted to 8 GB)	SHSLM6BA08GHM11EMC 118999813	S8FM08.2
Smart Modular	PS3110	64 GB (Formatted to 32 GB)	SHMST6DA32GLM21EMC 118033313	FW1146
Smart Modular	PS3110 m.2	64 GB	SHM2S6D064GLM21EMC 118000526	FW1120
Smart Modular	PS3110	32 GB (Formatted to 8 GB)	SHSLM6BA08GLM21EMC 118033312	FW1146
Smart Modular	MO-297	32 GB	SGSLM3E32GBM01ISI	Ver7.02k
Smart Modular	PS3110 m.2	128 GB	SHM2S6D128GLM21EMC 118000527	FW1120
SanDisk	SanDisk SSD-P4	8 GB	SanDisk SSD P4 8GB	SSD 8.10

Installation

The following instructions are for performing a non-disruptive firmware update (NDFU) with a drive support package (DSP).

1. Go to the Dell Support page and download the latest drive support package.

NOTE: If you are unable to download the package, contact PowerScale Technical Support for assistance.

2. Open a secure shell (SSH) connection to any node in the cluster and log in.
3. Create or check for the availability of the directory structure `/ifs/data/Isilon_Support/dsp`.
4. Copy the downloaded file to the dsp directory through SCP, FTP, SMB, NFS, or any other supported dataaccess protocols.
5. To unpack the file, perform the following command:
   ```
   tar -zxvf Drive_Support_<version>.tgz
   ```
6. To install the package, perform the following command:

```
isi_dsp_install Drive_Support_<version>.tar
```

7. After installing DSP, check that there is no DSP displayed in the patch list.

NOTE:
- Running isi_dsp_install installs the drive support package on the entire cluster.
- The installation process takes care of installing all the necessary files from the drive support package followed by the uninstallation of the package. You do not need to delete the package after its installation or prior to installing a later version.

Update the drive firmware

When updating the drive firmware to the latest version, OneFS updates the drives sequentially. Updating the drive firmware of a single drive takes approximately 90 seconds, depending on the drive model.

CAUTION: Power cycling drives during a firmware update might return unexpected results. Do not restart or power off nodes when the drive firmware is being updated in a cluster.

1. Open a secure shell (SSH) connection to any node in the cluster and log in.

2. To initiate drive firmware updates on a single node, perform the following command:

   ```
   isi devices drive firmware update start all --node-lnn <node-number>
   ```

   Optionally, to initiate drive firmware updates on all nodes, perform the following command:

   ```
   isi devices drive firmware update start all --node-lnn=all
   ```

Verify a drive firmware update

After you update the drive firmware in a node, confirm that the firmware is updated properly and that the affected drives are operating correctly.

1. To ensure that no drive firmware updates are currently in progress on a single node, perform the following command:
   ```
   isi devices drive firmware update view --node-lnn=<node-number>
   ```
   Optionally, to verify the progress on all nodes, perform the following command: `isi devices drive firmware update list`
2. Confirm that the status of Updating is not displayed on any drives.
3. To verify that all drives have been updated on a single node, perform the following command:
   ```
   isi devices drive firmware list --summary --node-lnn=<node-number>
   ```
   Optionally, to verify the drives on all nodes, perform the following command: `isi devices drive firmware list --summary --node-lnn=all`
4. Confirm that the Desired column is empty for all drives.
5. To verify that all affected drives are operating in a healthy state on a single node, perform the following command:
   ```
   isi devices drive list --node-lnn=<node-number>
   ```
   Optionally, to verify the drives on all nodes, perform the following command: `isi devices drive list --node-lnn=all`
6. Confirm the State column displays [HEALTHY] or [L3].

Verify free disk space

Verify that there is free disk space in the /var/crash partition.

Verify free disk space in the /var/crash partition by running the following command: df -h /var/crash

We recommend having at least 100 MB of free space in `/var/crash` before proceeding.

If `/var/crash` is full and you can identify stale troubleshooting data such as, old core files, remove them to make space. If you need assistance in deciding what to clear, contact Isilon Technical Support for assistance.

Extract the drive support package

Extract the contents of the drive support package to `/var/crash/dsp`.

Extract the contents of the drive support package by running the following commands:

```
cd /var/crash tar -zxf Drive_Support_<version>.tgz mkdir

/var/crash/dsp     tar     -C     /var/crash/dsp     -xf

Drive_Support_<version>.tar
```

Verify drives that need firmware updates

You can verify which drives in a node require firmware updates.

Verify which drives require firmware updates by running the following commands:

```
cd /var/crash/dsp

./isi_update_drive_firmware
```

Where to get help

The Dell Technologies Support site contains important information about products and services including drivers, installation packages, product documentation, knowledge base articles, and advisories.

A valid support contract and account might be required to access all the available information about a specific Dell Technologies product or service.

Additional options for getting help

This section contains resources for getting answers to questions about PowerScale products.

Dell Technologies support	• https://www.dell.com/support/incidents
Telephone support	• United States: 1-800-SVC-4EMC (1-800-782-4362) • Canada: 1-800-543-4782 • Worldwide: 1-312-725-5401 • Local phone numbers for a specific country or region are available at https://www.dell.com/support/incidents
PowerScale OneFS Documentation Info Hubs	• https://www.dell.com/support/kbdoc/000152189/powerscale-onefs
Dell Community Board for self-help	• https://www.dell.com/community

Notes, cautions, and warnings

NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

WARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2020-2026 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.