

## ***Puppet Stuff***

### **Notes**

***Why Puppet changes mode to 7 automatically even specified to something other than 7.***

<https://tickets.puppetlabs.com/browse/PUP-6037>

### **Commands:**

***Puppet apply command in local:***

```
sudo -E /opt/puppetlabs/bin/puppet apply /tmp/
kitchen/manifests/site.pp --modulepath=/tmp/kitchen/
modules --fileserversconfig=/tmp/kitchen/fileservers.conf
--environment=kitchen_vagrant_puppet --
environmentpath=/etc/puppetlabs/code/environments
--hiera_config=/tmp/kitchen/hiera.global.yaml
```

### **Yum repo for puppet:**

```
[puppet]
name=Puppet Repository el 6 - $basearch
baseurl=http://yum.puppetlabs.com/puppet/el/
6/$basearch
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-
puppet-release
enabled=1
gpgcheck=1
```

```
[puppet-source]
```

*name=Puppet Repository el 6 - Source*  
*baseurl=http://yum.puppetlabs.com/puppet/el/6/*  
*SRPMS*  
*gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-*  
*puppet-release*  
*failovermethod=priority*  
*enabled=0*  
*gpgcheck=1*

**Puppet Install command:**

*sudo -E yum -y install <http://yum.puppetlabs.com/puppet5/puppet-release-el-6.noarch.rpm>*