



Ouragan Matthew réponse, Département de la Grand' Anse, Haïti

Rapport sur le renforcement de la surveillance
épidémiologique et gestion des données

Jonathan Polonsky
Epidemiologist
WHO Emergencies Programme

29 NOVEMBER 2016

Background

ON 4 OCTOBER, HURRICANE MATTHEW violently struck Haiti and resulted in the country's largest humanitarian emergency since the 2010 earthquake. It caused extensive flooding and mudslides, damage to road infrastructure and buildings, as well as electricity and water shortages. The latest figures from the governmental Directorate of Civil Protection (DPC) of Haiti have so far confirmed 546 deaths and 438 injured as a result of the hurricane.

Humanitarian needs are said to include access to a sufficient supply of quality water, education, shelter, child protection, health, and nutrition. Of the 1.4 million people who need humanitarian assistance, more than 40 per cent are children who are mainly in the Grand'Anse and Sud Departments

In this context, I was deployed for just over 2 weeks as a field epidemiologist to Jeremie, the departmental capital of Grand'Anse, to analyse the situation and provide support to the PAHO country office in assisting the Ministère de la Santé Publique et de la Population (MSPP) in re-establishing/strengthening epidemic-prone disease surveillance in the affected areas.

Data collection, management, analysis & reporting

AN INITIAL ASSESSMENT OF the ongoing data collection, management and reporting system in place for suspected cholera highlighted potential areas for rapid gains. The processes that feed into these components are described below:

Data collection & management

EVERY DAY, THE PAHO FIELD EPIEMIOLOGIST or the MSPP departmental epidemiologist telephone each Cholera Treatment Centre/Unit (CTC/UTC) to get aggregated information read to them: # cases seen; # cases hospitalised; # institutional deaths; # community deaths. All of these are reported for two age groups: <5 and 5+ years. These phone calls were made twice per day - the first to report overnight changes, and a follow up call made later in the day to find out any further changes during the day.

The data are entered into an excel workbook. With each new day, eight new columns must be added (representing the four variables and two age groups for each). This workbook has data going back to 1st Jan 2012, and is now very wide (> 14,500 columns) and heavy

(~ 40MB). The workbook is (sensibly) protected, but this means that analysing the data is cumbersome - the epidemiologist in place was double entering the data each day, once in this workbook and once in a separate workbook covering just the days since the hurricane.

Analysis & reporting

IN ORDER TO ANALYSE the data since hurricane Matthew, some figures had been created within this second, unprotected excel workbook, and each day these could be updated with the new data. However, because there were a large number of figures (some for overall analyses, and one each for the 17 operational CTCs), this was yet another cumbersome process as the data range for each needed to be manually updated.

These updated graphs were subsequently copied and pasted into a word document, along with a table of the updated data, and this was circulated each day to relevant partners.

Changes made

THE FOLLOWING CHANGES WERE implemented:

- Lighter reporting schedule
 - only one contact made per day to each CTC to reduce burden on both CTC staff and epidemiologist
 - * this should only cover the previous day in completeness
 - a brief (1-page) report of the previous day with a table of new cases by commune & CTC
 - a longer in-depth report issued once per week covering the previous epidemic week in completeness (each epidemic week runs from Sunday to Saturday)
 - * broader trends should be analysed on a weekly, not daily basis
- Automated analysis & reporting
 - As the weekly report has a standardised format, and only needs to take into account updates to the dataset each week, the analysis and reporting were perfect candidates for automation. I wrote a script in the R statistical language¹ to read in the data, analyse it, generate various tables, figures and maps, and output these into a standardised PDF report. The report takes ~20 seconds to generate, rather than >1 hr as was previously the case.

¹ The R Project for Statistical Computing

- This report, approved by MSPP at the departmental level, is shared with MSPP before the weekly surveillance meeting each Wednesday, and the responsibility of sharing the report is handed over to MSPP, as the data are of course owned by the country, not PAHO.

Epidemiological context

EXTRACTS OF THE AUTOMATED report are included in this report to demonstrate the outputs and to describe the current epidemiological situation regarding suspected cholera cases in the Département de la Grand' Anse.




Figure 1: Tendence des cas de diarrhées aiguës, 03 Oct 2016 - 26 Nov 2016 Grand'Anse

Table 1: Répartition des cas de diarrhées aiguës par CTC/UTC, 03 Oct 2016 - 26 Nov 2016 Grand'Anse

Commune	UTC/CTC	Cas (%)	Décès inst. (%)	Décès comm. (%)	Total décès
Abricots	Anse-du Clerc	3 (0.1)	0 (0)	0 (0)	0
Abricots	Bontemps	8 (0.4)	0 (0)	0 (0)	0
Abricots	SSPE des Abrcots	62 (2.9)	2 (4.7)	0 (0)	2
Anse-d'Hainault	HCR Anse d'Hainault	449 (20.7)	8 (18.6)	1 (11.1)	9
Anse-d'Hainault	UTC Sicard	1 (0)	0 (0)	0 (0)	0
Beaumont	Citymed	11 (0.5)	0 (0)	0 (0)	0
Bonbon	Bonbon	10 (0.5)	0 (0)	2 (22.2)	2
Chambellan	Centre de santé de Chambellan	132 (6.1)	2 (4.7)	1 (11.1)	3
Corail	Centre de Santé de Corail	2 (0.1)	0 (0)	0 (0)	0
Dame-Marie	UTC Dame-Marie	110 (5.1)	5 (11.6)	0 (0)	5
Jeremie	Ferme Numero deux	3 (0.1)	0 (0)	0 (0)	0
Jeremie	Gond Ayer	57 (2.6)	5 (11.6)	0 (0)	5
Jeremie	Hôpital St-Antoine	270 (12.4)	1 (2.3)	0 (0)	1
Jeremie	Lory	125 (5.8)	4 (9.3)	0 (0)	4
Jeremie	Marfranc	158 (7.3)	0 (0)	0 (0)	0
Jeremie	Previle	241 (11.1)	6 (14)	0 (0)	6
Les Irois	UTC Les Irois	161 (7.4)	1 (2.3)	1 (11.1)	2
Moron	UTC Moron	323 (14.9)	7 (16.3)	0 (0)	7
Pestel	UTC Pestel	29 (1.3)	1 (2.3)	4 (44.4)	5
Roseaux	Carrefour Charles	17 (0.8)	0 (0)	0 (0)	0
Roseaux	Grand Vincent	0 (0)	1 (2.3)	0 (0)	1
Total	-	2172 (96.7)	43 (-17.6)	9 (10.8)	52




Figure 2: Représentation du taux d'attaque des cas de diarrhées aiguës par 10,000 personnes, 03 Oct 2016 - 26 Nov 2016 par commune, Grand'Anse




Figure 3: Tendence des cas de diarrhées aiguës, 03 Oct 2016 - 26 Nov 2016 par commune, Grand'Anse




Figure 4: Tendance des cas de diarrhées aiguës, 03 Oct 2016 - 26 Nov 2016 par CTC, Grand'Anse




Figure 5: Répartition des cas de diarrhées aiguës par commune, 03 Oct 2016 - 26 Nov 2016 Grand'Anse




Figure 6: Répartition des cas de diarrhées aiguës par tranche d'âge, 03 Oct 2016 - 26 Nov 2016 par commune, Grand'Anse

Additional sources of data

Two additional sources of information are currently unavailable but as they become available in the course of the coming weeks, they should be analysed and incorporated into the regular information products and feed into regular surveillance discussions in DSGA:

Line-listed data from health facilities

Owing to the difficulty in collecting daily data from each facility, only aggregated data are currently collected. However, this leads to a loss of much important granularity of the data, e.g. provenance, sex, treatment protocol and outcome, etc. This information is collected at the facilities and recorded in paper registers. The Centers for Disease Control and Prevention (CDC) are supporting MSPP and Médecins du Monde (MDM - the NGO supporting CTCs/UTCs in DSGA) in digitizing this information as line-lists. PAHO are providing some support to this process by photographing the registers during field visits, and providing these photos to MSPP.

Mobile clinics

On 22nd November 2016, mobile clinics were scheduled to restart their activities having been interrupted by the hurricane and heavy rains which had greatly hampered access to outreach communities. PAHO were asked to review the proposed list of conditions under surveillance and database structure in preparation for resumption of activities.

- need to rebuild surveillance
- community based
- line list to capture essential variables for analysis
- ewars-like system to improve data flow
- describe weaknesses
 - 2-level sensitivity analysis
 - from community to CTC
 - from CTC to central level
 - develop methodology for this
- describe the process of calling for aggregated updates
- regular field visits for:
- investigations (alerts, community deaths, clusters of cases/deaths, etc)

- multidisciplinary visits for rationalising resources - prevents repeated trips to same locations and added burden to staff at CTCs
- collecting and comparing

Recommendations

- food security/malnutrition surveillance
- malaria surveillance
- ewars-type
-

Annexes

- protocol for investigation