

README

Table of Contents

Caffeine Lover Backend ***3***

How to Use the Project ***3***

- **Extract the Compressed Folder** **3**
- **Prerequisites** **3**
- **Install Dependencies** **3**
- **Start the Server** **3**
- **Folder Structure** **4**
- **Notes** **5**

Caffeine Lover FrontEnd ***6***

- **Dependencies** **6**
- **Requirements** **6**
- **Configure the Backend Connection:** **6**
- **Start the application:** **6**
- **Notes** **6**

Caffeine Lover Backend

This is the backend server for the **Caffeine Lover App**, built using Strapi. The application is pre-configured with SQLite for easy deployment and testing.

How to Use the Project

• Extract the Compressed Folder

- Unzip the folder named **caffeinelover_server**.
- Navigate into the extracted folder.

• Prerequisites

Ensure the following tools are installed on your system:

- Node.js (v14 or higher)
- npm or yarn

• Install Dependencies

- Open a terminal in the extracted project folder.
- Run the following command to install all required dependencies:

```
npm install
```

• Start the Server

- Run the following command to start the Strapi backend in development mode:


```
npm run develop
```

- Once the server starts, you can access the Strapi admin panel at:

URL: http://localhost:1337/admin

- Folder Structure

Below is the structure of the project you'll receive:



- Notes

Database Configuration:

- This project uses SQLite as the database, pre-configured and included in the .tmp/data.db file.
- You do not need to set up any external database for this project.

Email Verification:

- Strapi is configured to send an email verification when new users register.
- Upon registering, users receive a verification email using the configured Gmail account.

Environment Variables:

- The .env file is included in the project for seamless setup. No changes are needed unless instructed.

Caffeine Lover FrontEnd

This is the frontend application for the **Caffeine Lover** project, built using React Native and Expo.

• Dependencies

Key libraries used:

- **React Navigation**: For navigating between screens.
- **Expo Payments Stripe**: For handling payments.
- **Formik & Yup**: For form validation.
- **JWT Decode**: For decoding JWT tokens.
- **React Native Paper**: For UI components.

• Requirements

Before starting, ensure you have the following installed on your local machine:

- **Node.js** (Recommended: Latest LTS version)
- **Expo CLI** (Install using npm install -g expo-cli)
- A text editor, such as **VS Code**

• Configure the Backend Connection:

- Open the file located at src/utils/constants.js.
- Update the API_URL and STATIC_URL to point to the backend server's URL.

Example configuration:

• Start the application:

Run the following command to start the Expo development server

```
npm start
```

• Notes

- Error on Port 1337: If you encounter an error related to the port being in use, modify the PORT value in the backend's .env file or ensure no other application is using the same port.