## v2/crypto.pro demo

Welcome to SWI-Prolog (Multi-threaded, 64 bits, Version 7.2.2)
Copyright (c) 1990-2015 University of Amsterdam, VU Amsterdam
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software, and you are welcome to redistribute it under certain conditions.
Please visit http://www.swi-prolog.org for details.

```
For help, use ?- help(Topic). or ?- apropos(Word).
?- consult('v2/crypto.pro').
true.
?- crypto(3,2,1,1,X).
X = ex(ex(3, -, 2), *, 1);
X = ex(1, *, ex(3, -, 2));
X = ex(ex(3, -, 2), /, 1);
X = ex(1, /, ex(3, -, 2));
X = ex(ex(3, -, 2), /, 1);
X = ex(1, /, ex(3, -, 2));
X = ex(ex(2, +, 1), /, 3);
X = ex(3, /, ex(2, +, 1));
X = ex(ex(2, +, 1), /, 3);
X = ex(3, /, ex(2, +, 1));
X = ex(3, -, ex(2, *, 1));
X = ex(3, -, ex(2, /, 1));
X = ex(ex(3, *, 1), -, 2);
X = ex(ex(3, -, 1), /, 2);
X = ex(2, /, ex(3, -, 1));
X = ex(ex(3, -, 1), /, 2);
X = ex(2, /, ex(3, -, 1));
X = ex(ex(3, /, 1), -, 2);
false.
?- crypto(4,5,9,X).
X = ex(4, +, 5);
false.
```

```
?- crypto(8,3,5,6,12,X).

X = ex(ex(8, +, 3), -, ex(5, -, 6));

X = ex(ex(8, +, 3), +, ex(6, -, 5));

X = ex(ex(6, +, ex(8, +, 3)), -, 5);

X = ex(6, -, ex(5, -, ex(8, +, 3)));

X = ex(ex(ex(8, +, 3), -, 5), +, 6);

X = ex(6, +, ex(ex(8, +, 3), -, 5));

X = ex(ex(8, -, 5), +, ex(3, +, 6));

X = ex(ex(8, -, 5), +, ex(6, +, 3)).
```

?- halt.