Java Tutorial Corner (http://javatutorialcorner.com/)

Java College



SPRING (HTTP://JAVATUTORIALCORNER.COM/SPRING-TUTORIALS/) SERVLET (HTTP://JAVATUTORIALCORNER.COM/SERVLET-TUTORIALS/)

JSP (HTTP://JAVATUTORIALCORNER.COM/JSP-TUTORIALS/)

JAX-RS (HTTP://JAVATUTORIALCORNER.COM/JAX-RS-TUTORIALS/)

JAX-WS (HTTP://JAVATUTORIALCORNER.COM/JAX-WS-TUTORIALS/)

JAVA BEST PRACTICE (HTTP://JAVATUTORIALCORNER.COM/JAVA-BEST-PRACTICE-TUTORIALS/)

JAVA XML (HTTP://JAVATUTORIALCORNER.COM/JAVA-XML-TUTORIALS/) JAVA JSON (HTTP://JAVATUTORIALCORNER.COM/JAVA-JSON-TUTORIALS/) WRITE FOR US (HTTP://JAVATUTORIALCORNER.COM/WRITE-FOR-US/)

FORUM (HTTP://FORUM.JAVATUTORIALCORNER.COM/)

Home (http://javatutorialcorner.com/) / dom parser (http://javatutorialcorner.com/category/dom-parser/) / Java (http://javatutorialcorner.com/category/java/) / xml (http://javatutorialcorner.com/category/xml/) / Modify XML file using DOM Parser

Modify XML file using DOM Parser

DOM PARSER (HTTP://JAVATUTORIALCORNER.COM/CATEGORY/DOM-PARSER/), JAVA (HTTP://JAVATUTORIALCORNER.COM/CATEGORY/JAVA/), XML (HTTP://JAVATUTORIALCORNER.COM/CATEGORY /XML/) November 10, 2013, by Annamalai Thangaraj (http://javatutorialcorner.com/author/annamalai-thangaraj/) 0 Comment (http://javatutorialcorner.com/java/modify-xml-file-using-dom-parser/#respond)

In this tutorials we going to see how to modify (add new element, update attribute, update element, delete element)the existing XML document using DOM parser

- 1. Create Project Called JavaXML
- 2. Create package called com.javatutorialscorner.xml.dom under JavaXML.
- 3. Create Java class called ModifyXML.java under com.javatutorialscorner.xml.dom package

ModifyXML.java

1 de 7 22/06/16 17:53

```
import java.io.File;
    import java.io.IOException;
    import javax.xml.parsers.DocumentBuilder;
    import javax.xml.parsers.DocumentBuilderFactory;
    import javax.xml.parsers.ParserConfigurationException;
    import javax.xml.transform.Transformer;
    import javax.xml.transform.TransformerConfigurationException;
    import javax.xml.transform.TransformerException;
    import javax.xml.transform.TransformerFactory;
    import javax.xml.transform.dom.DOMSource;
    import javax.xml.transform.stream.StreamResult;
    import org.w3c.dom.Document;
    import org.w3c.dom.Element;
    import org.w3c.dom.NamedNodeMap;
    import org.w3c.dom.Node;
    import org.w3c.dom.NodeList;
    import org.xml.sax.SAXException;
    public class ModifyXML {
     /**
     * @param args
     public static void main(String[] args) {
     // TODO Auto-generated method stub
     try {
      File xmlFile = new File("C:\jtc\student.xml");
      DocumentBuilderFactory builderFactory = DocumentBuilderFactory
         .newInstance();
       DocumentBuilder builder = builderFactory.newDocumentBuilder();
      Document document = builder.parse(xmlFile);
       // get first element node of root node
      Node studentNode = document.getElementsByTagName("student").item(0);
       // add new Flement
       Element year = document.createElement("year");
       year.appendChild(document.createTextNode("final year"));
       studentNode.appendChild(year);
       // update attribute
      NamedNodeMap arrtMap = studentNode.getAttributes();
      Node attrNode = arrtMap.getNamedItem("id");
       attrNode.setTextContent("ECE-01");
      NodeList nodeList = studentNode.getChildNodes();
       for (int i = 0; i < nodeList.getLength(); i++) {</pre>
       Node node = nodeList.item(i);
        if ("lastname".equals(node.getNodeName())) {
         // update text node
         node.setTextContent("k");
        if ("department".equals(node.getNodeName())) {
         studentNode.removeChild(node);
       }
       }
      TransformerFactory factory = TransformerFactory.newInstance();
      Transformer transformer = factory.newTransformer():
       DOMSource domSource = new DOMSource(document);
       StreamResult streamResult = new StreamResult(new File(
         "C:\jtc\student.xml"));
       transformer.transform(domSource, streamResult);
      } catch (SAXException e) {
       // TODO Auto-generated catch block
2 	ext{ de 7 e.printStackTrace();}
```

```
Modify XMTD file using 190M Parser
    // TODO Auto-generated catch block
    e.printStackTrace();
} catch (ParserConfigurationException e) {
    // TODO Auto-generated catch block
    e.printStackTrace();
} catch (TransformerConfigurationException e) {
    // TODO Auto-generated catch block
    e.printStackTrace();
} catch (TransformerException e) {
    // TODO Auto-generated catch block
    e.printStackTrace();
} catch (TransformerException e) {
    // TODO Auto-generated catch block
    e.printStackTrace();
}
}
```

student.xml

Original XML file

```
<?xml version="1.0" encoding="UTF-8"?>
<college>
<student id="1">
<firstname>Shiva</firstname>
<lastname>Kumar</lastname>
<department>ECE</department>
</student>
<student id="2">
<firstname>Appu</firstname>
<lastname>T</lastname>
<department>CSE</department>
</student</pre>
```

Now run the program see the XML file modified.

Modified XML file

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?><college>
<student id="ECE-01">
<firstname>Shiva</firstname>
<lastname>k</lastname>
<year>final year</year>
</student>
<student id="2">
<firstname>Appu</firstname>
<lastname>T</lastname>
<department>CSE</department>
</student>
</student>
</student>
</student></student>
</student>
</student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></student></tubent></student></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent></tubent
```

Like 0 G+1

« Previous Article
(http://javatutorialcorner.com/java/readxml-file-using-dom-parserl/)

Read XML file using DOM Parserl (http://javatutorialcorner.com

Next Article »
(http://javatutorialcorner.com
/java/create-xml-file-usingdom-parser/)

Create XML File using DOM Parser

Modify XML file using DOM Parser (http://javatutorialcorner.com/author/annamalai-thangaraj/)	Annamalai Thangaraj http://javatuto (http://javatutorialcorner.com/author /annamalai-thangaraj/)	orialcorner.com/java/modify-xml-file-using-dor
LEAVE A COMMENT		
Your comment (required):		
Name (required):		
Email (required):		
Website		
Post Comment		
G		

Jardim Aclimação Jardim Aclimação Margarida

Eldorado Pinheiros Jardim Cuiabá

Bosque da Saúde Sahy Penha

Águas Claras Boa Viagem Moema

Sahv Águas Claras Taguatinga

TUTORIALS

Modify Mutofile (Hising value MacParsetm/spring-

tutorials/

Servlet Tutorials (http://javatutorialcorner.com/servlet-tutorials/)

JAX-RS Tutorials (http://javatutorialcorner.com/jax-rs-tutorials/)

JAX-WS Tutorials (http://javatutorialcorner.com/jax-ws-tutorials/)

Java XML Tutorials (http://javatutorialcorner.com/javaxml-tutorials/)

Java JSON Tutorials (http://javatutorialcomer.com/java-json-tutorials/)

Log4J Tutorials (http://javatutorialcorner.com/log4j-tutorials/)

Java 7 Tutorials (http://javatutorialcorner.com/java-7-tutorials/)

Java Best Practice Tutorials

(http://javatutorialcorner.com/java-best-practice-tutorials/)

JSP Tutorials (http://javatutorialcorner.com/jsp-tutorials/)

Disclaimer (http://javatutorialcorner.com/disclaimer/)

Write For Us (http://javatutorialcorner.com/write-for-us/)



FLIPKART OFFERS



CATEGORIES

Array (http://javatutorialcorner.com/category/array/)
AXIS-2 (http://javatutorialcorner.com
/category/axis-2/) Collections
(http://javatutorialcorner.com

/category/dom-parser/) Eclipse (http://javatutorialcorner.com /category/eclipse/) file (http://javatutorialcorner.com /category/file/) Filter

(http://javatutorialcorner.com/category/filter/) Graph (http://javatutorialcorner.com/category/graph/)

GraphDB (http://javatutorialcorner.com/category

/graphdb/) GSON

(http://javatutorialcorner.com/category

/gson/) IntelliJ (http://javatutorialcorner.com

/category/intellij/) Jackson

(http://javatutorialcorner.com

/category/jackson/) Java

(http://javatutorialcorner.com /category/java/)Java7

(http://javatutorialcorner.com/category

/java7/) Java Best Practice

(http://javatutorialcorner.com

/category/java-best-practice/) Java

Examples

(http://javatutorialcorner.com

/category/java-examples/)

Java String

(http://javatutorialcorner.com

/category/java-string/) JAX-RS

(http://javatutorialcorner.com

/category/jax-rs/) JAX-WS

(http://javatutorialcorner.com

/category/jax-ws/) JSON

(http://javatutorialcorner.com

/category/json/)jsp

(http://javatutorialcorner.com/category/jsp/)

List (http://javatutorialcorner.com

/category/list/) Log4i

(http://javatutorialcorner.com

/category/log4j/) Mail API

(http://javatutorialcorner.com/category

/mail-api/) Map (http://javatutorialcorner.com

/category/map/) NEO4J

(http://javatutorialcorner.com/category/neo4j/)

NetBeans (http://javatutorialcorner.com

/category/netbeans/) Nodes

(http://javatutorialcorner.com/category/nodes/)

NoSQL (http://javatutorialcorner.com/category/nosql/)

others (http://javatutorialcorner.com/category

/others/) properties (http://javatutorialcorner.com

/category/properties/) RESTful

Webservice

(http://javatutorialcorner.com

/category/restful-

webservice/) sax parser

(http://javatutorialcorner.com/category

/sax-parser/) Servlet

(http://javatutorialcorner.com

/category/servlet/) Set

(http://javatutorialcorner.com/category/set/)

SOAP web service

(http://javatutorialcorner.com/category

/soap-web-service/) Spring

(http://javatutorialcorner.com

/category/spring/) Spring IDE

(http://javatutorialcorner.com/category/spring-ide/) sql

(http://javatutorialcorner.com/category/sql/) StAX

(http://javatutorialcorner.com/category

http://javatutorial corner.com/java/modify-xml-file-using-dom...

Modify Will while wing DOM Palser ved) Webservice (http://javatutorialcorner.com /category/webservice/)xml (http://javatutorialcorner.com /category/xml/)

SEARCH

Search

Search

Java Tutorial Corner (http://javatutorialcorner.com/)

7 de 7 22/06/16 17:53