

Index

Symbols

3DES ciphers
reviewing 21

A

Abstract Syntax Notation One
(ASN.1) 6, 103, 139

Advanced Encryption Standard
(AES) 5, 17, 61

cipher, reviewing 20, 21
decrypting with, on command line 37-41
encrypting with, on command line 37-41

**Advanced Encryption Standard in Galois/
Counter Mode (AES-GCM) 9**

**Advanced Encryption Standard in
Galois/Counter Mode with a
Synthetic Initialization Vector
(AES-GCM-SIV) mode 32**

reviewing 32

**Advanced Encryption Standard New
Instructions (AES-NIs) 21**

AES programmatically
used, for decrypting openssl enc file 49, 50
used, for encrypting openssl enc file 44, 45

Application Programming Interface
(API) 4, 37, 78, 174

bindings 7
compatibility 11
instability 11

Application-Specific Integration
Circuits (ASICs) 86

ARIA algorithm 23

ARIA cipher 24

ARM 4

ARMv8.2-SHA 62

ARMv8 Cryptographic Extension 21, 61, 62

asymmetric cryptography algorithms 4, 120

asymmetric encryption algorithms
4, 16, 96, 120

need for 96
private key 96
public key 96

authenticated encryption (AE) 30, 76, 164

**Authenticated Encryption with
Associated Data (AEAD) 30, 166**

authentication tags 71

avalanche effect 56

B

- base CRL** 281
- Basic Input/Output (BIO)** 254
- bit rotations** 17
- BLAKE2** 64
- BLAKE2b** 64, 66
- BLAKE2 family**
 - reviewing, of hash functions 64, 65
- BLAKE2s** 64, 66
- BLAKE3** 65
- blockchain** 58
- block cipher**
 - padding for 33
 - versus stream cipher 17, 18
- block cipher operation modes** 17, 25, 32
 - AES-GCM-SIV mode, reviewing 32
 - Cipher Block Chaining (CBC)
 - mode, reviewing 27, 28
 - Counter (CTR) mode, reviewing 28, 29
 - Electronic Code Book (ECB)
 - mode, reviewing 25, 26
 - Galois/Counter Mode (GCM)
 - mode, reviewing 30-32
 - selecting 32
- block counter** 23
- blocking sockets** 253
- Blowfish cipher** 23
- BoringSSL** 10
 - OpenSSL, comparing with 10, 11
 - Botan 7
 - OpenSSL, comparing with 7, 8
- Browser Exploit Against SSL/TLS (BEAST)** 22, 169
- brute force** 19
- brute-force resistant** 85
- BSD systems** 9

C

- C** 7
- C++** 7
- C++11** 7
- C++17** 7
- Camellia algorithm** 23
- Camellia cipher** 24
- Carter-Wegman + CTR (CWC) mode** 32
- CAST5 cipher** 23
- CAST-128** 23
- Central Processing Unit (CPU)** 19
- certificate**
 - generating, for web and email client 294-296
 - generating, for web server 292-294
 - revoking 296, 297
- Certificate Authority (CA)** 125, 141, 166, 172, 202, 244
- certificate chain** 140, 141
- certificate depth** 195
- certificate pinning** 244
- Certificate Revocation List (CRL)** 140, 202, 203, 245, 281
 - generating 297-300
- Certificate Revocation List (CRL), using in C programs** 203-205
 - CRL lookup callback, implementing 206, 207
 - CRL lookup callback, registering 205
 - function, implementing for downloading CRL from distribution point 208, 209
 - function, implementing for downloading CRL from HTTP URL 210, 211
 - program, running 211, 212
- certificate revocation status**
 - providing, via OCSP 301-304
- certificate signing chain** 140-144

Certificate Signing Request (CSR)

144, 145, 172, 245, 283

Certificate Status Request 213**Certificate Transparency (CT)** 280**certificate verification chain** 140**ChaCha20** 8**ChaCha20 cipher** 22

reviewing 22

ChaCha-Poly1305 9**ChaCha stream cipher** 65**chain of trust** 140**chosen-plaintext attack** 28**cipher** 16**Cipher Block Chaining (CBC) mode**

reviewing 27, 28

cipher feedback (CFB) mode 32**ciphertext** 16**client certificate**

generating 294-296

packaging, into PKCS #12

container files 226-228

collision 56**collision attacks** 23, 59**command line**

HMAC, calculating 77, 78

leaf certificate, verifying 154

message digest, calculating 67

OCSP, using on 214-217

symmetric encryption key, deriving

from password 87, 88

TLS client connection,

establishing on 170-172

TLS server connection.

accepting on 173, 174

Common Name (CN) 179**Compression Ratio Info-Leak**

Made Easy (CRIME) 169

Context (CTX) 47**Continuous Integration** 43**Counter (CTR) mode**

reviewing 28, 29

Counter with CBC-MAC (CCM) mode 32**C programs**

custom verification, of peer

certificates 194-196

OCSP, using in 218, 219

CRL number 281**CRYPTO_BUFFER functionality** 10**cryptocurrencies** 58**cryptographic algorithm** 4, 56**cryptographically secure pseudo random**

generator (CSPRNG) 35

Cryptographic Doom Principle 76**cryptographic hash functions** 56, 66

MDC-2 66

properties 56

RIPEMD-160 66

security, assessing 59, 60

selecting 66

Whirlpool 66

cryptography 3**custom verification of peer certificates,
in C programs** 194-196

program, running 200-202

verification callback, implementing 198-200

verification callback, registering 197

D**Data Encryption Standard (DES)** 21

ciphers, reviewing 21

Datagram Transport Layer

Security (DTLS) 165

data integrity verification 56, 57**delta CRL** 281

- denial-of-service** 59
- deterministic** 85
- Diffie-Hellman (DH) key exchange**
 - method** 29, 88, 98, 164
- digest program**
 - implementing 68, 69
 - running 69
- Digital Signature Algorithm (DSA)** 63, 98
 - reviewing 122
 - selecting 125
- Digital Signature Algorithm (DSA), supported by OpenSSL**
 - reviewing 122
 - ECDSA, reviewing 123
 - EdDSA, reviewing 124, 125
 - overview 121
 - RSA, reviewing 121, 122
 - SMA, reviewing 125
- digital signatures** 4, 57, 72, 120
 - ec-sign program, implementing 130
 - ec-verify program, implementing 134
 - features 120
 - using programmatically 129, 130
 - verifying programmatically 133
 - versus MACs 121
- Distinguished Encoding Rules (DER)** 103, 139, 202, 300
- Distinguished Name (DN) format** 139
- DNS poisoning** 140
- Domain Validated (DV) certificates** 145
- DTLS protocol** 4
- dynamic linking** 6

E

- ec-sign program**
 - implementing 130-132
 - running 132, 133
- ec-verify program**
 - implementing 134, 135
 - running 135
- Electronic Code Book (ECB) mode** 25
 - reviewing 25, 26
- ElGamal algorithm** 99
- Elliptic Curve Cryptography (ECC)** 101
- Elliptic Curve Diffie-Hellman (ECDH)** 98
- Elliptic Curve Digital Signature Algorithm (ECDSA)** 98
 - reviewing 123, 124
- elliptic curve keypair**
 - generating 126, 127
- Encrypt-and-MAC (E&M) scheme** 75
- encryption key** 16, 75, 76
- encryption modes** 25
- encrypt-then-authenticate-then-translate (EAX) mode** 32
- Encrypt-then-MAC (EtM) scheme** 75
- ENGINE API** 5
- engines** 5
- Envelope API** 46
 - disadvantages 46
- Envelope (EVP)** 46
- Ephemeral Diffie-Hellman (DHE)** 164
- Ephemeral Elliptic Curve Diffie-Hellman (ECDHE)** 164
- Ethereum** 63
- EtM TLS protocol extension** 76
- EVP API** 68
- exhaustive search** 19
- existential forgery attack** 72
- existential forgery under a chosen-message attack** 73
- Extendable Output Functions (XOFs)** 62
- Extended Validation (EV) certificates** 145, 146
- extra data** 197

F

Field-Programmable Gate

Arrays (FPGAs) 86

file descriptor (fd) 174

filter BIOS 174

free and open source software
(FOSS) projects 6

G

Galois/Counter Mode (GCM) mode

reviewing 30-32

Git 58

GMP 6

GNU ecosystem 6

GnuPG 63

GNU Privacy Guard (GnuPG) 23

GNU Project 6

GnuTLS 6

OpenSSL, comparing with 6, 7

GOST12 65

GOST89 65

GOST89 cipher 23, 24

GOST94 65

GOST2012 65

GOST2015 cipher 24

GOvernment STandard (GOST) 24

Graphical Processing Units (GPUs) 86

H

handshake secret 167

handshaking operation 99

Hard Core Library (HCL) 7

hash-and-sign paradigm 120

Hash-based Message Authentication

Code (HMAC) 57, 73-75, 166, 225

calculating, on command line 77, 78

calculating, programmatically 78

Hash-based Message Authentication

Code (HMAC) program

implementing 79, 80

running 81

hash collision 56

HashEdDSA 124

HMAC-based key derivation

function (HKDF) 167

HMAC function 73

HMAC-SHA-256 function 74

hybrid encryption scheme 99

Hybrid Public Key Encryption (HPKE) 99

Hypertext Transfer Protocol (HTTP) 165

I

IDEA cipher 23

Individual Validation (IV) certificates 146

initialization vector (IV) 167

Input Key Material (IKM) 84

Input/Output (I/O) 253

Integrated Encryption Scheme (IES) 99

Intel SHA extensions 61, 62

intermediate CA certificates 141

generating 287-291

significance, reasons 142

intermediate CA config file

reference link 290

International Data Encryption

Algorithm (IDEA) 25

Internet Engineering Task Force (IETF) 169

Internet-of-Things (IoT) devices 8, 170

IPsec 77

irreversible 85

K

KangarooTwelve (K12) 62
kdf program
 implementing 89, 90
 running 90
KECCAK Message Authentication Code (KMAC) 74
Kernel TLS (KTLS) 5
key agreement 164
Key Derivation Function (KDF) 84
 overview, supported by OpenSSL 87
 parameters 85
key exchange 4, 76, 164
 operation 99
keypair 96
key signing parties 97
key signing party 97
keystream 18
Kuznyechik 24

L

leaf certificate 141
 verifying, on command line 154
 verifying, programmatically 154, 155
 x509-verify program, implementing 155-158
 x509-verify program, running 158
length extension attack 74
LibreSSL 9
 OpenSSL, comparing with 9
Libtasn1 6
lightweight TLS libraries 8
 MatrixSSL 8
 Mbed TLS 8
 OpenSSL, comparing with 8, 9
 wolfSSL 8
Local Area Networks (LANs) 24

M

MAC function 72
MAC function security 72, 73
MAC-then-Encrypt (MtE) scheme 75
Magma 24
Man in the Middle (MITM) attack
 32, 96, 97, 140, 164, 244
 key fingerprint, verifying over phone 97
 key, signing by trusted third party 98
 key splitting 98
 meeting, in person 97
master secret 167
MatrixSSL 8
Mbed TLS 8
MD4 64
MD5 61, 64, 65
MD family
 functions 64
 reviewing, of hash functions 64
Mercurial 58
Merkle tree structure 65
message authentication 72
Message Authentication Code (MAC) 22, 57, 72, 164
 versus digital signatures 121
Message Digest (MD) 4, 56, 64
 blockchain 58
 calculating, on command line 67
 calculating, programmatically 68
 content identifier 58
 cryptocurrencies 58
 data integrity verification 56, 57
 digital signatures 57
 Hash-based Message Authentication Codes (HMACs) 57

need for 56
 network protocols 57
 password verification 58
 proof-of-work 58, 59

mini-CA

running 279
 running, openssl ca subcommand
 used 280, 281

Modification Detection Code 2 (MDC-2) 66

N

national cipher 23

national cryptographic hash functions 65

National Institute of Standards and Technology (NIST) 20, 60

National Security Agency (NSA) 60

Nettle 6

network protocols 57

Network Security Services (NSS) 7

 OpenSSL, comparing with 7

non-blocking sockets 253

non-repudiation 72

non-self-signed certificate

 generating 150-153

NSS library 7

number used once (nonce) 18

O

OAEP padding 105

OCSP responder 213

OCSP stapling 213, 245

OCSP, using in C programs

 OCSP callback, implementing 219-224
 OCSP callback, registering 219
 program, running 224, 225

offset codebook (OCB) mode 32

Online Certificate Status Protocol (OCSP) 140, 213, 245, 289

 using 213
 using, in C programs 218, 219
 using, on command line 214-217
 certificate revocation status,
 providing via 301-304

OpenBSD 9

OpenSSH 9, 63

OpenSSL 3-6

 available asymmetric encryption 98, 99
 comparing, with BoringSSL 10, 11
 comparing, with Botan 7, 8
 comparing, with GnuTLS 6, 7
 comparing, with LibreSSL 9, 10
 comparing, with lightweight
 TLS libraries 8, 9
 comparing, with NSS 7
 compiling 42-44
 component purpose 36, 37
 downloading 35
 history 4, 5
 installing 35
 key derivation functions, overview 87
 linking 42-44
 URL 35, 140
 used, for verifying TLS peer certificate 194

OpenSSL 3.0 5

 features 5, 6

OpenSSL BIOs 174-176

openssl ca subcommand 280

 used, for running mini-CA 280, 281

OpenSSL compatibility layers 4

openssl dgst subcommand 77

openssl enc file

 decrypting, with AES
 programmatically 49, 50
 decryption program, implementing 50, 51

- decryption program, running 52
- encrypting, with AES
 - programmatically 44, 45
- encryption program, implementing 45-48
- encryption program, running 49

OpenSSL library

- initializing 41, 42
- uninitializing 41, 42

openssl mac subcommand 77, 78**OpenSSL operation implementation**

- providers 5

operating system kernel 5**Operating System (OS)** 244**opportunistic TLS** 165**oracle** 30**Organization Validation (OV)**

- certificates 146

output feedback (OFB) mode 32**Output Key Material (OKM)** 84

P

Padding Oracle On Downgraded Legacy
Encryption (POODLE) 169**partial hash inversion** 58**passphrase** 84**password** 84

- symmetric encryption key, deriving
 - on command line 87, 88

- symmetric encryption key, deriving
 - programmatically 88, 89

- versus symmetric encryption key 84

Password-Based Key Derivation
Function (PBKDF) 84-86

- properties 85

password hashing 64**Perfect Forward Secrecy (PFS)** 164**PGP** 66**PKCS #12 container** 296**PKCS #12 container files**

- client certificates, packaging into 226-228

plaintext 16**Poly1305** 8**POWER8** 62**Power ISA** 62**prehash function** 124**preimage attacks** 59**pre-master secret** 167**Pretty Good Privacy (PGP)** 23, 63, 97**Privacy Enhanced Mail (PEM)** 103, 139, 300**private key** 72, 96**proof-of-work** 58, 59**propagating CBC (PCBC) mode** 32**provider** 5**pseudorandom cipher digit stream** 18**Pseudorandom Function (PRF)** 76, 167**Pseudo-Random Number**
Generator (PRNG) 18**public key** 96**Public Key Cryptography Standard number**
7 padding (PKCS #7 padding) 33

- disadvantage 34

Public Key Infrastructure (PKI) 98, 244**Public or Private Key (PKEY)** 102**PureEddSA** 124**Python** 7

Q

quantum computing 20, 102

R

Random Number Generator (RNG) 123**RC2 cipher** 23

-
- RC4 cipher**
 - reviewing 22
 - RC5 cipher** 23
 - RC cipher family** 24
 - Rijndael algorithm** 21
 - RIPEMD-160** 66
 - Rivest-Shamir-Adleman (RSA) algorithm** 98
 - reviewing 122
 - using, to decrypt programmatically 115
 - using, to encrypt and decrypt on
 - command-line 105-107
 - root CA certificate** 141
 - generating 281-287
 - root CA config file**
 - reference link 285
 - rsa-decrypt program**
 - implementing 116
 - running 117
 - rsa-encrypt program**
 - implementing 108-110
 - running 110, 111
 - RSA key exchange** 164
 - RSA keypair**
 - generating 102-105
 - RSA security** 99-102
- S**
- S-boxes** 24
 - Scrypt algorithm** 88
 - secret key** 72
 - Secure Multipurpose Mail Extension (S/MIME)** 63
 - Secure Sockets Layer (SSL)** 4
 - security**
 - assessing, of cryptographic
 - hash functions 59, 60
 - security bits** 20
 - SEED algorithm** 23
 - SEED cipher** 24
 - selective forgery attack** 72
 - self-signed certificate**
 - generating 147-150
 - Server Name Indication (SNI)** 167, 268
 - session key** 99
 - SHA-0** 61
 - SHA-0 hash functions**
 - reviewing 63, 64
 - SHA-1** 61, 64, 65
 - SHA-1 hash functions**
 - reviewing 63, 64
 - SHA-2** 65, 66
 - SHA-2 family**
 - hash functions 60
 - reviewing, of hash functions 60, 61
 - SHA-2 functions** 60
 - SHA-3** 65, 66
 - SHA3-256** 66
 - SHA-3 family**
 - reviewing, of hash functions 61, 62
 - SHA3 family**
 - functions 61
 - SHA-256** 59
 - SHA-512** 61
 - SHAKE128** 62
 - SHAKE256** 62
 - Shang Mi 2 (SM2)**
 - reviewing 125
 - signatures**
 - subcommands, for signing and
 - verification of 127-129
 - SM3** 65
 - SM4 algorithm** 23
 - SM4 cipher** 24
 - Sophie Germain Counter Mode (SGCM) mode** 32

Source Code Management (SCM) 58

source or sink BIOs 174

spam 59

SSH 66, 77

SSL 3.0 64

SSLey library 4

SSL/TLS library 3

standard block padding 33

stream cipher 18

 versus block cipher 17, 18

Streebog 65

Subject Alternative Names (SANs) 179

SVE/SVE2 62

symmetric cipher

 national cipher 23

 overview, by OpenSSL 17

 RC cipher family 24

 reviewing, by OpenSSL 23

symmetric cipher security 19

symmetric cryptographic algorithms 20

symmetric cryptography 4

symmetric encryption algorithm

 4, 16, 17, 164

symmetric encryption key 84

 deriving, from password on

 command line 87, 88

 deriving, from password

 programmatically 88, 89

 generating 34

 versus password 84

Synthetic Initialization Vector (SIV) 32

T

TLS 66, 76

TLS 1.0 64

TLS 1.1 64

TLS certificate pinning 244, 245

 cert_verify_callback() function,
 implementing 249-251

 cons 246

 pros 245

 run_tls_client() function,
 modifying 247-249

 tls-cert-pinning program, running 251-253

 using 246

TLS client certificates

 generating 225, 226

 loading 236-240

 program, running 232-234

 requesting 228

 response generation function,
 implementing 230-232

 using 225

 verifying 229, 230

 verifying, on server side
 programmatically 228

TLS client connection

 code inherited from tls-client

 program, modifying 235, 236

 establishing, on command line 170-172

 establishing, programmatically 176, 177

 establishing, with client certificate
 programmatically 234, 235

 program, running 240, 241

 tls-client program, implementing 177-182

 tls-client program, running 182

tls-client program

 implementing 177-182

 running 182

TLS connection 7, 194

TLS handshake 5, 166, 167

 consequences 167, 168

TLS on non-blocking sockets

- run_tls_client() function,
 - modifying 254-260
- tls-client-non-blocking program,
 - running 260, 261
- using 254

TLS on non-standard sockets 262, 263

- run_tls_client() function,
 - reimplementing 266-273
- service_bios() function,
 - implementing 264-266
- tls-client-memory-bio program,
 - running 273, 274
- using 263, 264

TLS peer certificate

- verifying, with OpenSSL 194

TLS protocol 164, 165

- history 168-170

TLS server connection

- accepting, on command line 173, 174
- accepting, programmatically 183, 184
- certificates, preparing 172, 173
- tls-server program, implementing 184-190
- tls-server program, running 190-192

tls-server program

- implementing 184-189
- running 190-192

TLS socket 5**TLS (Transport Layer Security) 4****TLS Working Group (TLS WG) 169****Transmission Control Protocol (TCP) 165****Transport Layer Security (TLS) 98, 243****Triple DES (3DES) 21****TrueCrypt 66****Trusted Third Parties 141****twisted Edwards curves 124****two-clause BSD license 8****U****universal forgery attack 72****User Datagram Protocol (UDP) 165****V****VeraCrypt 66****verify depth 195****W****web of trust 7, 98****Whirlpool 66****wolfSSL 8****X****x86/x86_64 62****X.509 63, 66****X.509 certificate 138-140**

- fields 139

X.509 certificates 3, 4, 57, 164

- generating 144-146

- generating, stages 144

X.509 Public Key Infrastructure (PKI) 147**X509v3 extensions 146, 147, 301****x509-verify program**

- implementing 155-158

- running 158

XOR (eXclusive OR) 18**Z****zero round-trip time (0-RTT) 170**



Packt . com

Subscribe to our online digital library for full access to over 7,000 books and videos, as well as industry leading tools to help you plan your personal development and advance your career. For more information, please visit our website.

Why subscribe?


- Spend less time learning and more time coding with practical eBooks and Videos from over 4,000 industry professionals
- Improve your learning with Skill Plans built especially for you
- Get a free eBook or video every month
- Fully searchable for easy access to vital information
- Copy and paste, print, and bookmark content

Did you know that Packt offers eBook versions of every book published, with PDF and ePub files available? You can upgrade to the eBook version at packt . com and as a print book customer, you are entitled to a discount on the eBook copy. Get in touch with us at customercare@packtpub . com for more details.

At www . packt . com, you can also read a collection of free technical articles, sign up for a range of free newsletters, and receive exclusive discounts and offers on Packt books and eBooks.

Other Books You May Enjoy

If you enjoyed this book, you may be interested in these other books by Packt:




Cryptography Algorithms

Massimo Bertaccini

ISBN: 978-1-78961-713-9

- Understand key cryptography concepts, algorithms, protocols, and standards
- Break some of the most popular cryptographic algorithms
- Build and implement algorithms efficiently
- Gain insights into new methods of attack on RSA and asymmetric encryption
- Explore new schemes and protocols for blockchain and cryptocurrency
- Discover pioneering quantum cryptography algorithms
- Perform attacks on zero-knowledge protocol and elliptic curves
- Explore new algorithms invented by the author in the field of asymmetric, zero-knowledge, and cryptocurrency



Modern Cryptography for Cybersecurity Professionals

Lisa Bock

ISBN: 978-1-83864-435-2

- Understand how network attacks can compromise data
- Review practical uses of cryptography over time
- Compare how symmetric and asymmetric encryption work
- Explore how a hash can ensure data integrity and authentication
- Understand the laws that govern the need to secure data
- Discover the practical applications of cryptographic techniques
- Find out how the PKI enables trust
- Get to grips with how data can be secured using a VPN

Packt is searching for authors like you

If you're interested in becoming an author for Packt, please visit [z](#) and apply today. We have worked with thousands of developers and tech professionals, just like you, to help them share their insight with the global tech community. You can make a general application, apply for a specific hot topic that we are recruiting an author for, or submit your own idea.

Hi!

I am Alexei Khlebnikov, author of *Demystifying Cryptography with OpenSSL 3*. I really hope you enjoyed reading this book and found it useful for increasing your productivity and efficiency in securing your applications or networks with OpenSSL.

It would really help me (and other potential readers!) if you could leave a review on Amazon sharing your thoughts on *Demystifying Cryptography with OpenSSL 3*.

Go to the link below to leave your review:

<https://packt.link/r/1800560346>



Your review will help me to understand what's worked well in this book, and what could be improved upon for future editions, so it really is appreciated.

Best Wishes,

Alexei Khlebnikov

