

</> NivXRay MCIP

Malware Command Intelligence Platform · Deterministic · Offline-first

NivXRay Analyst Report

Report Field	Value
Product	NivXRay MCIP
Engine	orchestrator-v1
Schema Version	1.0
Report Format	PDF (deterministic, metadata-stripped)
Input Length	1170 bytes
Layers Decoded	3

Executive Summary

Deterministically decoded 3 layer(s): extract-wrapper → base64-decode → xor-brute. Identified family: ****Meterpreter/MSFvenom stager**** (85% confidence). MITRE ATT&CK: T1059.001, T1027, T1027, T1055.012. IOCs: 1 ips. LOLBAS usage: powershell.exe. Verdict: ****malicious**** (risk 95/100).

Verdict

Field	Value
Verdict	MALICIOUS
Risk Score	95 / 100
Terminal	family-identified
Stopping Reason	Family 'Meterpreter/MSFvenom stager' identified with 85% confidence — stopping recursion at terminal state.
Elapsed	81 ms
Engine	orchestrator-v1

Why This Score

Source	Points	Evidence
family-match	+55	High-confidence family: Meterpreter/MSFvenom stager (85%)
mitre	+32	4 MITRE technique(s): T1027, T1055.012, T1059.001
iocs	+4	1 IPs, 0 URLs, 0 domains extracted
lolbas	+4	LOLBAS usage: powershell.exe
Total (capped at 100)	95	

Malware Family

Field	Value
Family	Meterpreter/MSFvenom stager
Confidence	85%
Evidence	Shellcode prologue matched: MSFvenom x86 reverse_tcp/https stager

Decode Timeline

#	Plugin	Conf	In→Out	Time	Why
1	extract-wrapper	95%	1170→1112	0ms	Wrapper detected: FromBase64String
2	base64-decode	85%	1112→834	0ms	Base64 alphabet fit, length mod 4 == 0, len=1112
3	xor-brute	65%	834→834	78ms	Binary payload (834 bytes, entropy 7.15) — brute-forceable

Indicators of Compromise

IPs (1)

- 149.28.81.19

MITRE ATT&CK Mapping

Technique	Name	Tactic	Source	Evidence	
T1059.001	Command and Scripting Interpreter Execution	Execution	PowerShell	archetype	[Convert]::FromBase64String() wrapper
T1027	Obfuscated Files or Information	Defense Evasion		archetype	Base64-encoded PowerShell payload
T1027	Obfuscated Files or Information	Defense Evasion		heuristic	XOR-obfuscated payload recovered; downstream magic: MSFvenom
T1055.012	Process Hollowing	Defense Evasion		heuristic	Detected MSFvenom x86 reverse_tcp/https stager — typical injection

LOLBAS Detection

Binary	Technique	Evidence
powershell.exe	T1059.001	[Convert]::FromBase64String wrapper

Recommended Investigation Steps

1. [HIGH] Block and hunt for outbound connections to: 149.28.81.19

IP indicators extracted from decoded payload.

2. [CRITICAL] Trigger IR playbook for Meterpreter/MSFvenom stager

High-confidence family match (85%).

Plugin Execution Report

Layers run: 3 · Total time: 81 ms · Budget: depth ≤ 12, branches ≤ 3, wall-time ≤ 5000 ms (used 81 ms).

Layer	Plugin	Outcome	Conf	Reason	Time
0	extract-wrapper	accepted	95%	high-confidence transform	0ms
1	base64-decode	accepted	85%	high-confidence transform	0ms
2	xor-brute	accepted	65%	soft improvement	78ms

Final Decoded Output (Preview)

üè■■■■`■ā1òd■R0■R ■R■■r(■.J&1ÿ1À~<a|■, ÁĬ ■ÇâðRw■R■■B<■ð■@x ÀtJ■ðP■H■■X
■óă<I■4■■ö1ÿ1À~ÁĬ ■Ç8âuô■}ø;}\$uâX■X\$óf■ K■X ■Ó■■■■ð■D\$[[aYZQÿàX_Z■■ë■]hnet■hwiniThLw&■ÿðè■■
■■1ÿwwwWh:Vyšÿðé■■■[1ÉQQj■QQh»■■SPhw■■ÆÿðPé■■■■[1òRh■2À■RRRSRPhèU.;ÿð■Æ■ĀPh■3■■■àj■Pj
VhuF■■ÿð_1ÿWwjÿSVh-■■{ÿð À■■Ē■■■1ÿ òt■■ùè h^ĀĀ]ÿð■ĀhE!^1ÿð1ÿWj■QVPh·Wà
ÿðž■/■■9Çu■XPé{ÿÿÿ1ÿé■■■■éÉ■■■■èöÿÿ/EZWf■ko W«'■±´ ■Ú■■ā´{-
ö■¥Úx;É■J½ç0ð■■Ü@PU³■nð4■rÝ■%ĀsĬ■L■■T<î|¹■■■j\÷Ú■zÉF■dç■■User-Agent: Mozilla/5.0 (compatible; MSIE
9.0; Windows NT 6.1; Trident/5.0; B0IE9;PTBR)
■Ůu,|k■ò■ ;■f■ÇðŮhú d
İòİFÊXù^°ðçI°8%çð\$■t\$■ö-.iî8■dùðz■ê9■]■;i■■■7 Aaz>ĀÉ ■ŷ■■ðç■Tu%1X■■éE■Ēâ K(Ā×|■āāē■æÇ■İèþ|Ā(÷■*■n
LÊ`š0ĀtÇ,>■@è;5Ů■>;Q~9■■g■|=ép]°■N■Ā■E°ĀW■Zi»Ö■(Ç A■ouô■±šPßÖF
■°øtèh■■Y%0W0É3xĀShgùß}P■■■A■hðµçVÿðj@h■■■■h■■@■WhX±Sāÿð■¹■■■■■ÜQS■çwh■ ■■SVh■■■āÿð ÀtÆ■■■Ā
ÀuĀXĀè■ÿÿÿ149.28.81.19■■■■■