BRITA | PRO

Brita PRO by Protect Plus LLC
420 3rd Avenue NW • Hickory, NC 28601 • (866) 985-2900
www.britapro.com
Technical Support Hotline: (828) 449-2023

SYSTEM TYPE

Whole House

CATEGORY

Platinum Series / Filtration

SYSTEM PARAMETERS

TITANIUM LT
Trio/3 Stage System





PRODUCT FEATURES

- Refer to each filter for its unique certification:
  - » Certified by IAPMO R&T to **NSF/ANSI Standard 42**
  - » Certified by IAPMO R&T to **NSF/ANSI Standard 53**
  - » Certified by IAPMO R&T to **NSF/ANSI Standard 61**
  - » Certified by IAPMO R&T to **NSF/ANSI Standard 401**
- Dual gradient filtration for coarse and fine particles.
- Significantly reduces a wide range of contaminants (including Lead, PFAS, Pharmaceuticals, VOC's, Chlorine & Chloramines).
- Adaptable configuration to support dynamic water contaminant solutions.
- No drain required.
- No electricity required.
- Simple in and out connection.

IAPMO R&T C ®

MADE IN USA

The BRITA I PRO ® trademark and logo are registered trademarks of Brita LP and are used under license by Protect Plus, LLC. All rights

PRODUCT SPECIFICATIONS

SYSTEM TYPE Whole House

CATEGORY Platinum Series / Filtration


SYSTEM PARAMETERS

TITANIUM LT

Trio/3 Stage System

System Specifications

Part Number	BPWHF8000	BPWHF8001	BPWHF8005	BPWHF8004	* BPWHF8002	* BPWHF8003	* BPWHF8006
Product Description	System	Sediment Filter	Poly-phosphate Filter	Chlorine/ Chloramine Filter	Lead & VOC's Filter	PFAS & Pharmaceutical Filter	Chloramine Plus Filter
Certification Description	N/A	NSF 61, 42	NSF 61, 42	NSF 42	NSF 53, 42	NSF 53, 42 & 401	NSF 42
IAPMO Certification Claims	N/A	Health Effects Sediment Removal	Phosphate & Anti-Scale	Chlorine, Taste & Odor	Lead & VOC's removal	PFOA/PFOS & Pharmaceuticals III	Chlorine/ Chloramine
Class Level	N/A	IV	IV	I	IV	I	I
Service Flow Rate gpm	7	9	9	7	9	10	4
Water Pressure psi - Min	40	40	40	40	40	40	40
Water Pressure psi - Max	120	120	120	120	120	120	120
Pressure Drop-Max	12	12	12	12	12	12	12
Temperature-Min	40°	40°	40°	40°	40°	40°	40°
Temperature-Max	100°	100°	100°	100°	100°	100°	100°
Filter Capacity / Replacement Interval	120,000 gal	120,000 gal	120,000 gal	120,000 gal	Independant testing cap 25,000 @ 7 gpm IAPMO testing cap 9300 @ 10 gpm	9300 @ 10 gpm/ 55,000 @ 4 gpm	20,000 @ 4 gpm
Weight (lb)	empty 30 - 35 full 70 - 75	2	3	7	7	7	7
Height (in)	29.25 +	20.125	20.125	20.125	20.125	20.125	20.125
Width (in)	23.5	4.5	4.5	4.5	4.5	4.5	4.5
Depth (in)	9	N/A	N/A	N/A	N/A	N/A	N/A



+ Clearance needed for filter replacements, 8" from the bottom of the unit.

Important Information

- *Specialty Filters sold separately.
- Replacement filter requirements depend on quality of incoming water. Typically every 6-12 months.

BRITA | PRO

PRODUCT SPECIFICATIONS

SYSTEM TYPE Whole House

CATEGORY Platinum Series / Filtration

SYSTEM PARAMETERS

TITANIUM LT

Trio/3 Stage System

Sediment Filter *Part No: BPWHF8001*	• 100% FDA Virgin Polypropylene • Dual Gradient Filtration • Graded density sediment filter reduces particles from the water • High efficiency depth filter • Reliable and economical solution for pre filtration • Greater dirt holding capacity • Greater surface area for longer life • Reduces particle loading - allows for higher flow rates • Certified by IAPMO R&T to **NSF/ANSI Standard 42** • Certified by IAPMO R&T to **NSF/ANSI Standard 61**
Polyphosphate Filter *Part No: BPWHF8005*	• High Capacity - Phosphate & Anti-Scale • Silicone Gasket Seal • Reduces the effects of inorganic contaminants (iron, manganese, calcium, etc.) in ground water supplies • Maintains water quality (inhibit corrosion, scale, biofilm, reduce lead and copper levels) in the distribution system • Economically and environmentally friendlier than a softener • Reduces build up in pipes • Protects water using appliances from the effects of hard water and metals in water
Chlorine / Chloramine Filter *Part No: BPWHF8004*	• Reduces chlorine and chloramines • Made with high quality premium coconut shell carbon • Reduces bad tastes, odors and contaminants • Reduces Volatile Organics (VOCs) • Cold water use only • Certified by IAPMO R&T to **NSF/ANSI Standard 42**
Lead & VOC's Filter **Specialty Filter* *Part No: BPWHF8002*	• Reduces harmful contaminants that include and disinfection byproducts and trihalomethanes, and many other undesirable and potentially toxic compounds. • Reduces Volatile Organic Compounds (VOC) • Made from high quality, premium coconut shell carbons • Reduces lead particulate at 6.5 and 8.5 pH • Reduces compounds up to .5 microns • Improves water overall taste and odor • Cold water use only • Certified by IAPMO R&T to **NSF/ANSI Standard 42** • Certified by IAPMO R&T to **NSF/ANSI Standard 53**
PFAS & Pharmaceutical Filter **Specialty Filter* *Part No: BPWHF8003*	• Reduces PFOA and PFOS ("Forever Chemicals") compounds • Reduces a variety of pharmaceutical compounds • Made from premium activated carbons • Reduces lead particulate at 6.5 and 8.5 pH • Reduces compounds up to 1 micron • Improves water overall taste and odor • Cold water use only • Certified by IAPMO R&T to **NSF/ANSI Standard 42** • Certified by IAPMO R&T to **NSF/ANSI Standard 53** • Certified by IAPMO R&T to **NSF/ANSI Standard 401**
Chlorine / Chloramine Plus Filter **Specialty Filter* *Part No: BPWHF8006*	• Reduces chlorine and chloramines • Provides faster reaction rates than conventional carbons • Made with high quality catalytic carbons • Reduces bad tastes, odors and contaminants • Reduces Volatile Organics (VOCs) • Cold water use only • Certified by IAPMO R&T to **NSF/ANSI Standard 42**

BRITA | PRO