ScientoPy v 2.1.6, Installation and User Manual

Juan Pablo Ruiz Rosero
jpabloruiz@unicauca.edu.co

Contents

1 Installation **2**

2 Download the bibliometric dataset **2**

2.1 Download the dataset from Scopus . . . 2

2.2 Download the dataset from WoS . . . 3

3 Running the ScientoPy scripts **3**

3.1 Preprocessing . . . 4

3.2 Extract the top topics . . . 4

3.3 Analyze custom topics inside a criterion . . . 5

3.3.1 Asterisk (*) wildcard . . . 5

3.3.2 Evolution plot . . . 6

3.4 Additional options . . . 6

3.5 Finding trending topics . . . 6

3.6 Analysis based on the previous results . . . 7

3.7 Output files and directories . . . 7

4 ScientoPy graph types **9**

4.1 Time line graph . . . 9

4.2 Horizontal bars graph . . . 10

4.3 Horizontal bars trends . . . 10

4.4 Evolution graph . . . 11

4.5 Word cloud graph . . . 11

1 Installation

Requirements: Python 3.9 or higher.

1. For Windows download and install Python 3 (version 3.9 or higher) from: `https://www.python.org/downloads/`.
2. For Debian or Ubuntu run this command to install Python3 and tkinter:

   ```
   sudo apt-get install python3 python3-tk python3-pip python3-pil python3-pil.imagetk
   ```

3. Clone the repository:

   ```
   git clone https://github.com/jpruiz84/ScientoPy
   ```

4. Create a virtual environment and install dependencies:

   ```
   python3 -m venv venv
   source venv/bin/activate        # Linux/macOS
   # venv\Scripts\activate          # Windows

   pip install --upgrade pip
   pip install -r requirements.txt
   ```

2 Download the bibliometric dataset

This section describes how to download the proper dataset from Scopus and WoS. Define a search criteria that will be used for Scopus and WoS. For this guide and for the example dataset we are using: "Bluetooth low energy"

2.1 Download the dataset from Scopus

1. Make your search with the defined search criteria for Article title, Abstract, Keywords.
2. Select all the results and click on Export:



3. Select as method of export **CSV (Excel)**, and select the Customize export **Citation information, Bibliographical information, Abstract and Keywords**, then click on Export:



4. Save the file on the folder `/ScientoPy/dataIn`

2.2 Download the dataset from WoS

1. Make your search with the defined search criteria for Topic.
2. Select **Save in Other File Formats**



3. Select the number of records to download, on Record Contented select **Full Record and Cited References**, on File Format select **Tab-delimited (Win, UTF-8)**, and click on Send.



4. Save the file on the folder `/ScientoPy/dataIn`

3 Running the ScientoPy scripts

This section describes the ScientoPy scripts to preprocess and analyze the bibliometric dataset.

3.1 Preprocessing

First we need to preprocess the downloaded dataset. This preprocess merge all the downloaded files from one folder to a single file. Also, this process remove the duplicated files. To preprocess the example dataset ("Bluetooth low energy" downloaded in April 2, 2026, located in dataInExample) run this command inside ScientoPy folder:

```
python3 preProcess.py dataInExample
```

Then, inside the folder `ScientoPy/dataPre` you will find the following files:

- **papersPreprocessed.csv:** this file contains the information of all papers after the pre-process. This file will be used by the others scripts as the input data.
- **PreprocessedBrief.csv:** this file briefs the pre-process statics results, such as duplicated papers removed, types of documents, and others.

To find more options of the preprocessing script you can run:

```
python3 preProcess.py -h
```

3.2 Extract the top topics

With this script you can extract the top topics of a selected criterion. The ScientoPy criterion are described on Table 1:

Table 1: ScientoPy criterion description

Criteron	Description
author	Authors last name and first name initial
sourceTitle	Publication or journal name
subject	Research areas, only from WoS documents
authorKeywords	Author keywords
indexKeywords	Keywords generated by the index, from WoS {Keyword Plus}, and from Scopus {Indexed keywords}
bothKeywords	AuthorKeywords and indexKeywords are used for this search
abstract	Document abstract, for use with pre-defined topics and asterisk wild-card
documentType	Type of document
dataBase	Database where the document was extracted (WoS or Scopus)
country	Country extracted from authors affiliations
institution	Institution extracted from authors affiliations
institutionWithCountry	Institution with country extracted from authors affiliations

For example, to find the top author keywords you can run this script:

```
python3 scientoPy.py -c authorKeywords
```

This will generate a list with the top 10 topics on the selected criterion (in this case authorKeywords), with the number of documents per topic. Also, this script show the bar graph with the percentage of documents in the last years, and saves the quantitative results on the folder `ScientoPy/results`.

This script have more options like, save the plot on a file, or increase the number of topic results. For more information you can run:

```
python3 scientoPy.py -h
```

3.3 Analyze custom topics inside a criterion

If you want to make an analysis of custom topics, such as the two selected countries papers evolution, you can use the `scientoPy.py` script, with the option `-t`, to specify the topics:

```
python3 scientoPy.py -c country -t "United States; Brazil"
```

You can analyze any topic in any criterion. Put the topics on the `-t` argument. Divide the topics with the `;`. Also, you can integrate two or more topics in one, by dividing it with `,`. This is very useful for abbreviations and plural singulars, for example:

```
python3 scientoPy.py -c authorKeywords -t \
"WSN, Wireless sensor network, Wireless sensor networks; RFID, RADIO FREQUENCY IDENTIFICATION"
```

Note: The command is very long, for that reason the command was divided by `\`. If you have problems in Windows, remove the "änd put the command in one single line.

3.3.1 Asterisk (*) wildcard

You can use the asterisk wildcard to find phrases or words which starts or ends with the letters that you have inserted. For example, if you want to find "device", "devices", and "device integration", enter the following command:

```
python3 scientoPy.py -c authorKeywords -t "device*"
```

ScientoPy will print the topics found for the previous search:

```
Topics found for device*:
"Device Discovery;device-to-device synchronization;Device authentication;device-free;
device to device;Device driver;Device management;Device Independence;Device Identification"
```

You can use this information, to analyze each specific topic found, like this:

```
python3 scientoPy.py -c authorKeywords -t \
"Device Discovery;device-to-device synchronization;Device authentication;device-free; \
device to device;Device driver;Device management;Device Independence;Device Identification"
```

3.3.2 Evolution plot

Also, you can see the results with an evolution plot (add `-g evolution`). This option plots the accumulative documents, average documents per year (ADY), and percentage of documents in the last years, for example:

```
python3 scientoPy.py -c authorKeywords -t \
"WSN, Wireless sensor network, Wireless sensor networks; RFID, RADIO FREQUENCY IDENTIFICATION" \
-g evolution
```

This script have more options like, save the plot on a file, or others. For more information you can run:

```
python3 scientoPy.py -h
```

3.4 Additional options

The `scientoPy.py` script provides the following additional options:

- `--onlyFirst`: Only look in the first element of the topic, for example to analyze only the first author name, country or institution.
- `--graphTitle "Title"`: Put a title in the output graph.
- `--plotWidth N`: Set the plot width size in inches (default: 6.4).
- `--plotHeight N`: Set the plot height size in inches (default: 4.8).
- `-f "filter"` or `--filter "filter"`: Filter to be applied on a sub topic. For example, to extract institutions from the United States:

  ```
  python3 scientoPy.py -c institutionWithCountry -f "United States"
  ```

- `--pYear`: Present the results in percentage per year instead of documents per year.
- `--yLog`: Plot Y axes in log scale.
- `-s N` or `--skipFirst N`: To filter the first top N elements from the results.

3.5 Finding trending topics

This script finds the top trending topics based on the higher average growth rate (AGR) over the others. The AGR is calculated on two years periods, using the following Equation (3.5):

$$AGR = \frac{\sum_{i=Y_s}^{Y_e} P_i - P_{i-1}}{(Y_e - Y_s) + 1},$$

where:
AGR = Average growth rate;
Y_s = Start year;
Y_e = End year;
P_i = Number of publications on year i.

To find the top trending topics on author keywords criterion, you can run the following script:

```
python3 scientoPy.py -c authorKeywords --trend --startYear 2015 --endYear 2025 \
--windowWidth 2  --agrForGraph -g evolution
```

This script will find the top 200 topics, then it calculates the AGR for the last 2 years (`--windowWidth 2`). Finally, the 200 top topics are sorted from the highest AGR in the last 2 year period to the lower. The first 3 AGR topics are filtered (they correspond to the keyword Bluetooth low energy), and the next 10 topics are graphed in an evolution plot.

3.6 Analysis based on the previous results

ScientoPy generates an output file with all the output documents from the last run script. For example if we run the command:

```
python3 scientoPy.py -c country -t "Canada" --noPlot
```

ScientoPy will create a documents output file (`results/papersPreprocessed.csv`) with all documents that have authors with affiliation in Canada. This output file can be used by ScientoPy to perform an analysis based on this, in that way if we run the following command with the option `-r` or `--previousResults` after the previous one to analyze based on the previous results:

```
python3 scientoPy.py -c authorKeywords -r -g bar
```

we will obtain the top author keywords from papers where the author affiliation correspond to Canada. Also, we can run the following command to know which are the countries that have more common documents with Canada:

```
python3 scientoPy.py -c country -r -g bar
```

Note: the ScientoPy documents output file is only generated when the `-r` or `--previousResults` is not used. In that way, if we run many times a ScientoPy command with this option, the documents output file will not overwritten.

3.7 Output files and directories

After run some ScientoPy commands or after run all the example commands by executing the script `exampleGenerateGraphs.sh` you will find the following folder and files structure:

```
ScientoPy
├── dataInExample
├── dataPre
│   ├── papersPreprocessed.csv
│   └── PreprocessedBrief.csv
├── graphs
├── Manual
└── results
    ├── AuthorKeywords.csv
    ├── AuthorKeywords_extended.csv
    └── papersPreprocessed.csv
```

These folders and output files are described bellow:

- **dataInExample:** contains Scopus and WoS example data set for the search criteria "Bluetooth low energy" downloaded in April 2, 2026. This is the input example for preprocess script.

- **dataPre:** output folder for the preprocess results, and input folder for scientoPy script.
- **papersPreprocessed.csv:** preprocesed papers data with all input documents merged, filtered, and duplication removed. This is the input file that scientoPy script uses.
- **PreprocessedBrief.csv:** preproceses brief table that shows the preprocess results related to total papers found per data base, the omitted papers, the duplicated papers count per data base, and the total number of papers per paper type (Conference paper, article, review...)
- **graphs:** graphs output folder for preprocess and scientoPy scripts
- **Manual:** folder with the pdf manual and example paper with scientoPy commands highlighted used for graph and tables generation.
- **results:** output folder for scientoPy result output files
- **AuthorKeywords.csv:** scientoPy output file for the selected criterion (in this case authorKeywords) that shows the top topics or the custom topics with the total number of documents, the Average Growth Rate (AGR), the Average Documents per Year (ADY), the h-index, and the documents per each year.
- **AuthorKeywords_extended.csv:** scientoPy output file for the selected criterion (in this case authorKeywords) that show the top or custom topics with the documents related to each one.
- **papersPreprocessed.csv:** inside the results folder, this file contains the output papers from the last scientoPy used script. This is used as an input for scientoPy script when it use the option `-r` or `--previousResults`

4 ScientoPy graph types

ScientoPy has 5 different ways to graph the results described on Table 2.

Table 2: ScientoPy output graphs types

Graph type	Argument	Description
Time line	`-g time_line`	Graphs the number of documents of each topic vs the publication year
Horizontal bars	`-g bar`	Graphs the total number of documents of each topic in horizontal bars
Horizontal bars trends	`-g bar_trends`	Graphs the total number of documents of each topic in horizontal bars, with the percentage of document published in the last years
Evolution	`-g evolution`	Graphs two plots, one with the accumulative number of documents vs the publication year, and other with the average papers per year vs the percentage of documents in the last years
Word cloud	`-g word_cloud`	Generate a word cloud based on the topic total number of publications

Below are showed some examples of these graphs types, with the command used.

4.1 Time line graph

Command:

```
python3 scientoPy.py -c authorKeywords --startYear 2015 --endYear 2025 -g time_line
```



4.2 Horizontal bars graph

Command:

```
python3 scientoPy.py -c authorKeywords --startYear 2015 --endYear 2025 -g bar
```



4.3 Horizontal bars trends

Command:

```
python3 scientoPy.py -c authorKeywords --startYear 2015 --endYear 2025 -g bar_trends
```



4.4 Evolution graph

Command:

```
python3 scientoPy.py -c authorKeywords --startYear 2015 --endYear 2025 -g evolution
```



4.5 Word cloud graph

Command:

```
python3 scientoPy.py -c authorKeywords --startYear 2015 --endYear 2025 -l 500 -g word_cloud
```


Bluetooth Low Energy
Internet of Things
Bluetooth
Internet of Things (IoT)
Indoor Positioning
Machine Learning
Bluetooth Low Energy (BLE)
BLE
indoor localization
IoT
wireless sensor network
wireless
localization
Beacon
energy harvesting
fingerprinting
trilateration
smartphone
Received Signal Strength Indicator (RSSI)
RSSI
IEEE 802.15.4
Beacons
embedded systems
Neural network
Smart Cities
Radio frequency
Bluetooth low-energy (BLE)
Healthcare
COVID-19
Estimation
positioning
Sensors
Wireless fidelity
energy consumption
Proximity
BLE (Bluetooth Low Energy)
LoRaWAN
Mesh Network
Logic gates
Signal processing
optimization
low energy
Wireless sensor network (WSN)
wearable
Authentication
Android application
Real-time systems
deep learning
Edge computing
Smart Home
wearable devices
low power
security
navigation
ZigBee
reliability
Contact tracing
ECG
Delays
NFC
Tracking
Sensor networks
BLE beacons
bluetooth beacon
CMOS
WSN
Wearable device
Performance Evaluation
Activity Recognition
indoor positioning system
Location awareness
indoor navigation
privacy
Advertising
Proximity Detection
Monitoring
wireless sensor
Android
Receivers
time synchronization
wireless sensor network
particle filter
Angle of arrival
Throughput
Wearables
Received signal strength indicator
Gateway
Bluetooth Smart
wearable sensors
Power Consumption
Location tracking
inertial sensors
Wireless communication
received signal strength
accuracy
Location-based Services
Wi-Fi
Cross-technology Communication
Health Monitoring
mobile application
BLE beacon
Artificial Intelligence
Mesh networks
Interference
wireless
Kalman filter
Distance estimation
neighbor discovery
RFID
Bluetooth low energy beacon
IMU
Temperature sensors
Distance measurement
Standards
Calibration
Indoor Positioning Systems
Fingerprint recognition
Synchronization
Augmented reality
Convolutional neural network
Backscatter
Smartphones
Heart rate
Smart phones
Frequency Hopping
Fog Computing
GLOWPAN
ESP32
System-on-chip
Microcontroller
Antenna arrays
Eddystone
MQTT
Hardware
Batteries
Smart City
Computer Vision
Mesh
Multilateration
Latency
5G
Mobile Devices
Physical Web
Cloud Computing
energy efficiency
Sensor Fusion
iBeacon
Antennas
accelerometer
electrocardiogram
Internet-of-Things
Bluetooth Mesh
Bluetooth LE
IoT security
Protocols
embedded system
Internet of Things (IoT)
Safety
Biomedical monitoring
Bluetooth Low-Energy
Mobile computing
fingerprint
indoor tracking
Asset tracking
Anomaly detection
Kalman filters
Classification
Social Distancing
pedestrian dead reckoning
WiFi
iBeacons
temperature measurement
Precision Agriculture
Human activity recognition
Wearable electronics
Angle of Arrival (AoA)
Location estimation
Industry 4.0
Energy
low-power
Triangulation
Neural networks
WSN
Data collection
Data augmentation
Transceivers
Servers
Cyber-physical systems
Backscatter communication
Temperature sensors
Wearable computers
Data models
Vital Signs
Channel estimation
Supervised learning
Activity Monitoring
Big data
Phase noise
Wireless power transfer
Cloud
Fuzzy logic
Wireless mesh networks
Capacitive sensing
Wireless sensors
Radiofrequency identification
Smart environments
Bluetooth beacons
Electric vehicles
Thread
Data analytics
Machine learning (ML)
Context aware
Wireless communications
Scanning
Training
Bluetooth Low Energy (BLE) Beacons
Smartphone application
Mobile App
Interoperability
Received Signal Strength (RSS)
Inertial measurement unit (IMU)
Computer architecture
Wireless power transmission
Wearable sensor
Sensor systems
Modulation
Data acquisition
Health care
Cybersecurity
Real-time monitoring
X-Nearest neighbor
Wireless power transfer
Fabio transmitters
Robot vision
Markov chain
Trajectory
Channel estimation
Vital Signs
Supervised learning
Activity Monitoring
Big data
Phase noise
Data models
Dataset
Error Correction
Noise
Fidelity
Smart farming
Wireless sensors
Radiofrequency identification
Fuzzy logic
Wireless mesh networks
Smart environments
Bluetooth beacons
Electric vehicles
Thread