

Combined

Table of contents

1 Polynomial rings and irreducibility criteria	3
2 Field extensions and algebraic elements	4
3 Groups	6
3.1 Fields	6
3.2 Degree of an extension	6
3.3 Exercises	6
4 Symmetric groups	8
4.1 eqn test	8
4.2 Core Definitions	8
4.2.1 some defn	8
4.3 Fundamental Theorems	8
4.4 Homework Practice	8
5 Sylow's theorems	9
6 Core Definitions	9
7 IOQM 2024	11
8 IOQM 2025	12

Fields and Galois theory

Chapter 1. Polynomial rings and irreducibility criteria

Chapter 2. Field extensions and algebraic elements

Group theory

Chapter 3. Groups

This material follows the standard treatment in a [1].

Exercise 1.1. Consider an exercise.

See [Exercise 1.0](#).

Exercise 1.2. funn

Solve [Exercise 1.1](#).

§3.1 Fields

We begin by establishing the properties of fields mapping vector components.

Definition 1.3. A function $T : V \rightarrow W$ between two vector spaces over the same field F is called a **linear transformation** if it satisfies:

1. Additivity: $T(u + v) = T(u) + T(v)$ for all $u, v \in V$
2. Homogeneity: $T(cv) = cT(v)$ for all $c \in F$ and $v \in V$

[Definition 1.2](#).

Definition 1.4. ...

§3.2 Degree of an extension

Theorem 1.5. Let V and W be vector spaces, where V is finite-dimensional. If $T : V \rightarrow W$ is a linear map, then:

$$\dim(\text{null } T) + \dim(\text{range } T) = \dim V$$

§3.3 Exercises

Exercise 1.6. Let $T : \mathbb{R}^3 \rightarrow \mathbb{R}^2$ be defined by $T(x, y, z) = (x + y, z)$. Find a structured matrix representation M_T and verify the output dimension explicitly:

$$M_T = \begin{pmatrix} 1 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

Exercise 1.7 (Identity Dimension Mapping).

Let $T : \mathbb{R}^3 \rightarrow \mathbb{R}^2$ be defined by $T(x, y, z) = (x + y, z)$. Find the dimension of the null space.

Solution:

By inspecting the matrix row parameters:

$$M_T = \begin{pmatrix} 1 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

The rank is clearly 2 because the two rows are linearly independent. By Rank-Nullity, $\dim(\text{null } T) = 3 - 2 = 1$.

Note 1.8. Remember that every basis is linearly independent.

Warning 1.9. Do **not** confuse image and codomain.

Example 1.10. Let

$$T(x, y) = (x + y, y).$$

Proof. We proceed by induction...

□

Remark 1.11. The converse is false.

History 1.12. The Rank-Nullity theorem appeared in the nineteenth century.

Lemma 1.13. lemma statement

Proposition 1.14. proposition statement

Claim 1.15. claim statement

Corollary 1.16. corollary statement

This material follows the standard treatment in a [\[1\]](#).

Bibliography

[1] D. S. Dummit and R. M. Foote, *Abstract Algebra*, 3rd ed. Wiley, 2004.

Chapter 4. Symmetric groups

§4.1 eqn test

$$a = b. \quad (1)$$

Study the equation in [Equation 1](#).

$$c = d. \quad (2)$$

Study the equation in [Equation 2](#).

§4.2 Core Definitions

In this session, we analyze how linear transformations scale specific vector subspaces.

§4.2.1 some defn

Definition 2.1. Let $T : V \rightarrow V$ be a linear operator on a vector space V over a field F . A non-zero vector $v \in V$ is called an **eigenvector** of T if there exists a scalar $\lambda \in F$ such that:

$$T(v) = \lambda v$$

The scalar λ is called the **eigenvalue** corresponding to the eigenvector v .

See [Definition 2.0](#) for the formal definition of eigenvalues and eigenvectors.

§4.3 Fundamental Theorems

Theorem 2.2. Let $T : V \rightarrow V$ be a linear operator. If $v_1, v_2, \dots, v_m$ are eigenvectors corresponding to **distinct** eigenvalues $\lambda_1, \lambda_2, \dots, \lambda_m$, then the set $\{v_1, v_2, \dots, v_m\}$ is linearly independent.

By [Theorem 2.1](#), we conclude that eigenvectors corresponding to distinct eigenvalues are linearly independent.

§4.4 Homework Practice

Exercise 2.3. Consider the 2×2 matrix A representing a linear transformation on $\mathbb{R}^2$:

$$A = \begin{pmatrix} 4 & 2 \\ 1 & 3 \end{pmatrix}$$

1. Compute the characteristic polynomial $p(\lambda) = \det(A - \lambda I)$.
2. Find the distinct eigenvalues λ_1 and λ_2 by solving:

$$\lambda^2 - 7\lambda + 10 = 0$$

By [Exercise 2.2](#).

Lemma 2.4. lemma

by [Lemma 2.3](#).

Chapter 5. Sylow's theorems

Chapter 6. Core Definitions

Theorem 3.1. There are infinitely many prime numbers.

Lemma 3.2. lemma nice

Note that [Lemma 3.1](#)

also Note that [Lemma 3.1](#)

Corollary 3.3. Let K/F be a field extension.

Note that [Lemma 3.1](#) [Corollary 3.2](#)

Theorem 3.4. nice thm

observe that [Lemma 3.1](#) [Corollary 3.2](#)

IOQM

Chapter 7. IOQM 2024

ioqm 2024 = not a perfect square

Chapter 8. IOQM 2025

ioqm 2025 = 45 square