## **Chapter 48 Outline**

**Network-Analysis: Estimation and Inference** 

John P. Schoeneman<sup>1</sup> and Bruce A. Desmarais<sup>1</sup>

<sup>1</sup>Penn State, Political Science, University Park, Pond Lab

**Introduction:** Most statistical models used in the social sciences rely on the assumption that the observations in a dataset (or at least clusters of observation) are drawn independently from a common data generating process. However, when analyzing networks it is often inappropriate to assume that observations are independent (Desmarais and Cranmer, 2017). Indeed, the network analyst is often interested in studying the ways in which observations depend upon each other (e.g., do friends influence each others' choices to vote (Bond et al., 2012), do legislators reciprocate support for legislation (Kirkland and Williams, 2014)).

Overview: In this chapter we will review three of the most popular statistical models that have been developed to analyze network data, along with their extensions. These include the exponential random graph model (ERGM) (Cranmer and Desmarais, 2011), the latent space model (LSM) (Dorff, Minhas and Ward, 2016), and the stochastic block model (SBM) (Latouche, Birmelé and Ambroise, 2011). We will review the application of each method to networks in which ties are binary (e.g., are two legislators on at least one committee together), count (e.g., on how many committees do two legislators both serve), and continuous (e.g., how much time do two legislators spend together in committee meetings each week). The complexity and analytical intractability of the mathematical forms of these models render exact approaches to estimation infeasible. As such, estimation in these models proceeds by sampling from a Bayesian posterior and/or approximate methods of maximum likelihood (Nowicki and Snijders, 2001; Raftery et al., 2012; Van Duijn, Gile and Handcock, 2009). We will review these estimation methods, and how they are applied to the ERGM, LSM, and SBM. One complication that arises from the variety of sampling-based and approximate approaches to inference with network models is that standard information criteria that would normally be used to select between different families of statistical models (e.g., AIC, BIC, DIC) cannot be calculated in a manner that is comparable across different families of network models. Recently, researchers have considered various methods of out-of-sample prediction in order to compare and select among network models in terms of generalization error (e.g., Desmarais and Cranmer, 2012; Dorff, Minhas and Ward, 2016), with some debate regarding whether this is an appropriate approach (Block et al., 2018). We will conduct a simulation study to evaluate the effectiveness of comparing the performance of models in terms of generalization error. This simulation study will be, to our knowledge, the first experiment designed to evaluate approaches to comparing network models based on generalization error.

**Organization:** This chapter will be divided into three sections. In the first section we will give an overview of the most common models used in network analysis. In the second section we will discuss the approaches to estimation that are commonly used with these models. In the last section we will conduct a simulation study with the goal of evaluating the effectiveness of measuring generalization error to assist practitioners in selecting among these models.

## References

- Block, Per, Johan Koskinen, James Hollway, Christian Steglich and Christoph Stadtfeld. 2018. "Change we can believe in: Comparing longitudinal network models on consistency, interpretability and predictive power." *Social Networks* 52:180–191.
- Bond, Robert M, Christopher J Fariss, Jason J Jones, Adam DI Kramer, Cameron Marlow, Jaime E Settle and James H Fowler. 2012. "A 61-million-person experiment in social influence and political mobilization." *Nature* 489(7415):295.
- Cranmer, Skyler J and Bruce A Desmarais. 2011. "Inferential Network Analysis with Exponential Random Graph Models." *Political Analysis* 19(1):66–86.
- Desmarais, Bruce A and Skyler J Cranmer. 2012. "Micro-level interpretation of exponential random graph models with application to estuary networks." *Policy Studies Journal* 40(3):402–434.
- Desmarais, Bruce A and Skyler J Cranmer. 2017. "Statistical Inference in Political Networks Research." *The Oxford Handbook of Political Networks* p. 203.
- Dorff, Cassy, Shahryar Minhas and Michael D Ward. 2016. Latent Networks and Spatial Networks in Politics. In *The Oxford Handbook of Political Networks*.
- Kirkland, Justin H and R Lucas Williams. 2014. "Partisanship and reciprocity in cross-chamber legislative interactions." *The Journal of Politics* 76(3):754–769.
- Latouche, Pierre, Etienne Birmelé and Christophe Ambroise. 2011. "Overlapping stochastic block models with application to the french political blogosphere." *The Annals of Applied Statistics* pp. 309–336.
- Nowicki, Krzysztof and Tom A B Snijders. 2001. "Estimation and prediction for stochastic blockstructures." *Journal of the American statistical association* 96(455):1077–1087.
- Raftery, Adrian E, Xiaoyue Niu, Peter D Hoff and Ka Yee Yeung. 2012. "Fast inference for the latent space network model using a case-control approximate likelihood." *Journal of Computational and Graphical Statistics* 21(4):901–919.
- Van Duijn, Marijtje AJ, Krista J Gile and Mark S Handcock. 2009. "A framework for the comparison of maximum pseudo-likelihood and maximum likelihood estimation of exponential family random graph models." *Social Networks* 31(1):52–62.