The Realm Mobile Platform Experience

Realm World Tour 2017, #RealmWorldTour

JP Simard

An estimated billion people rely on Realm.
Most probably you do too.

jp@realm.io

Reactive Mobile Database with Live Objects

Open Source and Free

jp@realm.io

Realm Mobile Database



realm

jp@realm.io

Objects

Swift

```swift
class Dog: Object {
  dynamic var age: Int = 0
  dynamic var owner: Person?
}
```

Java

```java
public class Dog extends RealmObject {
    private int age;
    private Person owner;
}
```


jp@realm.io

Swift

```swift
class Dog: Object {
  dynamic var age: Int = 0
  dynamic var owner: Person?
}
```

Java

```java
public class Dog extends RealmObject
    private int age;
    private Person owner;
}
```



jp@realm.io

Queries

Swift

```swift
class Dog: Object {
  dynamic var age: Int = 0
  dynamic var owner: Person?
}
```

Java

```java
public class Dog extends Realm
    private int age;
    private Person owner;
}
```

Swift

```swift
let puppies = realm
  .objects(Dog.self)
  .filter("age < 2")
```

Java

```java
RealmResults<Dog> puppies = realm
  .where(Dog.class)
  .lessThan("age", 2)
  .findAll();
```


jp@realm.io

Swift

```swift
class Dog: Object {
  dynamic var age: Int = 0
  dynamic var owner: Person?
}
```

Java

```java
public class Dog extends RealmObject
    private int age;
    private Person owner;
}
```



Swift

```swift
let puppies = realm
  .objects(Dog.self)
  .filter("age < 2")
```

Java

```java
ts<Dog> puppies = realm
og.class)
("age", 2)
();
```


jp@realm.io

Notifications

Swift

```swift
class Dog: Object {
  dynamic var age: Int = 0
  dynamic var owner: Person?
}
```

Java

```java
public class Dog extends Realm
    private int age;
    private Person owner;
}
```

Swift

```swift
let puppies = realm
  .objects(Dog.self)
  .filter("age < 2")
```

Java

```
; = realm
```

Swift

```swift
let token = puppies.addNotificationBlock { changes in
  self.updateUI(with: changes)
}
```

Java

```java
puppies.addChangeListener(new
RealmChangeListener<RealmResults<Dog>>() {
  @Override
  public void onChange(RealmResults<Dog> puppies) {
    updateUI(puppies);
  }
});
```


jp@realm.io

Swift

```swift
class Dog: Object {
  dynamic var age: Int = 0
  dynamic var owner: Person?
}
```

Java

```java
public class Dog extends RealmObject
    private int age;
    private Person owner;
}
```



Swift

```swift
let puppies = realm
  .objects(Dog.self)
  .filter("age < 2")
```

Java

```java
ts<Dog> puppies = realm
og.class)
("age", 2)
();
```

```swift
= puppies.addNotificationBlock { changes in
ateUI(with: changes)
```

Java

```java
puppies.addChangeListener(new
RealmChangeListener<RealmResults<Dog>>() {
  @Override
  public void onChange(RealmResults<Dog> puppies) {
    updateUI(puppies);
  }
});
```


jp@realm.io

Transactions

Swift

```
try realm.write {
  dog.owner = Person(name: "me")
}
```

Java

```
realm.executeTransaction(new Realm.Transaction() {
  @Override
  public void execute(Realm r) {
    Person me = new Person("me");
    r.copyToRealm(me)
    dog.setOwner(me);
  }
});
```

realm

jp@realm.io

Transactions

Swift

```
class Dog: Object {
  dynamic var age: Int = 0
  dynamic var owner: Person?
}
```

Java

```
public class Dog extends RealmObject
    private int age;
    private Person owner;
}
```

Swift

```
let puppies = realm
  .objects(Dog.self)
  .filter("age < 2")
```

Java

```
ts<Dog> puppies = realm
og.class)
("age", 2)
();
```



Swift

```
try realm.write {
  dog.owner = Person(name: "me")
}
```

Java

```
realm.executeTransaction(new Realm.Transaction() {
  @Override
  public void execute(Realm r) {
    Person me = new Person("me");
    r.copyToRealm(me)
    dog.setOwner(me);
  }
});
```

```
= puppies.addNotificationBlock { changes in
ateUI(with: changes)
```

Java

```
puppies.addChangeListener(new
RealmChangeListener<RealmResults<Dog>>() {
  @Override
  public void onChange(RealmResults<Dog> puppies) {
    updateUI(puppies);
  }
});
```

realm

jp@realm.io

Seamless Data Sync for Realtime Apps and Collaborative Features

Realm Mobile Platform

jp@realm.io

Realtime sync with REST



jp@realm.io

The Realm Mobile Platform Experience



Only Realm



e.g. REST, Parse, etc.

realm

jp@realm.io

Realm



Only Realm

REST/JSON



e.g. REST, Parse, etc.

realm

jp@realm.io

Realm



Only Realm

REST/JSON



e.g. REST, Parse, etc.

realm

jp@realm.io

Changing your apps architecture from this...



jp@realm.io

...to this



realm

jp@realm.io

Data Access API

```
var Realm = require(‘realm');

var results = realm.objects(“Dog”);

realm.write(function() {
    results[0].owner = me
})
```

realm

jp@realm.io

More Server Features

- Realm Database SDK
- Authorization
- Encrypted Transport
- Realtime Synchronization
- Server Side Event Handling
- Horizontal Scaling
- Continuous Backup



realm

jp@realm.io

Demo

Realm Pop

Connecting to the Realm
Server Object, Server Events

jp@realm.io

Realm Mobile Platform

- https://realm.io
- RealmTasks to demo all features
- DE is free for all
- PE has 2 month trial



realm

jp@realm.io

We're hiring

- Distributed Systems Eng.
- JavaScript Engineer
- Product Manager
- Sales Engineer
- Account Executive
- local / remote !

realm.io/jobs

realm

jp@realm.io

Questions?

JP Simard
jp@realm.io
www.realm.io
@simjp

1. Join **realm-guest**
2. password is: **piedpiper**
3. go to https://worldtour.realm.io or scan:
4. install RealmPop and play!

Realm World Tour 2017, #RealmWorldTour

JP Simard