



Matrices and Vectors

Matrices are 2-dimensional arrays:

$$\begin{bmatrix} a & b & c \\ d & e & f \\ g & h & i \\ j & k & l \end{bmatrix}$$

The above matrix has four rows and three columns, so it is a 4 x 3 matrix.

A vector is a matrix with one column and many rows:

$$\begin{bmatrix} w \\ x \\ y \\ z \end{bmatrix}$$

So vectors are a subset of matrices. The above vector is a 4 x 1 matrix.

Notation and terms:

- A_{ij} refers to the element in the i th row and j th column of matrix A .
- A vector with ' n ' rows is referred to as an ' n '-dimensional vector.
- v_i refers to the element in the i th row of the vector.
- In general, all our vectors and matrices will be 1-indexed. Note that for some programming languages, the arrays are 0-indexed.
- Matrices are usually denoted by uppercase names while vectors are lowercase.
- "Scalar" means that an object is a single value, not a vector or matrix.
- \mathbb{R} refers to the set of scalar real numbers.
- \mathbb{R}^n refers to the set of n -dimensional vectors of real numbers.

Run the cell below to get familiar with the commands in Octave/Matlab. Feel free to create matrices and vectors and try out different things.

```
1 % The ; denotes we are going back to a new row.
2 A = [1, 2, 3; 4, 5, 6; 7, 8, 9; 10, 11, 12]
3
4 % Initialize a vector
5 v = [1;2;3]
6
7 % Get the dimension of the matrix A where m = rows and n = columns
8 [m,n] = size(A)
9
10 % You could also store it this way
11 dim_A = size(A)
12
13 % Get the dimension of the vector v
14 dim_v = size(v)
15
16 % Now let's index into the 2nd row 3rd column of matrix A
17 A_23 = A(2,3)
18
```

Run

Reset



✓ Complete

