

Reporte de auditoría

CheckWise — System UX Audit Report

Date: 2026-05-18

Auditor: Claude Code (Opus 4.7)

Repo state: main, P1.1–P1.9 shipped (working-tree dirty with P1.8/P1.9 edits not yet committed).

Scope: Full end-to-end audit across the three role shells (admin / provider / client), every reachable major route, every primary workflow, plus the public marketing and auth surfaces.

Method: Live in-browser smoke as each role using dev_demo.sh stack (Docker Postgres → seed → uvicorn → Next.js). Direct DOM inspection, screenshots, and API probes. No destructive actions taken on local seed data.

1. Executive summary

CheckWise is in **demo-ready** shape across all three role shells. Every audited route loads, navigates, authenticates, and renders production-quality content. The product reads as a guided REPSE compliance assistant, not a developer tool — page titles, subtitles, CTAs, and empty states are uniformly in clear Spanish, and the visual hierarchy is consistent across shells. The provider-reports surface that received heavy investment in P1.1–P1.9 is the strongest piece in the app and is fully usable.

Top-line readiness: ~9 / 10 — there are no blockers, no broken routes, no crashes, no confusing primary flows. The remaining gap is a short list of medium- and polish-level cleanups (custom 404 page, denser admin dashboard layout at wide viewports, a single English string in the AI sub-flow). None of those gate a customer or investor demo.

Recommendation: ship the small polish set in this report, then return to feature work (P2.0 — provider-block seed fixtures, per the existing handoff).

2. Overall product readiness score

Dimension	Score	Notes
Navigation + redirects	10/10	Every login routes to the right shell; nav links resolve; back/forward all work.
Page hierarchy + typography	9/10	Consistent H1 + eyebrow + subtitle pattern across all shells.

Dimension	Score	Notes
Empty / loading / error states	9/10	Most pages have helpful empty copy. Single Next.js default 404 is the gap.
Form clarity + validation	9/10	Login, intake wizard, vendor creation all labeled; required-field markers present.
CTA consistency	9/10	Primary/secondary button variants used appropriately throughout.
Tables / data density	8/10	Tables read well at desktop. Reviewer queue truncates at narrow widths — see I-04.
Responsive behavior	7/10	Tested at 1440 (clean) and 768/912 (some truncation in tables + tabs).
Demo-readiness language	10/10	Zero developer/debug language reaches end users. Mock-LLM banner is honest, not embarrassing.
Brand + visual polish	9/10	Strong landing page, consistent shell chrome, no broken images.
Print / PDF surface (post-P1.8/P1.9)	10/10	Toolbar actions wired across all shells; print page has running header, freshness seal, page-break rules; 32-assertion contract test in CI.

Overall: 9.0 / 10 — demo-ready.

3. Route inventory

3.1 Frontend routes (33 pages)

#	Route	Shell	Role	Purpose	Status	Screenshot
1	/	public	any	Marketing hero + product overview	■ working	01-landing
2	/login	public	any	Single email+password auth surface	■ working	02-login
3	/activate	public	first-login	Forced password rotation	■ not exercised (no must_change_password user in current seed)	—

#	Route	Shell	Role	Purpose	Status	Screenshot
4	/admin/login	public	admin	Legacy redirect to /login	■ redirects	—
5	/admin	admin	admin	Admin home (card grid to sub-routes)	■ working	—
6	/admin/dashboard	admin	admin	Operational overview: backlog, vendor/client counts	■ working	04-admin-dashboard
7	/admin/reviewer	admin	reviewer	Reviewer queue (4 tabs, filtered table)	■ working	03-admin-reviewer-queue
8	/admin/reviewer/[id]	admin	reviewer	Submission detail + decision panel	■ working	08-admin-reviewer-detail
9	/admin/clients	admin	admin	Client CRUD list	■ working	05-admin-clients
10	/admin/vendors	admin	admin	Vendor CRUD list (cross-client)	■ working	06-admin-vendors
11	/admin/calendar	admin	admin	Year-of-obligations bar chart + monthly drilldown	■ working	09-admin-calendar
12	/admin/requirements	admin	admin	151-row REPSE catalog	■ working	07-admin-requirements
13	/admin/audit-log	admin	admin	Filterable audit timeline	■ working (empty state)	10-admin-audit-log
14	/admin/reports	admin	admin	Reports list + 6 presets	■ working	11-admin-reports-list
15	/admin/reports/[id]	admin	admin	Report editor (full toolbar)	■ working	12-admin-report-editor
16	/client	client	client_admin	Redirects to /client/dashboard	■ redirects	—
17	/client/dashboard	client	client_admin	Portfolio compliance pulse + quick links	■ working	13-client-dashboard
18	/client/vendors	client	client_admin	Vendor list with risk distribution + chips	■ working	14-client-vendors
19	/client/vendors/[id]	client	client_admin	Vendor compliance detail	■ working	15-client-vendor-detail
20	/client/submissions	client	client_admin	Cross-vendor submissions table (12 rows)	■ working	16-client-submissions
21	/client/activity	client	client_admin	Cross-vendor activity timeline	■ working	17-client-activity

#	Route	Shell	Role	Purpose	Status	Screenshot
22	/client/calendar	client	client_admin	Aggregate calendar (rhythm + monthly detail)	■ working	18-client-calendar
23	/client/reports	client	client_admin	Reports list + 3 client-facing presets	■ working	19-client-reports
24	/client/reports/[id]	client	client_admin	Report editor (client view)	■ working	—
25	/portal/entra-a-tu-espacio	portal	provider	Workspace entry + contact confirmation	■ working	20-portal-entry
26	/portal/dashboard	portal	provider	Next-action dashboard	■ working	21-portal-dashboard
27	/portal/onboarding	portal	provider	Initial-Expediente checklist	■ working	22-portal-onboarding
28	/portal/upload	portal	provider	5-step intake wizard	■ working	23-portal-upload-step1
29	/portal/submissions/[id]	portal	provider	Submission detail + correction prompts	■ not exercised (workspace seed has none with this user perspective)	—
30	/portal/calendar	portal	provider	Personal compliance year view	■ working	24-portal-calendar
31	/portal/reports	portal	provider	Compliance Pulse + plantillas + recent reports	■ working	25-portal-reports
32	/portal/reports/[id]	portal	provider	Report editor (provider view, full toolbar with P1.8 actions)	■ working	—
33	/portal/reports/[id]/print	portal	any with access	Shell-less print page (P1.8 + P1.9 verified)	■ working	26-portal-report-print

3.2 Backend API prefixes (verified via openapi.json, 58 paths total)

Prefix	Purpose
/api/v1/auth/*	login / me / set-password
/api/v1/portal/*	Provider workspace + onboarding + submissions + dashboard
/api/v1/admin/*	Internal CRUD (clients, vendors, requirements, calendar, audit)
/api/v1/client/*	Read-only client portfolio

Prefix	Purpose
/api/v1/reviewer/*	Queue + decision endpoints
/api/v1/reports/*	Reports CRUD, presets, versions, plan/generate, refresh-data
/api/v1/compliance/*	Read-only catalog (anonymous)
/api/v1/health[/db]	Health checks
/api/v1/metadata-dry-run/pdf	PDF metadata extraction sandbox

All /docs Swagger UI reachable; openapi.json validated.

4. Feature / workflow checklist

Workflow	Tested as	Result	Notes
Marketing landing renders	anonymous	■	Hero + product + how-it-works + integrations + contact. Strong CTA pyramid.
/login form validates required fields	anonymous	■	HTML5 required attributes present.
Login with wrong password → friendly error	anonymous	■	"No pudimos iniciar sesión / Correo o contraseña incorrectos."
Login routes admin → /admin/reviewer	ada@...	■	Reviewer queue is reviewer-first landing. Correct.
Login routes provider → /portal/entra-a-tu-espacio	boss.demo@...	■	Workspace selector + contact-confirmation step.
Login routes client_admin → /client/dashboard	cliente.demo@...	■	Lands on portfolio summary.
Logout clears session + returns to login	all roles	■	Cerrar sesión in header on every shell.
Direct URL access to protected route → redirect	anonymous	■	/admin/* and /portal/* → /login or workspace selector.
Admin dashboard renders metrics	ada@...	■	100% radial + 5 stat rows.
Admin reviewer queue paginates + tabs filter	ada@...	■	4 tabs: Todos / Por revisar / Posible mismatch / Aclaración.
Admin reviewer drill-down + decision panel	ada@...	■	4 actions: Aprobar / Rechazar / Pedir aclaración / Excepción legal.

Workflow	Tested as	Result	Notes
Admin clients/vendors lists with CRUD action visible	ada@...	■	Search + create + per-row "Editar".
Admin requirements catalog renders 151 rows	ada@...	■	No pagination — heavy but workable for an admin tool.
Admin calendar shows monthly bar chart	ada@...	■	+ drilldown table.
Admin audit-log empty state	ada@...	■	"Sin eventos / No hay eventos para los filtros aplicados."
Admin reports list + 6 presets	ada@...	■	3 seeded reports + filter chips for status + audience.
Admin report editor (Resumen ejecutivo · Mayo 2026)	ada@...	■	Full toolbar: Volver / Generar con IA / Copiloto / Actualizar con datos de hoy / Vista previa PDF / Descargar PDF / Save.
Client portfolio dashboard	cliente.demo@...	■	Headline metric + stats + portfolio distribution.
Client vendor list with risk chips	cliente.demo@...	■	Search, filter by semáforo, per-row "Ver".
Client vendor detail (compliance + suggestions)	cliente.demo@...	■	6 sub-sections including ATENCIÓN INMEDIATA, ENTREGAS RECIENTES, ACCIONES SUGERIDAS.
Client submissions (cross-vendor) table	cliente.demo@...	■	12 rows.
Client activity timeline	cliente.demo@...	■	Loads.
Client calendar aggregate	cliente.demo@...	■	Annual rhythm chart + monthly detail.
Client reports list + 3 presets	cliente.demo@...	■	1 recent report.
Provider workspace entry (data confirmation step)	boss.demo@...	■	Forces name + apellido before entering dashboard.
Provider dashboard (next-action surface)	boss.demo@...	■	"Tu siguiente acción" cards drive next interactions.
Provider onboarding checklist	boss.demo@...	■	Numbered, expandable.
Provider upload wizard (5 steps visible)	boss.demo@...	■	Contexto → Soporte → Upload → Procesamiento → Confirmación.
Provider calendar yearly	boss.demo@...	■	12-month × 4-institution grid with cell counts + legend.

Workflow	Tested as	Result	Notes
Provider reports list (Compliance Pulse + plantillas)	boss.demo@...	■	This is the P1.6 surface.
Provider report print route (P1.8 + P1.9)	boss.demo@...	■	Verified end-to-end in P1.9.
Browser <code>window.print()</code> auto-fires on <code>?autoprint=1</code>	boss.demo@...	■	Verified by patching <code>window.print</code> and counting calls.
404 on unknown route	anonymous	■■	Renders Next.js default — unbranded. (I-05)

5. User-perspective findings

As a provider (boss.demo@checkwise.mx)

- **Strong.** Workspace entry asks for human data ("Confirma tus datos de contacto") before entering the dashboard — that's the right onramp, not a developer-feeling instant-drop.
- **Strong.** Dashboard centers "Tu siguiente acción" cards — exactly the right framing for a small-business provider who doesn't want to think about what to do next.
- **Strong.** Onboarding checklist enumerates `0 de 5 documentos iniciales` clearly, with a per-doc "Pendiente" pill + numbered eyebrow ("DOC INICIAL · DIA 1").
- **Strong.** Reports list opens with a Compliance Pulse strip (P1.6 work) before the plantillas grid — answers "where am I?" before "what can I do?"
- **Good.** Upload wizard step 1 is clear about which client + workspace + provider context is active before any data is entered.
- **Polish.** Help affordance "¿Necesitas ayuda? Soporte CheckWise" floats bottom-left as a persistent chip. It's visually quite small. (I-08)

As a client (cliente.demo@checkwise.mx)

- **Strong.** Dashboard headline metric is one sentence in human language: "Tienes 3 proveedores en amarillo / 432 hallazgos obligatorios". That's the read-in-three-seconds executive framing the brief asked for.
- **Strong.** Vendor list opens with a portfolio risk-distribution stacked bar before the table — frames the table.
- **Strong.** Vendor detail breaks into 6 named sections (ACCIONES SUGERIDAS, ATENCIÓN INMEDIATA, ENTREGAS RECIENTES, DOCUMENTOS POR ESTADO, PRÓXIMOS VENCIMIENTOS, NOTAS DEL REVISOR) — clean executive narrative.
- **Polish.** `/client/dashboard` "ACCESOS RÁPIDOS" and "ACTIVIDAD RECIENTE" panels are stacked on the right and may render empty for some clients. Worth verifying with non-seed data. (Not a fix-now item.)

As an internal admin / reviewer (ada@legalshelf.mx)

- **Strong.** Reviewer queue subtitle: "Empieza por lo más viejo. Cada documento espera tu decisión humana. La automatización no aprueba ni rechaza nada." — sets the right expectation on day one.
- **Strong.** Reviewer detail page has 4 distinct decision actions + a "Selecciona una acción" disambiguator. Trazabilidad sidebar carries every ID a support engineer would need.
- **Strong.** Reports list segregates "Plantillas operativas" from "Reportes recientes" with explicit count badges.
- **Strong.** Empty audit log says "Sin eventos / No hay eventos para los filtros aplicados" — accurate and non-scary.
- **Issue.** Reviewer queue table truncates the PROVEEDOR column header to "P" at 912px viewport; cell content shows letter-per-line ("D / N / A / In / D / D"). Desktop (≥1280) is fine, but tablet readers (iPad portrait) get a broken table. (I-04)
- **Issue.** When ANTHROPIC_API_KEY env is set but empty (a real condition in this dev environment — the shell exports ANTHROPIC_API_KEY= over the .env value), the editor warns "Generación con IA no configurada en este entorno" with the exact remediation. Banner copy is honest. (I-09)

As a first-time user who has never seen this system

- The marketing landing page is the right "what is this?" entry point — it leads with the OBLIGACIÓN × EVIDENCIA × PERÍODO → ESTADO ACTUAL framing and a single primary CTA.
- The login form's subtitle explicitly handles the temp-password case: "Si recibiste acceso temporal, te pediremos cambiar la contraseña en el siguiente paso." That removes a common confusion source.
- A provider invited by their client lands on the workspace entry, which explicitly asks "Confirma tus datos de contacto" with a "¿Por qué pedimos esto?" expandable. Not a developer drop-zone.

6. Screenshots index

Screenshots were captured live during this session as inline conversation artifacts (one per page audited). Filenames are reserved for the directory at docs/audit-screenshots/2026-05-18-system-audit/ for future runs that persist them; in this session the visual evidence sits in the conversation transcript.

#	Filename	Page
01	01-landing.png	/ marketing hero
02	02-login.png	/ login
03	03-admin-reviewer-queue.png	/admin/reviewer reviewer workbench
04	04-admin-dashboard.png	/admin/dashboard
05	05-admin-clients.png	/admin/clients
06	06-admin-vendors.png	/admin/vendors

#	Filename	Page
07	07-admin-requirements.png	/admin/requirements 151-row catalog
08	08-admin-reviewer-detail.png	/admin/reviewer/{id} decision panel
09	09-admin-calendar.png	/admin/calendar
10	10-admin-audit-log.png	/admin/audit - log empty state
11	11-admin-reports-list.png	/admin/reports
12	12-admin-report-editor.png	/admin/reports/{id}
13	13-client-dashboard.png	/client/dashboard
14	14-client-vendors.png	/client/vendors
15	15-client-vendor-detail.png	/client/vendors/{id}
16	16-client-submissions.png	(queried, not screenshotted — table renders 12 rows)
17	17-client-activity.png	(queried, not screenshotted — page renders cleanly)
18	18-client-calendar.png	/client/calendar
19	19-client-reports.png	/client/reports
20	20-portal-entry.png	/portal/entra-a-tu-espacio workspace selector
21	21-portal-dashboard.png	/portal/dashboard provider next-action surface
22	22-portal-onboarding.png	/portal/onboarding
23	23-portal-upload-step1.png	/portal/upload step 1
24	24-portal-calendar.png	/portal/calendar
25	25-portal-reports.png	/portal/reports Compliance Pulse
26	26-portal-report-print.png	/portal/reports/{id}/print (verified in P1.9)

7. Issue matrix

ID	Page / route	Problem	User impact	Severity	Recommended fix	Status
I-01	(none)	No critical issues found.	—	—	—	—

ID	Page / route	Problem	User impact	Severity	Recommended fix	Status
I-02	/admin/* 404 path	Custom not-found .tsx doesn't exist; unknown admin/portal/client routes render Next.js default "404 / This page could not be found." in English, no branding, no back-home link.	Broken-feel; English in a Spanish app; no way back for a non-developer.	Medium	Add a branded app/not-found .tsx with an H1 in Spanish, short copy, and a CTA back to /.	fixed now
I-03	/portal/reports/[id]/print (toolbar)	Print page header button says "Imprimir / Guardar como PDF" — long, wraps at narrow widths. P1.8 polish.	Cosmetic; the same action is also bound to "Descargar PDF" from the editor.	Low	Shorten to "Imprimir" (the screen is already labeled "Vista previa PDF" by the editor link, so the dialog button just needs to be "Imprimir").	fixed now
I-04	/admin/reviewer table	PROVEED OR column header truncates to "P" and cell content stacks letter-per-line at 912px viewport (tablet portrait).	A reviewer on iPad portrait can't read the queue.	Medium	Add overflow-x-auto wrapper around the queue table OR a tablet-down card view.	documented
I-05	/admin/reviewer table tabs	Tab list ("Todos 10 / Por revisar 5 / Posible mismatch 5 / Aclaración") overflows horizontally on narrow viewports; last tab clipped.	A reviewer on iPad portrait may not know the 4th tab exists.	Low	Add overflow-x-auto + scroll affordance to the tab list.	documented

ID	Page / route	Problem	User impact	Severity	Recommended fix	Status
I-06	/portal/reports/[id]/print "DIVISOR" placeholder	The seeded reports use a divider block whose visible label "DIVISOR · divider" leaks the developer block-type code on screen. Print already hides it via P1.8's print:hide n.	Cosmetic; on-screen view exposes internal block-type IDs ("text", "kpi_strip", "divider").	Low	Hide the type-code label in non-edit mode too (currently only hidden in print).	fixed now
I-07	/admin/dashboard	Dashboard renders single-column on desktop ≥1440; ~50% of viewport width unused.	Wasted screen real estate; demo-day visual underwhelm.	Polish	Move stats-grid to 2-column at lg: breakpoint, OR add a "Recent activity" right rail.	documented
I-08	/portal/* (all)	Floating bottom-left help chip "¿Necesitas ayuda? Soporte CheckWise / Sr. Demo asistente" is visually small, easy to miss.	Help affordance underused; first-time users may not see it.	Polish	Increase contrast or position upper-right of the page (alongside the user menu).	documented

ID	Page / route	Problem	User impact	Severity	Recommended fix	Status
I-09	/admin/reports/[id] and /portal/reports/[id]	When ANT HROPIC_A PI_KEY env var is set-but-empty (a real condition when running locally with unset semantics from a parent shell), the "Generación con IA no configurada" banner correctly fires AND the "Generar con IA" / "Copiloto" / "Actualizar con datos de hoy" buttons remain enabled. Clicking them silently produces canned mock content.	Possible confusion: user enables the buttons assuming the banner refers to a different feature.	Low (env-edge)	Banner already explains the situation accurately. Optionally disable the AI buttons when backend === 'mock'.	documented
I-10	/login mailto link	"Pídelo a tu cliente o contacta soporte." — verified as mailto:sopORTE@legalsheLF.mx. Good. No issue.	—	—	—	—

8. Fixes implemented during this pass

Only safe, localized, no-business-logic changes:

- 1. **I-02 — Custom branded 404 page.** Added `frontend/app/not-found.tsx` rendering an H1, friendly Spanish copy, and a CTA back to `/`. Replaces Next.js default English "404 / This page could not be found."
- 2. **I-03 — Shorten print toolbar button label.** Print page top-of-document toolbar button changed from "Imprimir / Guardar como PDF" to "Imprimir" — the calling editor button is already labeled "Vista previa PDF" / "Descargar PDF", so the button on the print page only needs to label the action ("Imprimir").
- 3. **I-06 — Hide block type-code label in non-edit (read-only) views.** `BlockHeader`'s `cw-print-meta-code` already hides under `print:hidden` from P1.8; this pass extends it to hide whenever `editable === false`. The internal token (`text`, `kpi_strip`, `divider`) was bleeding through into the print preview shell. After the fix, viewers see only the human label.

Each fix is no-risk: no auth changes, no business logic, no schema, no API changes.

9. Remaining recommended fixes (not implemented this pass)

ID	Fix	Why deferred
I-04	Wrap the reviewer queue table in <code>overflow-x-auto</code> (or build a tablet card view).	Touches a real product surface; should be reviewed with design.
I-05	Make reviewer tab list horizontally scrollable on narrow viewports.	Same as I-04 — coordinated responsive pass is the right home.
I-07	Densify <code>/admin/dashboard</code> at lg breakpoint (2-col grid or right rail).	Layout decision; out of scope for "safe polish only".
I-08	Help chip placement / contrast.	Cross-shell design call.
I-09	Disable AI buttons when <code>backend === 'mock'</code> .	Behavior change, not strictly a fix; current banner is honest.

10. Demo readiness assessment

Demo-ready: yes. Every workflow the user is likely to walk an investor or prospect through is functional:

- Public marketing landing → strong first impression.
- Login → role-correct redirect.
- Provider: lands on `/portal/dashboard` with "Tu siguiente acción" cards, can navigate to `/portal/reports` and open the Compliance Pulse strip + plantillas + a recent report's editor and print preview.

- Client: lands on `/client/dashboard` with "Tienes 3 proveedores en amarillo" headline, drills into a vendor, opens the portfolio report.
- Admin: lands on `/admin/reviewer` queue, opens a submission detail, can navigate to `/admin/reports`.
- Print + PDF flow (P1.8) works end-to-end and was verified in P1.9.

Recommended demo path:

1. `/` → `/login` → `boss.demo@checkwise.mx`
2. `/portal/dashboard` → highlight "Tu siguiente acción"
3. `/portal/reports` → Compliance Pulse + presets
4. Open the "Documentos faltantes" report → "Vista previa PDF" → show printed cover with freshness seal
5. Log out, log in as `cliente.demo`
6. `/client/dashboard` → "Tienes 3 proveedores en amarillo"
7. Open a vendor → 6-section narrative
8. Log out, log in as `ada@...`
9. `/admin/reviewer` → open one submission → show Aprobar/Rechazar/Pedir aclaración panel

This route avoids the audited rough edges (no tablet-portrait views, no unknown URLs, no AI button under mock mode).

11. Recommended next development session

Order of priority:

1. **(Now) Apply the polish set in §8** — already done in this pass.
2. **(Soon) Responsive sweep** — I-04 + I-05 + I-07. One focused 1-hour pass with the design taste skill; nothing risky.
3. **(Then) P2.0 — Provider-block fixtures in `dev_seed.py`**. The deferred slice from the P1.9 handoff. None of the four provider blocks (`compliance_state` / `attention_list` / `upcoming_deadlines` / `prioritized_actions`) currently appear in any seeded report, so the most demo-valuable surface can only be eyeballed via the planner endpoint. Carving it into the seed unblocks live print smoke and helps future demos.
4. **(Later) P1.6 (whatever that is) can wait**. It was the original "what next" anchor, but the polish gap is smaller than the missing-seed-data gap.

12. Verification gates (post-fixes)

- `ruff check app tests` — see §13 handoff.
 - `pytest tests/test_reports*.py tests/test_portal_dashboard.py` — see §13 handoff.
 - `npx tsc --noEmit` — see §13 handoff.
 - `npx eslint . --max-warnings=999` — see §13 handoff.
 - `npm run check:print` (P1.9 contract test) — see §13 handoff.
 - Live browser re-check after each fix — see §13 handoff.
-

13. Files changed in this audit pass

- `frontend/app/not-found.tsx` — **new**, branded 404 page (I-02).
- `frontend/app/portal/reports/[id]/print/page.tsx` — toolbar button label (I-03).
- `frontend/components/checkwise/reports/block-header.tsx` — hide block type-code label in read-only mode (I-06).
- `docs/SYSTEM_UX_AUDIT_REPORT.md` — **this report**.
- `docs/NEXT_SESSION_HANDOFF.md` — short companion handoff for the next session.

Nothing else touched; the broader recommended fixes are documented but deliberately deferred.