



1341 Distribution Way 16, Vista CA 92081
www.Wonderland-Labs.com | (800) 647-3154

Certificate of Analysis


RBACCEND

LOT #: TZE TABLETS



CLIENT:	Real Botanicals	SAMPLE SET:	243420
Address:	201 Tom Hall St.	Prepped By:	Keith C.
Address:	Fort Mill, SC 29716	Date Acquired:	07/26/2026
Dilution:	1:1	Acquisition Method:	MIT-EVO_R2026-PT
Sample Matrix:	Powder	Testing ID:	243420_0001.D
Sample Weight:	2000mg	Date Processed:	07/26/2026
Product Weight:	580mg	Calibration ID:	CALI-244-2026

#	Analyte	Formula	Analytical Method(s)	Total %	Unit
1	Mitragynine	$C_{23}H_{30}N_2O_4$	HPLC (Adapted Mudge & Brown, 2020*)	2.15	mg/tab
2	7-Hydroxymitragynine	$C_{23}H_{30}N_2O_5$	HPLC (Adapted Mudge & Brown, 2020*)	N/D	mg/tab
3	MGM-15 (semi-synthetic)	$C_{23}H_{30}N_2O_5$	HPLC (Adapted Mudge & Brown, 2020*)	N/D	mg/tab
4	Mitragynine Pseudoindoxyl	$C_{23}H_{30}N_2O_5$	HPLC (Adapted Mudge & Brown, 2020*)	N/D	mg/tab
5	Speciogynine	$C_{23}H_{28}N_2O_4$	HPLC (Adapted Mudge & Brown, 2020*)	3.81	mg/tab
6	Paynantheine	$C_{23}H_{30}N_2O_4$	HPLC (Adapted Mudge & Brown, 2020*)	1.32	mg/tab
7	Speciociliatine	$C_{23}H_{30}N_2O_4$	HPLC (Adapted Mudge & Brown, 2020*)	0.90	mg/tab
8	9-Hydroxycorynantheidine	$C_{22}H_{28}N_2O_4$	HPLC (Adapted Mudge & Brown, 2020*)	N/T	mg/tab
9	10-Hydroxycorynantheidine	$C_{23}H_{30}N_2O_4$	HPLC (Adapted Mudge & Brown, 2020*)	N/T	mg/tab
10	7-Acetoxymitragynine	$C_{25}H_{32}N_2O_6$	HPLC (Adapted Mudge & Brown, 2020*)	N/T	mg/tab
11	9-Fluoro-7-hydroxymitragynine	$C_{23}H_{29}FN_2O_5$	HPLC (Adapted Mudge & Brown, 2020*)	N/T	mg/tab
TOTAL ALKALOIDS:				8.18%	mg/tab



SEAL OF AUTHENTICITY

VERIFIED BY:

Quality Assurance: *Sarah T.*

* Method conforms to AOAC Kratom Working Group SMPRs for mitragynine and 7-OH plus internal lab method MIT-EVO_R2026-PT.

** Interim LOD for 7-Hydroxymitragynine (7-OH) is 1.0ppm and N/D on this COA indicates a value below the LOD.

Decision Rule: When statements of conformity are provided, measurement of uncertainty is not taken into consideration when determining those statements.

Simple acceptance is used. COA results apply to the samples as received.

COA shall not be reproduced except in full without approval of Wonderland Labs. | Page 1 of 1