



ASOG TBI

Website Audit Report and Improvement Recommendations

Prepared by:

DOST-SEI PTP Scholar-Trainees

Organization:

ASOG Technology Business Incubator (ASOG TBI)

Website:

<https://asogtbi.com>

Audit Date:

June 17–19, 2026

Table of Contents

<i>Executive Summary</i>	3
Overall Condition	3
Key Strengths	3
Most Important Issues	3
<i>Site Information and Context</i>	4
<i>Website Familiarization Summary</i>	5
Main Pages and Sections	5
Content Availability	5
<i>Context-Sensitive Design Notes</i>	6
<i>Audit Framework</i>	7
<i>Page-by-Page Audit</i>	8
Global Navigation and Common UI	8
Homepage (/)	11
Lighthouse / PageSpeed Metrics	11
Homepage Issues	11
About Page (/about) and Organization Page (/organization)	16
Programs Page (/programs) and Services Page (/services)	18
Facilities Page (/facilities)	20
Incubatees Page (/incubatees)	21
News and Insights (/news)	22
Contact Us (/contact)	24
Apply Pages (/apply, /apply/form, and /apply/form/thank-you)	26
<i>Technical and Code-Level Notes</i>	29
Privacy Checkbox Validator (Critical Bug)	29
Scroll-Reveal Flicker (One-Shot Fix)	29
Services Description Mismatch	29
ALTITUDE 3D Auto-Launch	29
Reported Incubatees Load-Timing Flash	29
Multiple h1 Tags in Hero Slider	30
Footer GSAP Flash	30
News Filter Taxonomy Mismatch	30
<i>Admin Content Management System (CMS) Diagnostic</i>	31
<i>Consolidated Findings</i>	36
Strengths of the Current Website	36

Design	36
Content	36
Structure	36
Usability	36
Summary of Identified Issues	36
Critical Issues.....	36
High Priority Issues	36
Medium Priority Issues.....	37
Recommended Improvements	37
Quick Wins (Week 1 — mostly code fixes under 2 hours each).....	37
Medium-Term Improvements (Week 2)	37
Larger Improvements (Weeks 3–4)	38
Prioritized Action Plan.....	39
Execution Roadmap (2–4 Weeks).....	41
Conclusion.....	43

Executive Summary

This audit covers the public-facing website of the ASOG Technology Business Incubator (ASOG TBI) at <https://asogtbi.com>, reviewed on June 17–19, 2026. The evaluation spans user interface and user experience (UI/UX) design, performance metrics, technical code-level issues, content clarity, navigation structure, mobile usability, and accessibility concerns such as text contrast and readable labels.

Overall Condition

The website presents a visually distinctive and intentionally experiential identity. It successfully conveys the organization's programs, facilities, incubatee portfolio, news, and application pathway. However, several issues reduce its effectiveness as a primary conversion and trust-building tool, particularly for first-time founders evaluating whether to apply.

Key Strengths

- Clean, modern visual design with a consistent brand identity.
- The consistent styles, colors, and motion language give ASOG TBI a strong and memorable digital identity.
- The ALTITUDE Program is presented with a unique immersive 3D experience.
- Application process is structured and well-organized on the /apply page.
- News and Insights section provides active content and community credibility.
- Mobile-responsive layout with generally acceptable layout stability based on Cumulative Layout Shift (CLS), a metric for unexpected page movement.
- Desktop performance is strong in the available Lighthouse audit, with low JavaScript blocking time.

Most Important Issues

- Cohorts are visible on the site and manageable in the admin content management system, but intake/application status, deadline, and the cohort being applied for need clearer applicant-facing communication.
- Privacy checkbox validation bug allows users to bypass consent on the application form.
- The ALTITUDE 3D experience can auto-launch via URL hash before users choose to enter it.
- Footer and scroll-reveal animations produce visible jitter, reducing perceived polish.
- Homepage services card descriptions are mismatched with their titles.
- Small text and low-contrast labels may be intentional design choices, but they affect scannability across multiple sections.
- Several admin content management system gaps require developer involvement for routine content updates.
- Repository access and deployment process should be confirmed with ASOG TBI before implementation of the proposed enhancements/fixes. The team may either request contributor access to the existing repository or work from a fork.

Site Information and Context

Website Name	ASOG Technology Business Incubator
URL	https://asogtbi.com
Organization	ASOG TBI — an initiative of Camarines Sur Polytechnic Colleges (CSPC)
Funding	Department of Science and Technology — PCIEERD, co-monitored by DOST Region V
Website Purpose	Introduce the ASOG TBI incubation program; attract and process startup applicants; showcase incubatees and news.
Primary Users	Early-stage startup founders, student innovators, MSMEs, researchers, industry partners.
Tech Stack	CodeIgniter 4 (PHP framework), GSAP 3.12 (animation library), Three.js (3D JavaScript library), Tailwind CSS (styling utility framework), Quill.js (rich text editor)
Audit Basis	Live & Local website review, Codebase, Lighthouse / PageSpeed Insights metrics
Audit Date	June 17–19, 2026

Website Familiarization Summary

Main Pages and Sections

/ (Homepage)	Hero slider, Who We Are, Services overview, Incubatees carousel, News, Organization preview, CTA, Contact map.
/about	Organization story, mission, facilities, impact, and logo context.
/organization	Full team listings with photos and roles, including interns.
/programs	ALTITUDE program overview with an immersive 3D diorama stage explorer.
/services	Detailed breakdown of services offered to incubatees.
/facilities	Physical spaces: AIRCoDe, FabLab, SSF, Co-Lab, Innovator's Suite, IPMD.
/incubatees	Cohort portfolio cards for each incubated startup.
/apply	Eligibility, categories, evaluation criteria, process steps, and benefits.
/apply/form	Multi-field application form with privacy consent.
/news	Filterable article list with category support.
/contact	Map, contact form, address, and social links.
/games	Guess-the-Startup word game (engagement feature).

Content Availability

- **Easy to find:** Services overview, team/organization, ALTITUDE program name, incubatee logos, news articles, social links, contact address.
- **Harder to find:** Whether applications are currently open, which visible cohort the application is for, application deadline, reapplication policy, and required documents summary before reaching the form.
- **Not currently available:** Intake status banner, FAQ, partner inquiry path.

Context-Sensitive Design Notes

Some findings may be tied to intentional design choices rather than simple mistakes. This report therefore recommends preserving the design direction while improving clarity, control, and maintainability.

Hero slideshow	<i>Possible intent:</i> The rotating hero may intentionally showcase news or featured posts. <i>Recommendation:</i> Keep the slideshow, but add pause/stop controls and clean heading semantics.
Dropdown panels	<i>Possible intent:</i> Click-toggle may support keyboard, touch, and browser fallback behavior. <i>Recommendation:</i> Keep accessibility support, but make open/close states obvious and predictable.
ALTITUDE 3D	<i>Possible intent:</i> Immediate immersion may be part of the brand experience. <i>Recommendation:</i> Preserve the 3D feature, but show it only after the existing Explore the Program button is clicked.
Scroll animation	<i>Possible intent:</i> Motion may be part of the site identity. <i>Recommendation:</i> Keep motion, but use one-shot reveals, readable states, and reduced-motion support so content does not repeatedly hide and show at the viewport edge.
Duplicate social links	<i>Possible intent:</i> Repetition may make social channels easier to find. <i>Recommendation:</i> Avoid placing duplicate clusters so close together that they look accidental.

Audit Framework

The website was reviewed from four perspectives:

- A prospective startup applicant deciding whether to apply.
- A student innovator or researcher exploring incubation support.
- An industry partner or stakeholder evaluating collaboration potential.
- A general visitor unfamiliar with ASOG TBI.

For each perspective, the primary questions were:


- Does the site clearly explain what ASOG TBI is and who it is for?
- Is the ALTITUDE program understandable without entering the 3D experience?
- Is the application process clear enough to act on without contacting staff?
- Are services and facilities distinct from each other and easy to find?
- Are contact points accessible and prominent?
- Does the site perform well and feel stable on mobile?

Page-by-Page Audit

Global Navigation and Common UI

G-1. Desktop dropdown panels can stay open after click **[High]**

Source: *header.js* — *desktop dropdown fallback*




Possible Impact: Navigation can feel stuck. Users expecting hover-only behavior may be unable to close panels intuitively, although click behavior may exist to support keyboard, touch, or fallback navigation.

Proposed Fix: Differentiate behavior by input type: hover/focus for pointer users, click-toggle for keyboard/touch. Add close-on-Escape, outside-click, and resize triggers. Ensure chevron state reflects open/closed.

G-2. “Be an Incubatee” CTA lacks primary visual emphasis **[Medium]**

Source: *header.php* — *sky-blue CTA class on blue nav*




Possible Impact: The main conversion action blends into the navigation bar, reducing click-through likelihood.

Proposed Fix: Apply **gold** or high-contrast white treatment to the CTA. Use a distinct weight and a clear hover state.

G-3. Small text and low-opacity type recur across shared UI [Medium]

Source: Tailwind CSS text and opacity utility classes in landing, news, contact, and footer views



Possible Impact: Important microcopy can be hard to scan, especially on mobile. This affects services, organization, news dates/categories, and footer sections. The styling may be intentional, but readability can still be improved.

Proposed Fix: Raise meaningful microcopy from 0.5–0.6 rem to at least 0.7–0.8 rem where possible. Reduce low-opacity text on navy backgrounds and check contrast ratios for small labels.

G-4. Footer entrance animation produces a flash or lag [High]


Source: footer.js — GSAP tl.from() on visible elements

Possible Impact: Page feels slow or broken on load. Reduces perceived polish and performance.

Proposed Fix: Use gsap.fromTo() with stable initial CSS states, or hide elements via CSS before JS runs. Add prefers-reduced-motion fallback.

G-5. Social links appear twice in close proximity [Medium]

Source: *contact/index.php* and *templates/footer.php*




Possible Impact: Repeated social icons in the Contact page body and footer look accidental and waste space.

Proposed Fix: Keep social links in the footer as the canonical location. On Contact, either remove the body cluster or make it a distinct module with a clear purpose.

G-6. Scroll-reveal animations can loop or jitter near viewport edges [High]

Source: *scroll-reveal.js* — removes *.visible* when elements leave the viewport



Possible Impact: Across multiple pages, headings, text blocks, or sections can jump or flicker when they sit at the top or bottom edge of the browser viewport. This appears consistent with the reveal script repeatedly adding and removing the visible state as the element crosses the observer threshold.

Proposed Fix: Use one-shot reveal behavior after first visibility. Keep already-read content visible when scrolling back up, call `observer.unobserve(entry.target)` after *.visible* is added, and add a reduced-motion fallback for users who prefer less animation.

Homepage (/)

Lighthouse / PageSpeed Metrics

Metric	Desktop	Mobile	Interpretation
Performance	92	79	Desktop acceptable; mobile needs optimization.
Accessibility	82	77	Gaps should be treated as usability problems.
Best Practices	100	81	Mobile best-practice warnings need technical review.
First Contentful Paint (FCP)	1.2 s	3.2 s	Mobile first content load is significantly slower.
Largest Contentful Paint (LCP)	1.2 s	3.2 s	Mobile primary content delivery is slower than desktop.
Total Blocking Time (TBT)	0 ms	0 ms	JavaScript blocking is not the main bottleneck.
Cumulative Layout Shift (CLS)	0.006	0.006	Layout stability is acceptable but improvable.
Speed Index	1.9 s	7.8 s	Largest practical gap is perceived mobile loading speed.

Homepage Issues

H-1. Intake status, deadline, and application cohort need clearer visibility **[Critical]**


Source: *Content / content management system gap*

Possible Impact: Cohort 1 and Cohort 2 are visible on the site and manageable in the admin content management system, but applicants may still be unsure whether applications are open, what deadline applies, and which cohort the form submission is for.

Proposed Fix: Add an admin-controlled intake banner on the homepage and apply pages: Open/Closed status, deadline, application cohort label, and next-step message. Connect the public message to the existing cohort management where possible.

H-2. Services card descriptions are mismatched with their titles **[Critical]**

Source: *landing/programs.php — hardcoded \$programs array*



Possible Impact: Several cards pair one service title with a different service's description (e.g., "Prototyping & product development" shows an IP description). This confuses users and damages credibility.

Proposed Fix: Correct the \$programs array. Replace numerically indexed entries with associative keys so title and description cannot silently swap during edits.

H-3. Hero news slideshow has no visible pause control [High]

Source: *hero.php* and *hero JavaScript*



Possible Impact: The rotating hero section may be intentionally designed to highlight featured news and announcements. However, the current auto-rotation speed (approximately every five seconds) may not provide enough time for some users to comfortably read the content before it advances. Users also have no way to pause the slideshow while reading.

Proposed Fix: Keep the slideshow if it serves an editorial or promotional purpose, but provide users with greater control over playback. Consider adding a visible pause/play button and automatically pausing the slideshow when users interact with navigation controls or hover over the carousel (for desktop devices). For mobile users, consider extending the slide duration or pausing auto-rotation after manual interaction to improve readability.

H-4. Hero slideshow heading semantics should be validated [Medium]

Source: *hero.php* — all slide headings rendered simultaneously

Possible Impact: Because the hero is a slideshow, multiple large headings may be intentional in the design. However, if every slide is rendered as a page-level heading at the same time, assistive technology may read the page structure as confusing.

Proposed Fix: Validate the rendered document outline. Keep one primary page-level heading where possible, and use lower-level headings or paragraph text for non-active slides if they are supporting featured content.

H-5. Consider linking homepage incubatee logos to portfolio details [Low]

Source: *landing/incubatees.php* and *carousel JavaScript*




Possible Impact: One tester observed that clicking a logo pauses or emphasizes/colorizes that logo in the carousel rather than opening the startup profile. Because a View All link already exists, this is not a blocker, but direct logo links could make exploration faster.

Proposed Fix: Consider linking carousel logos to /incubatees#{slug} or opening the corresponding public detail card. Keep the current behavior if stakeholder intent is only visual emphasis.

H-6. Homepage payload is ~7.65 MB [High]

Source: Lighthouse/PageSpeed — network payload analysis




Possible Impact: Very high for a public institutional site. Mobile users on average connections experience slow loads. The Speed Index is 7.8 s on mobile.

Proposed Fix: Convert images to WebP/AVIF with responsive srcset. Defer non-critical JS/CSS. Lazy-load images. Defer Three.js until user explicitly launches the 3D experience.

H-7. Render-blocking resources delay first paint [High]

Source: Lighthouse — estimated savings: 560 ms desktop / 2,260 ms mobile




Possible Impact: First Contentful Paint is 3.2 s on mobile. Users see a blank page for over 3 seconds.

Proposed Fix: Inline critical CSS. Defer non-critical JS and CSS. Subset icon and font dependencies. Review font loading strategy.

H-8. Images lack explicit width and height attributes **[Medium]**

Source: *Lighthouse — image dimension audit*




Possible Impact: Missing dimensions increase layout shift risk, especially as new CMS-uploaded images are added.

Proposed Fix: Add width/height attributes or CSS aspect-ratio to all rendered image elements.

H-9. Non-composited animations contribute to jitter **[Medium]**

Source: *Lighthouse — animation compositing audit*



Possible Impact: Animated elements not using compositor-friendly properties (transform, opacity) can cause layout recalculations and visible jitter on mobile.

Proposed Fix: Limit animations to transform and opacity only. Avoid animating properties that trigger layout or paint.

H-10. Consider a Facebook Page embed for latest updates **[Low]**

Source: *Homepage or footer content strategy*

Possible Impact: If ASOG TBI updates are often posted or publicized on Facebook first, website visitors may miss the latest announcements when the website news feed lags behind social media.

Proposed Fix: If management is open to it, add a lightweight Facebook Page embed or prominent footer/social redirect, balanced against performance along with privacy considerations.

H-11. Consider a first-visit intro loader only if it improves perceived loading [Low]

Source: Performance and brand experience recommendation


Possible Impact: A short branded loader could make the first visit feel more polished while assets initialize in the background. If overused or slow, it can also frustrate returning users.

Proposed Fix: Consider an intro loader for first visits only, with a skip/fallback, short duration, reduced-motion support, and performance testing.

About Page (/about) and Organization Page (/organization)

A-1. “Our Story” nav link skips the top page header [Medium]

Source: *header.php* — *\$navOurStory* resolves to */about#about-panel-1*



Possible Impact: The link goes to <https://asogtbi.com/about#about-panel-1>, so the page loads directly at the Our Story panel rather than the top of the About page. It does not land deep in the middle of the page, but it can look unusual because the top header/title context is skipped.

Proposed Fix: Keep the anchor if it is intended as a direct shortcut, but make the dropdown label clearly indicate a section jump. If the full About header should be seen first, route the nav item to */about* instead.

A-2. Organization headings jump or flicker near the viewport edge [High]

Source: *scroll-reveal.js* — *.visible* removed on viewport exit

Possible Impact: Section headings re-animate when the user scrolls back, causing a jarring jump or flash. Same root cause as G-6.

Proposed Fix: Same fix as G-6: make reveals one-shot using *observer.unobserve(entry.target)*.

A-3. Organization heading hierarchy may skip levels [Low]


Source: *organization/list.php* — *section headings appear to jump from h2 to h4*

Possible Impact: This may be an intentional visual design choice. However, if the markup hierarchy also skips heading levels, assistive technology users may find the page structure less predictable.

Proposed Fix: Validate the rendered heading outline. If the issue is only visual styling, no change may be needed. If the semantic markup skips levels, normalize headings while preserving the visual design.

A-4. Interns section is hardcoded and cannot be toggled from the CMS [High]

Source: *organization/list.php* — *static markup*



Possible Impact: When a batch ends or changes, staff must involve a developer to hide or update the interns section.

Proposed Fix: Add a content management system toggle for show_interns_section following the existing LandingSettingModel pattern.

A-5. Team photos are oversized for display size [High]

Source: *public/assets/img/team/*


Possible Impact: Large source images (still on PNG format) served for small circular thumbnails contribute unnecessarily to page payload.

Proposed Fix: Resize and convert team photos to WebP at approximately 2x their CSS display size.

Programs Page (/programs) and Services Page (/services)

P-1. ALTITUDE nav link can immediately enter the 3D diorama [Critical]

Source: *programsAltitudePage.js* — *showProgramPage()* called after 300 ms on #altitude-3d hash



Possible Impact: When users click ALTITUDE from the header navigation, the page can move directly into the interactive 3D diorama. This obscures the gateway card that introduces the ALTITUDE Program and contains the existing Explore the Program button.

Proposed Fix: Remove the automatic *showProgramPage()* call. Keep navigation to the ALTITUDE section, preserve the gateway card, and show the 3D diorama only when the user clicks the existing "Explore the Program" button.

P-2. ALTITUDE gateway page can be obscured before users read it [High]

Source: *programs/list.php* and *programsAltitudePage.js*




Possible Impact: The program overview and stage context may not be read if the 3D overlay triggers immediately after navigation.

Proposed Fix: Keep a stable, readable gateway page with overview, stages, and clear call to action. Only enter the 3D diorama through the existing Explore the Program interaction.

P-3. ALTITUDE diorama helper text is hard to read [Medium]

Source: *programs/list.php* and *altitude/main.css*




Possible Impact: “Click a checkpoint to explore the journey — Press ESC to exit” is small text overlaid on an animated 3D background.

Proposed Fix: Replace with a high-contrast instruction panel: larger text, checkpoint icon, Escape hint, and an optional Exit button.

P-4. Services and shared scroll animations can delay content visibility [High]

Source: *services.js* and *shared scroll-reveal scripts*



Possible Impact: The scroll animation may be intentional, but some text or content can remain partially hidden even after it is already in the viewport. Two-way reveal behavior when scrolling up and down can disrupt fluid reading.

Proposed Fix: Make sure text opacity never drops below legible levels when scrolling stops. Prefer one-shot reveals after content first appears, avoid hiding already-read content on scroll-up, and use animation for emphasis rather than content delivery.

P-5. FAQ support could strengthen the Programs and Apply context [Medium]

Source: *Content / content management system gap*


Possible Impact: The Apply page already contains useful eligibility and process information, but users may still have common questions about ALTITUDE, application readiness, reapplication, timelines, and what happens after submission.

Proposed Fix: Add a frequently asked questions section to the Programs or Apply path, preferably managed through the content management system so staff can add, edit, delete, reorder, and publish/unpublish questions and answers per intake period.

Facilities Page (/facilities)

F-1. Adjacent Facilities headings may feel redundant [Low]

Source: *facilities/list.php* — page title and section heading




Possible Impact: The page title “Facilities” appears close to the heading “State-of-the-Art Facilities.” This is not a functional issue, but the adjacency can make the page feel repetitive.

Proposed Fix: Review final copy in context. Keep both if the hierarchy feels clear, or revise one heading so each label adds distinct meaning.

F-2. Blank white/off-white gap appears before footer [Medium]

Source: *facilities/list.php* — final spacer and alternating section backgrounds




Possible Impact: The Facilities page uses alternating light backgrounds. A blank white or off-white space between the final facility entry and the footer can look like unfinished layout or loading space.

Proposed Fix: Remove the extra gap or align it with the page background system. If alternating backgrounds are retained, make the final transition into the footer intentional and consistent.

Incubatees Page (/incubatees)

I-1. Reported possible load-timing flash needs code review before prioritization [Medium]

Source: *incubatees page styles and animation timing*



Possible Impact: One tester reported a brief cream-colored overlay or flash near the footer during page load or fast scrolling, while another review did not reproduce it. This should be treated as a reported observation that needs code review and reproduction, not as a confirmed defect.

Proposed Fix: Review the Incubatees page code path, stylesheet loading order, and animation initialization before assigning the issue. If the behavior is reproduced, document the condition that triggers it and then fix the relevant loading or animation sequence.

I-2. Portfolio may need stronger filters as it grows [Medium]


Source: *CohortModel and incubatee views*

Possible Impact: The cohort filter exists and Cohort 1 / Cohort 2 are visible. As the portfolio grows, cohort tabs alone may become insufficient for users looking by sector, Sustainable Development Goal, or startup type.

Proposed Fix: Plan for search, sector filters, Sustainable Development Goal filters, and sorting once the portfolio exceeds the current cohort scale.

I-3. Cohort 2 “Apply Now” CTA could use stronger visual emphasis [Low]

Source: *incubatees cohort display and admin-managed cohort state*




Possible Impact: The blue button treatment may be consistent with the site palette, but the action could feel less encouraging than the gold accent used elsewhere for primary calls to action.

Proposed Fix: Consider using the gold accent for application-oriented calls to action, while keeping Coming Soon states visually distinct and clearly disabled when applications are not open.

News and Insights (/news)

N-1. Filter arrow appears static or nonfunctional [Low]

Source: *news/list.php* — native select with decorative arrow styling



Possible Impact: The arrow may be decorative, but it can look like a separate button that does not respond independently. This makes the filter feel less interactive than intended.

Proposed Fix: Style the whole select area as one unified control. If the arrow appears button-like, make sure clicking that area opens the dropdown or revise the visual affordance.

N-2. News category taxonomy is hardcoded and inconsistent [High]

Source: *News.php*, *news/list.php*, *admin/posts/form.php*

Possible Impact: The public filter accepts news, features, and opinions, while the admin post form offers news, events, and features. The public label also shows Stories for the opinions value. This can confuse editors and visitors.

Proposed Fix: Align public and admin category values. Decide whether the taxonomy should include Stories, Opinions, or Events, then manage categories through the content management system if editorial categories will change over time.

N-3. Filter UI supports only one category at a time [Low]


Source: *news/list.php* — native select styling

Possible Impact: Single-select filtering is functional, but users may eventually want to combine categories or filter by multiple content types as the news archive grows.

Proposed Fix: Improve the native select styling now. Consider checkbox or multi-select filtering later if the content library becomes large enough to justify it.

N-4. No pagination or explicit sorting controls on the news listing [High]

Source: *News.php* controller and *news/list.php*



Possible Impact: The controller retrieves all posts and the view renders them in a single list. The page will become cluttered and slower as content volume grows, and visitors may need clearer ways to see the latest or oldest posts.

Proposed Fix: Add CodeIgniter pagination with configurable page size. Preserve the active category filter across pages and add sort controls such as Latest first and Oldest first if useful.

N-5. News dates and small metadata have low visual prominence [Medium]

Source: *news/list.php* — *small text and low-opacity classes*




Possible Impact: Small post dates, labels, and category metadata may be intentional visual hierarchy, but they can be hard to read and scan.

Proposed Fix: Increase metadata size or contrast where the information helps users judge recency and relevance. Check accessibility contrast for small text.

Contact Us (/contact)

C-1. Adjacent Contact Us / Get In Touch wording is repetitive [Low]

Source: *contact/index.php* — hero title and section title



Possible Impact: The page can show “Contact Us” in the hero and then a nearby “Get In Touch: Contact Us” section. This is not a functional problem, but the adjacent repetition can feel redundant.

Proposed Fix: Keep the main page title if desired, but revise the nearby section copy to add distinct wording, or contact context such as location, response expectations, and/or best reasons to contact ASOG TBI.

C-2. Google Maps iframe lacks accessible title and visible label context [Medium]


Source: *contact/index.php* — *iframe markup*

Possible Impact: Screen readers cannot announce the purpose of an untitled iframe, and the embedded map may not have enough nearby label context for all users. Lighthouse flags untitled frames as an accessibility issue.

Proposed Fix: Add title=“ASOG TBI Location Map” to the iframe element and provide nearby visible text or an accessible label that identifies the map as the ASOG TBI location.

C-3. Social links appear twice in close proximity [Medium]

Source: *contact/index.php* and *templates/footer.php*




Possible Impact: Same with G5, “Follow Us” social icons in the Contact page body are immediately followed by the same icons in the footer. This looks accidental.

Proposed Fix: Remove the body social cluster on the Contact page, or clearly separate it as a distinct contact channel section distinct from the footer social row.

C-4. Contact form labels are small and low contrast [Medium]

Source: *contact/index.php* — compact uppercase labels



A screenshot of a contact form with three input fields and a submit button. The labels 'NAME', 'EMAIL', and 'MESSAGE' are highlighted with yellow boxes. The 'NAME' field contains the placeholder text 'Your full name'. The 'EMAIL' field contains the placeholder text 'your@email.com'. The 'MESSAGE' field contains the placeholder text 'How can we help?'. The submit button is blue and labeled 'SEND MESSAGE'.

Possible Impact: Small uppercase labels with muted opacity are harder to scan, especially on mobile. The focus states appear to work, so the concern is primarily text readability.

Proposed Fix: Increase label text size and contrast while preserving the existing focus states and visual style.

Apply Pages (/apply, /apply/form, and /apply/form/thank-you)

AP-1. Privacy checkbox validation warning can disappear and consent can be bypassed [Critical]

Source: *applyForm.js* and *apply_form.php* — validator reads *.value* rather than checkbox *.checked*

The image contains two screenshots of a web form titled "PRIVACY & DATA AGREEMENT". The text in both screenshots is identical: "By submitting this application, you agree that ASOG Technology Business Incubator (ASOG-TBI) may collect, process, and store the personal information you provide for the purpose of evaluating your application to the incubation program. Your data will be handled in accordance with the Data Privacy Act of 2012 (RA 10173) and will not be shared with third parties without your consent." Below this text is a checkbox followed by the text: "I have read and agree to the Privacy Policy and Data Collection Agreement. I consent to ASOG-TBI collecting and processing my personal data for application evaluation purposes. *". In the top screenshot, the checkbox is unchecked, and a yellow-bordered box contains the message "You must agree to the privacy policy to proceed." In the bottom screenshot, the checkbox is still unchecked, but the warning message is no longer present, and there is an empty rectangular box below the checkbox text.

Possible Impact: When the user submits the empty form, the “You must agree to the privacy policy to proceed.” warning can disappear. After other fields are completed, the form can be submitted without the privacy checkbox being checked because the validator reads the checkbox value instead of its checked state.

Proposed Fix: Handle checkboxes separately in the validator: if (el.type === 'checkbox' && !el.checked). Keep the privacy warning controlled by validation state so it does not disappear incorrectly after an empty-form submit attempt.

AP-2. Application cohort and intake state need clearer applicant-facing context [Critical]

Source: *Apply content* and *content management system settings*

Possible Impact: Cohorts are visible elsewhere, but the application path should make it clearer whether applications are open, what deadline applies, and which cohort the applicant is submitting for.

Proposed Fix: Add intake settings that connect public banners and the form to the relevant cohort: Open/Closed state, deadline date, application cohort label, public banner message, closed-state message, and optional form disable.

AP-3. One-email-per-application policy may block reapplications across cohorts [High]

Source: *IncubateeApplicationModel* — *is_unique[incubatee_applications.applicantEmail]* applied globally

Possible Impact: The form shows the message “This email has already been used in a previous application.” This explains the immediate error, but the policy may still block legitimate reapplications across future cohorts if reapplication is allowed.

Proposed Fix: Clarify the policy in applicant-facing copy. If reapplication is allowed per cohort, change uniqueness to email plus cohort. If not, keep the rule and explain the one-application policy clearly before form submission.

AP-4. /apply information page could use local navigation and FAQ support [Medium]

Source: *apply.php* — long linear flow with no anchors

Possible Impact: Eligibility, scoring criteria, timeline, and benefits already appear on the page, but users on mobile may miss important sections or still have recurring questions.

Proposed Fix: Add section anchors and a frequently asked questions section for eligibility, ALTITUDE context, reapplication, deadlines, and next steps.

AP-5. Review timeline near the form has low visual prominence [Medium]

Source: *apply_form.php* and */apply/form/thank-you*

Possible Impact: The form includes review guidance, and the thank-you page states the 5–7 business day review period. However, the note near the form can still be overlooked because it appears after dense form content.

Proposed Fix: Elevate the review timeline into a more visible summary near the submit area, while keeping the thank-you page confirmation message.

AP-6. Thank-you page can be visited directly [Medium]

Source: */apply/form/thank-you* route

Possible Impact: A visitor may be able to open the thank-you URL manually without submitting the application form, which can create confusion or false confirmation.

Proposed Fix: Gate the thank-you page behind a short-lived session flag or show neutral copy when no recent submission is detected.

AP-7. Choose file hover area may exceed the visible button bounds [Low]


Source: *apply_form.php* — file input styling

Possible Impact: The choose-file hover effect can activate over the adjacent “No file chosen” text rather than only over the visible button, making the interaction feel imprecise.

Proposed Fix: Inspect the native file input wrapper and custom styles. Attach hover styling only to the visible choose-file button area where possible.

AP-8. “Back to Be an Incubatee” wording sounds awkward [Low]

Source: *apply_form.php* — back link copy



Possible Impact: The link is understandable, but the phrase sounds less natural than the rest of the page copy.

Proposed Fix: Revise to a clearer label such as “Back to Application Overview” or “Back to Be an Incubatee Page.”

Technical and Code-Level Notes

The following technical notes are derived from codebase observations and tester reports. Confirmed implementation details are identified directly; uncertain visual observations should be reproduced before being prioritized.

Privacy Checkbox Validator (Critical Bug)

Files: applyForm.js, apply_form.php

The form validator loop treats every field as a text value, using `el.value` to check required fields. For the privacy checkbox, `el.value` is always “1” whether or not the box is checked. This matches the tester-reported behavior where the privacy warning can disappear after an empty-form submit attempt and the form can later submit without the checkbox being checked. The fix is to branch on `el.type` and check `el.checked` for checkboxes.

Scroll-Reveal Flicker (One-Shot Fix)

Files: scroll-reveal.js, public/assets/js/scroll-reveal.js (duplicate)

The `IntersectionObserver` adds `.visible` when an element enters the viewport and removes it when it leaves. When text or a section sits near the top or bottom edge of the viewport, this can create repeated show/hide behavior that looks like jumping or flickering. Adding `observer.unobserve(entry.target)` immediately after `.visible` is applied makes reveals one-shot and prevents already-read content from being hidden again.

Services Description Mismatch

File: app/Views/landing/programs.php

The `$programs` array pairs titles and descriptions by numeric index. Several entries have silently mismatched, for example “Prototyping & product development” displays an IP assistance description and “IP assistance” shows a tech-transfer description. Replacing the indexed array with associative keys (title + description as named pairs) prevents future mismatches during edits.

ALTITUDE 3D Auto-Launch

File: public/assets/js/features/programs/programsAltitudePage.js

When the URL hash is `#altitude-3d`, the script scrolls to the ALTITUDE section and then calls `showProgramPage()` after 300 ms, which programmatically clicks `#altitudeExploreCard` and launches the full 3D overlay. The hash scroll is useful for navigation, but the automatic `showProgramPage()` call should be removed so the gateway card remains visible. The 3D diorama should only open when the user clicks the existing Explore the Program button.

Reported Incubatees Load-Timing Flash

Files: incubatees/index.php, incubatees/cohort.php and related page views

A tester reported a possible cream-colored flash or overlay on the Incubatees page, but this should be reproduced and reviewed in the codebase before being treated as a confirmed defect. If confirmed, likely technical angles include stylesheet loading order, page-specific animation initialization, or transitions that run before the final layout is stable.

Multiple h1 Tags in Hero Slider

File: app/Views/landing/hero.php

The hero is a slideshow, so multiple prominent slide titles may be intentional. The semantic concern is whether all slide titles are rendered as page-level <h1> headings at the same time. This should be validated in the rendered document outline. If needed, keep one primary <h1> and use <h2> or paragraph text for supporting featured slides.

Footer GSAP Flash

File: public/assets/js/features/layout/footer.js

The footer animation uses `gsap.from()` on elements that are already visible in their default CSS state. When the `IntersectionObserver` fires, GSAP snaps them to the invisible “from” state before animating forward, producing a visible flash. Using `gsap.fromTo()` with stable declared initial states, or hiding elements in CSS before JS initializes, eliminates the flash.

News Filter Taxonomy Mismatch

Files: app/Controllers/News.php, app/Views/news/list.php

The public News controller accepts hardcoded categories news, features, and opinions. The public filter labels “Opinions” as Stories, while the admin post form offers news, events, and features. These values should be aligned across public filtering and admin posting. If editorial categories will change, move category management into the content management system.

Admin Content Management System (CMS) Diagnostic

Admin portal is accessible at /asog-admin (routes to /admin/*). The content management system currently covers posts, applications, incubatees, messages, games, cohorts, and admin accounts. Several operational gaps require developer changes for content that should be staff-editable, and role/deployment behavior should be confirmed before implementation.

CMS-1. No applicant email notification on status change [Critical]

Source: *Admin/ApplicationsAdmin.php* — *status update returns JSON only*

Possible Impact: Applicants may receive no automatic notification when their application status changes in the admin panel. Staff must manually follow up unless another off-site workflow exists.

Proposed Fix: Create status notification email templates for acceptance, rejection, and review updates. Call the email service after successful status updates in the controller.

CMS-2. No intake control panel for application state and deadline [Critical]

Source: *LandingSettingModel* and *admin/dashboard.php* — *intake settings absent*

APPLICANT	STARTUP	EMAIL	DATE	STATUS
TEST if agreement is faulty	wetw	yrttytr@wfe.sdg	Jun 18, 2026	REJECTED

Possible Impact: Cohorts are manageable, but opening/closing application intake, setting deadlines, and tying the form to a specific application cohort still need clearer admin control.

Proposed Fix: Build an Intake Settings panel with: Open/Closed toggle, deadline date, application cohort selector, public banner message, closed-state message, and form disable toggle. Include database migration planning and backup steps before release.

CMS-3. Sustainable Development Goal selector uses numbers without descriptive labels [Medium]

Source: *admin/incubatees/form.php* — *numeric-only Sustainable Development Goal options*

Choose SDG goals for this incubatee. They will appear as clickable SDG squares in the incubatee detail panel.

Possible Impact: Admins must know Sustainable Development Goal titles separately to enter data correctly, increasing the risk of input errors.

Proposed Fix: Add title labels next to each Sustainable Development Goal number, e.g., “SDG 2 — Zero Hunger”.

CMS-4. Interns section cannot be toggled or updated from the content management system [High]


Source: *organization/list.php* — *hardcoded intern markup*

Possible Impact: When a batch ends or changes, a developer must update the file directly.

Proposed Fix: Add a content management system toggle for `show_interns_section`. Follow the `LandingSettingModel` pattern for consistency.

CMS-5. Applications table lacks search, filter, export, archive, and bulk actions [High]

Source: *admin/applications/index.php* — *basic table and review modal*




APPLICANT	STARTUP	EMAIL	DATE	STATUS
TEST if agreement is faulty	wetw	yrttytr@wfe.sdg	Jun 18, 2026	REJECTED

Possible Impact: As applications grow, staff cannot efficiently search, filter by status, archive old entries, export data for review, or perform batch actions.

Proposed Fix: Add text search, status filters, sortable columns, archive state, comma-separated values export, and batch status actions. Coordinate database changes through migration and backup planning.

CMS-6. Logo upload has no size/dimension constraints or guidance [High]

Source: *admin/incubatees/form.php* and *IncubateesAdmin.php* — *accepts image/**



Possible Impact: Oversized logo uploads worsen the public payload. Staff receive no guidance on recommended dimensions, file size, or format.

Proposed Fix: Add UI guidance and server-side validation for file type, dimensions, file size, and transparent-background variants.

CMS-7. FAQ and page section controls are absent from the content management system [High]

Source: *Content / content management system gap* — *multiple static sections*

Possible Impact: Application/process FAQs, program FAQs, partner inquiry content, page copy, and several images or page sections may still require code edits.

Proposed Fix: Add: FAQ manager, page copy/media manager, intake settings, partner inquiry text, organization/intern section visibility toggles, homepage section toggles, and news category manager.

CMS-8. Editor role exists but route-level role restrictions are not evident [High]

Source: Admin account form, AuthFilter, and admin route group

Edit Admin Account

Email *
admin@asog.local

Role *
Super Admin
Admin
Super Admin
Editor

Google OAuth
Google Email
user@gmail.com

Google ID
Google account identifier


☒ Active

Possible Impact: The admin form includes admin, superadmin, and editor roles. The reviewed AuthFilter only checks whether an admin session exists, and the admin route group uses the general auth filter. This suggests editor-specific restrictions may not be enforced at the route level, unless they are handled elsewhere.

Proposed Fix: Confirm the intended purpose and permissions for editor accounts. If editors should have limited access, add role-aware middleware or controller-level checks and document the role matrix for administrators.

CMS-9. Admin sidebar and sign-out affordance can be improved [Medium]

Source: Admin layout / sidebar UI




Possible Impact: The sidebar can scroll away or feel less anchored during dashboard use, and the Sign out text may read as plain text instead of an action.

Proposed Fix: Consider a fixed or sticky sidebar for desktop admin use. Restyle Sign out as a clear button or icon+text action with a visible hover state.

CMS-10. No forgot password flow is evident [High]

Source: Admin authentication routes and login flow



Possible Impact: Administrators who lose access may require manual developer or database intervention.


Proposed Fix: Add a secure forgot-password flow using email tokens, expiration, rate limiting, and audit logging.

CMS-11. Messages management has limited bulk workflow support [Medium]


Source: *admin/messages/index.php*

Possible Impact: Staff can manage individual messages, but bulk actions such as select multiple, mark all read/unread, delete selected, or archive selected are not evident.

Proposed Fix: Add checkbox selection, bulk mark read/unread, bulk delete/archive, and basic filters by read status or date.

**CMS-12. Admin dropdown styling is inconsistent across pages [Low]**

Source: Admin form controls




Possible Impact: Native or weakly styled dropdowns can feel inconsistent with the rest of the admin interface.

Proposed Fix: Standardize select/dropdown styling across admin forms while preserving keyboard and screen-reader behavior.

CMS-13. Empty cohort state may show only table headers after filtering [Medium]

Source: *admin/incubatees/index.php* and cohort filtering behavior



Possible Impact: When a cohort has no incubatees, the table may appear empty except for headers, which can look broken or unfinished.

Proposed Fix: Show a clear empty-state message such as “No incubatees in this cohort yet” with a relevant add or switch-cohort action.

Consolidated Findings

Strengths of the Current Website

Design

- Clean, modern visual identity with a consistent color palette and typography.
- The consistent visual language gives ASOG TBI a strong digital brand identity.
- The ALTITUDE 3D diorama is a distinctive and memorable brand experience.
- Responsive layout with acceptable Cumulative Layout Shift (CLS), meaning the layout is generally stable.

Content

- ALTITUDE program name and acronym are well-explained on the programs page.
- Application process is structured into clear steps with criteria and benefit lists.
- News and Insights provides active content that builds credibility and community.
- Incubatee portfolio demonstrates real outputs and social proof.

Structure

- Logical site map with clear routes for each major audience need.
- Footer Quick Links and Get Involved section provide good navigational fallback.

Usability

- Desktop Lighthouse performance score is strong at 92.
- Zero Total Blocking Time on both desktop and mobile.
- Desktop Best Practices score is perfect at 100.

Summary of Identified Issues

Critical Issues

- Privacy checkbox validation bug allows form submission without consent.
- Intake status, deadline, and the cohort being applied for need clearer applicant-facing communication.
- ALTITUDE 3D can auto-launch via URL hash before users click the existing Explore the Program button.
- No admin intake control panel for open/closed state, deadline, and application cohort.
- No applicant email notification when status changes in admin.

High Priority Issues

- Footer animation flash and cross-page scroll-reveal jitter reduce perceived polish.
- Hero slideshow has no pause control and heading semantics should be validated.
- ~7.65 MB homepage payload; mobile Speed Index of 7.8 s.
- Render-blocking resources delay mobile first paint by ~2.26 s.

- Services card descriptions are mismatched with titles.
- Team photos are oversized; reported Incubatees page load-timing flash needs verification.
- Applications table has no search, filter, export, archive, or bulk workflow capability.

Medium Priority Issues

- Small text and low contrast in services, organization, footer, and contact sections.
- Facilities and Contact page wording can feel redundant if supporting copy does not add context.
- No news pagination or explicit sorting controls as content grows.
- News filter arrow and dropdown styling can make the filter feel less interactive than intended.
- News category taxonomy is hardcoded and inconsistent between public filtering and admin posting.
- “Our Story” nav deep link skips the top About page header and can look unusual.
- Google Maps iframe lacks an accessible title and visible map label context.
- Homepage could optionally connect more directly to Facebook for latest updates if management approves.
- Choose-file hover feedback may not match the visible button boundary.
- Thank-you page can likely be visited directly without a form submission.

Recommended Improvements

Quick Wins (Week 1 — mostly code fixes under 2 hours each)

- Fix the privacy checkbox validator to read `.checked` instead of `.value`.
- Remove hardcoded privacy warning text from hidden HTML spans.
- Fix footer GSAP flash with `fromTo()` and stable initial CSS states.
- Make scroll-reveal one-shot using `observer.unobserve()`.
- Remove ALTITUDE 3D auto-launch from the `#altitude-3d` hash handler so the existing Explore the Program button controls entry.
- Correct mismatched services card descriptions in `$programs` array.
- Add title attribute and visible/accessibility label context to the Google Maps iframe.
- Align public and admin News category values and labels.
- Clarify News filter arrow/dropdown affordance.
- Remove or redesign duplicate social links on Contact page.
- Review Facilities and Contact page wording for unnecessary repetition.
- Fix choose-file button hover boundary.
- Clarify the “Our Story” anchor behavior or route it to the top of /about.

Medium-Term Improvements (Week 2)

- Build the Admin Intake Settings panel with Open/Closed, deadline, application cohort, and banner message.
- Add applicant email notification on application status change.
- Add FAQ accordion to the /apply or /programs page with staff-managed questions and answers.
- Add a content management system toggle for the Interns section on the Organization page.

- Add descriptive Sustainable Development Goal title labels to the incubatee admin form.
- Improve small-text readability in key sections.

Larger Improvements (Weeks 3–4)

- Compress and convert team, facility, and partner images to WebP.
- Verify and fix the reported Incubatees page load-timing flash if reproducible.
- Add news pagination, sort controls, and preserved category filter.
- Add hero slider pause control and fix heading semantics.
- Add logo upload constraints and file size guidance in the admin content management system.
- Add return-to-top button on long pages.
- Add prefers-reduced-motion fallbacks across all animation scripts.
- Add testimonials (text-based/video), downloadable resources, link/integrations for The HIGHPOINT publication, Facebook page embed, and link to the future dataset repository system where stakeholder-approved.
- Consider a first-visit intro loader only if it improves perceived loading without slowing returning users.
- Consider future applicant reference numbers, status checking, and a portal with draft/save support.

Prioritized Action Plan

Priority	Recommendation	Expected Benefit	Timeline
Critical	Decide repository access model: fork DeGrozer/asog-website or request contributor access	Creates a clear implementation workspace before changes begin	Setup
Critical	Confirm deployment ownership and process before code or database changes	Prevents uncoordinated production updates and protects live data	Setup
Critical	Create a six-trainee task delegation spreadsheet	Assigns ownership, review pairings, due dates, database impact, and status tracking	Setup
Critical	Fix privacy checkbox validation bug	Prevents applicants from bypassing consent	Week 1
Critical	Clarify intake status, deadline, and application cohort	Closes the main decision-critical information gap	Week 1
Critical	Gate ALTITUDE 3D behind the existing Explore the Program button	Prevents the gateway page from being obscured on nav click	Week 1
High	Fix footer GSAP flash / scroll-reveal flicker	Eliminates visual instability and perceived jitter	Week 1
High	Correct services card descriptions	Removes credibility-damaging content mismatches	Week 1
High	Add hero slider pause control	Gives users control over auto-advancing content	Week 3–4
High	Build Admin Intake Settings panel	Lets staff manage open/closed state without code edits	Week 2
High	Add applicant email notification on status change	Closes a critical admin workflow gap	Week 2
High	Add news pagination and sorting	Prevents the news page from becoming cluttered and helps visitors find latest updates	Week 3–4
High	Compress and convert images to WebP	Significantly reduces 7.65 MB payload	Week 3–4
Medium	Fix heading hierarchy on Organization page	Improves document structure and readability	Week 1
Medium	Align public and admin News category taxonomy	Removes editorial inconsistency	Week 1
Medium	Add Google Maps iframe title attribute	Fixes an accessible naming gap in Contact page	Week 1
Medium	Add FAQ section to /apply page	Answers pre-submission questions without contacting staff	Week 2

Priority	Recommendation	Expected Benefit	Timeline
Medium	Add Sustainable Development Goal title labels in the content management system incubatee form	Reduces admin input errors	Week 2
Medium	Verify and fix reported Incubatees page load-timing flash if reproducible	Avoids prioritizing an unconfirmed issue	Week 3–4
Medium	Fix choose-file hover hit area	Makes hover feedback match the visible file button boundary	Week 1
Medium	Add applicant reference number or status-check concept for future intake flow	Improves post-submission transparency	Backlog
Low	Consider Facebook Page embed or footer redirect for latest updates	Supports visitors because some public updates may appear on Facebook first	Backlog
Low	Consider first-visit intro loader only if performance testing supports it	Can mask asset loading while preserving a polished first impression	Backlog
Low	Add return-to-top button on long pages	Minor usability comfort improvement	Week 3–4
Low	Add partner inquiry path (if stakeholder-approved)	Opens a currently missing audience pathway	Week 3–4

Execution Roadmap (2–4 Weeks)

Project Setup — Repository, Deployment, and Delegation

#	Task	File(s)	Est.
1	Decide repository access model: request contributor access or create a fork	https://github.com/DeGrozer/asog-website	30 min
2	Confirm deployment process, production branch, hosting owner, environment variables, uploaded media handling, and rollback process	<i>Maintainer discussion / deployment notes</i>	1 hr
3	Confirm database backup and migration process before any schema changes	<i>Deployment notes + database access</i>	1 hr
4	Create a six-trainee task delegation spreadsheet	<i>Google Sheets or Excel</i>	1 hr
5	Assign each task an owner, reviewer, priority, due date, status, evidence link, database impact, and deployment note	<i>Delegation spreadsheet</i>	1 hr
6	Map Week 1 fixes to trainee pairs before coding begins	<i>Delegation spreadsheet + GitHub issues</i>	1 hr

Week 1 — Bug Fixes and Quick Wins

#	Task	File(s)	Est.
1	Fix privacy checkbox validation and duplicate inline validator	<i>applyForm.js, apply_form.php</i>	1 hr
2	Remove hardcoded privacy warning text from hidden span	<i>apply_form.php</i>	30 min
3	Fix footer flash by stabilizing GSAP initial/final states	<i>footer.js, footer.css</i>	1 hr
4	Fix scroll-reveal flicker with one-shot observer	<i>scroll-reveal.js files</i>	30 min
5	Remove ALTITUDE hash auto-launch so 3D opens only from the existing Explore the Program button	<i>programsAltitudePage.js</i>	1 hr
6	Correct services card descriptions in \$programs array	<i>landing/programs.php</i>	1 hr
7	Clarify “Our Story” anchor behavior or route it to the top of /about	<i>header.php</i>	15 min
8	Add title attribute and visible/accessibility label context to Google Maps iframe	<i>contact/index.php</i>	15 min
9	Align public and admin News category values and labels	<i>news/list.php, News.php, admin/posts/form.php</i>	1 hr
10	Clarify News filter arrow/dropdown affordance	<i>news/list.php</i>	30 min
11	Remove or redesign duplicate Contact page social links	<i>contact/index.php</i>	30 min
12	Review redundant Facilities and Contact wording	<i>facilities/list.php, contact/index.php</i>	30 min
13	Fix choose-file button hover hit area and revise awkward back-link copy	<i>apply_form.php</i>	30 min

Week 2 — Content and Admin Content Management System Gaps

#	Task	File(s)	Est.
1	Build Intake Settings panel in admin dashboard with database migration and backup plan	<i>LandingSettingModel, admin views/controllers, apply views</i>	1 day
2	Add email notification on application status change	<i>ApplicationsAdmin.php, new email template</i>	3 hr
3	Add FAQ accordion to /apply or /programs with content management system-backed table if time permits	<i>New FAQ partial or CMS-backed faq table</i>	2–4 hr
4	Add Interns section content management system toggle	<i>organization/list.php, admin setting</i>	2 hr
5	Add Sustainable Development Goal title labels to incubatee content management system form	<i>admin/incubatees/form.php</i>	1 hr
6	Improve small-text readability in key sections	<i>landing, news, contact, footer views</i>	2–3 hr
7	Raise review timeline prominence near form submit and guard thank-you page direct access	<i>apply_form.php, apply/form/thank-you route</i>	2 hr
8	Verify role permissions, forgot password need, admin sidebar/sign-out UI, and admin dropdown styling	<i>Admin auth/routes/layout/forms</i>	2–4 hr

Weeks 3–4 — Performance, Assets, and UX Polish

#	Task	File(s)	Est.
1	Compress and convert team/facility/partner images to WebP	<i>public/assets/img/</i>	3–5 hr
2	Verify and fix reported Incubatees load-timing flash if reproducible	<i>header.php, page views</i>	2–3 hr
3	Add news pagination, sort controls, and category filter preservation	<i>News.php, news/list.php</i>	2–3 hr
4	Add hero slider pause control	<i>hero.php, hero JavaScript</i>	2 hr
5	Validate hero heading semantics and adjust only if the rendered outline is confusing	<i>hero.php</i>	30 min
6	Add logo upload constraints and guidance in admin	<i>IncubateesAdmin.php, admin form</i>	2 hr
7	Add return-to-top button on long pages	<i>Shared layout JavaScript/stylesheets</i>	1 hr
8	Add prefers-reduced-motion support across animation scripts	<i>Shared JavaScript/stylesheets</i>	2 hr
9	Consider Facebook Page embed or footer/latest-updates redirect if management approves	<i>homepage/footer/content pages</i>	1–2 hr
10	Consider first-visit intro loader after performance review	<i>Shared layout JavaScript/stylesheets</i>	2–3 hr
11	Add partner inquiry path, testimonials, The HIGHPOINT link, downloadable resources, and future dataset repository system link if stakeholder-approved	<i>contact/footer/content management system/content pages</i>	2–4 hr
12	Plan applicant reference number, status checker, or applicant portal as future backlog	<i>Applications module / database design</i>	Backlog

Conclusion

Guiding question: If you were a startup founder seeking incubation support, would the website provide sufficient information to understand ASOG TBI's programs, services, and application process?

Partially. The website has a strong foundation, but the path from visitor interest to confident application still needs clearer operational support.

The ASOG TBI website effectively presents the organization's identity, programs, facilities, incubatee portfolio, news updates, and contact channels. Its visual design, color use, motion, and overall presentation help create a distinct and professional digital identity. A first-time visitor can understand what ASOG TBI is, who it supports, and how the ALTITUDE program contributes to startup development.

However, a founder arriving with intent to apply still faces several gaps that can weaken confidence or delay action:

- There is no indication of whether applications are currently open or closed.
- Although cohorts are visible elsewhere, the application path should more clearly state the deadline and the cohort being applied for.

Other issues also affect the overall user experience and perceived polish of the website. These include mismatched service descriptions on the homepage, the ALTITUDE 3D experience launching too quickly from navigation, visible animation jitter, small readability concerns, and selected accessibility and content-structure issues on key pages. These concerns do not fully prevent users from using the website, but they can reduce trust, clarity, and ease of navigation.

Overall, asogtbi.com already has a strong visual and technical direction. The main priority is to improve the action path by clarifying intake status, application details, content accuracy, accessibility, mobile usability, and content management controls.