

3. Despliegue: Despliegue Código

Implementación con az webapp deploy

A continuación, se implementará la aplicación .NET con la implementación desde un archivo ZIP.

Primero, use dotnet publish para compilar los archivos finales de la aplicación y zip para empaquetarlos en un archivo ZIP:

dotnet publish -o pub

cd pub

zip -r site.zip *

```
claudia3574 [ ~/ledoldisApp ]$ dotnet publish -o pub
Determining projects to restore...
All projects are up-to-date for restore.
ledoldisApp -> /home/claudia3574/ledoldisApp/bin/Release/net8.0/ledoldisApp.dll
ledoldisApp -> /home/claudia3574/ledoldisApp/pub/
claudia3574 [ ~/ledoldisApp ]$ cd pub
claudia3574 [ ~/ledoldisApp/pub ]$ zip -r site.zip *
adding: appsettings.Development.json (deflated 28%)
adding: appsettings.json (deflated 26%)
adding: ledoldisApp (deflated 59%)
adding: ledoldisApp.deps.json (deflated 52%)
adding: ledoldisApp.dll (deflated 68%)
adding: ledoldisApp.pdb (deflated 35%)
adding: ledoldisApp.runtimeconfig.json (deflated 49%)
adding: web.config (deflated 40%)
adding: wwwroot/ (stored 0%)
adding: wwwroot/lib/ (stored 0%)
adding: wwwroot/lib/jquery-validation-unobtrusive/ (stored 0%)
adding: wwwroot/lib/jquery-validation-unobtrusive/jquery.validate.unobtrusive.js (deflated 76%)
adding: wwwroot/lib/jquery-validation-unobtrusive/LICENSE.txt (deflated 42%)
adding: wwwroot/lib/jquery-validation-unobtrusive/jquery.validate.unobtrusive.min.js (deflated 63%)
adding: wwwroot/lib/jquery-validation/ (stored 0%)
adding: wwwroot/lib/jquery-validation/LICENSE.md (deflated 42%)
adding: wwwroot/lib/jquery-validation/dist/ (stored 0%)
adding: wwwroot/lib/jquery-validation/dist/additional-methods.js (deflated 74%)
adding: wwwroot/lib/jquery-validation/dist/jquery.validate.js (deflated 73%)
adding: wwwroot/lib/jquery-validation/dist/jquery.validate.min.js (deflated 68%)
adding: wwwroot/lib/jquery-validation/dist/additional-methods.min.js (deflated 71%)
adding: wwwroot/lib/bootstrap/ (stored 0%)
adding: wwwroot/lib/bootstrap/LICENSE (deflated 42%)
adding: wwwroot/lib/bootstrap/dist/ (stored 0%)
adding: wwwroot/lib/bootstrap/dist/css/ (stored 0%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.min.css (deflated 85%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-reboot.rtl.css (deflated 67%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.css (deflated 89%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-reboot.rtl.min.css.map (deflated 77%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-grid.min.css (deflated 88%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-grid.rtl.css (deflated 90%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap.css (deflated 87%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap.min.css.map (deflated 83%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.css (deflated 87%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-grid.css (deflated 90%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.rtl.css (deflated 89%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.css.map (deflated 82%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-reboot.css.map (deflated 79%)
adding: wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.rtl.min.css.map (deflated 87%)
```

Por último, lleve a cabo la implementación con az webapp deploy. Reemplace <your-app-name> en el comando siguiente con el nombre de la aplicación web de Azure y ejecútela:

**az webapp deploy **

**--src-path site.zip **

**--resource-group learn-a6a38a59-86fe-4482-ab06-fce097896b02 **

--name <your-app-name>

La implementación tarda unos minutos, periodo durante el que obtendrá la salida de estado. Cuando el comando termine de ejecutarse, verá un mensaje de salida como este:

Deployment has completed successfully

You can visit your app at: <http://<app-name>-<hash>.<region>.azurewebsites.net>

```
claudia3574 [ ~/ledoldisApp/pub ]$ az webapp deploy \
  --src-path site.zip \
  --resource-group learn-a6a38a59-86fe-4482-ab06-fce097896b02 \
  --name ledoldis
/usr/lib64/az/lib/python3.9/site-packages/paramiko/pkey.py:100: CryptographyDeprecationWarning: TripleDES has been moved to cryptography.hazmat.decrepit.ciphers.algorithms.TripleDES and will be removed from this module in 48.0.0.
  "cipher": algorithms.TripleDES,
/usr/lib64/az/lib/python3.9/site-packages/paramiko/transport.py:259: CryptographyDeprecationWarning: TripleDES has been moved to cryptography.hazmat.decrepit.ciphers.algorithms.TripleDES and will be removed from this module in 48.0.0.
  "class": algorithms.TripleDES,
Deployment type: zip. To override deployment type, please specify the --type parameter. Possible values: war, jar, ear, zip, startup, script, static
Initiating deployment
Deploying from local path: site.zip
Polling the status of sync deployment. Start Time: 2024-10-25 17:35:52.987033+00:00 UTC
Deployment has completed successfully
You can visit your app at: http://ledoldis-bsdbamfuagfyarau.spaincentral-01.azurewebsites.net
{
  "active": true,
  "author": "N/A",
  "author_email": "N/A",
  "complete": true,
  "deployer": "OneDeploy",
  "end_time": "2024-10-25T17:35:52.7337159Z",
  "id": "a0d8ee638f5b4538954b44b961fac2bb",
  "is_readonly": true,
  "is_temp": false,
  "last_success_end_time": "2024-10-25T17:35:52.7337159Z",
  "log_url": "https://ledoldis-bsdbamfuagfyarau.scm.spaincentral-01.azurewebsites.net/api/deployments/latest/log",
  "message": "OneDeploy",
  "progress": "",
  "provisioningState": "Succeeded",
  "received_time": "2024-10-25T17:35:50.5678796Z",
  "site_name": "ledoldis",
  "start_time": "2024-10-25T17:35:50.6780183Z",
  "status": 4,
  "status_text": "",
  "url": "https://ledoldis-bsdbamfuagfyarau.scm.spaincentral-01.azurewebsites.net/api/deployments/latest"
}
claudia3574 [ ~/ledoldisApp/pub ]$
```

Comprobar la implementación

En una nueva pestaña, vaya a la dirección URL que se muestra en la salida. Obtendrá la página de presentación de una nueva aplicación web ASP.NET Core.