

Ejercicio: Creación de una aplicación web HTML estática mediante Azure Cloud Shell

Descarga de la aplicación de ejemplo

En esta sección, usará el espacio aislado para descargar la aplicación de ejemplo y establecer variables para que algunos de los comandos sean más fáciles de escribir.

1. En el espacio aislado, cree un directorio y, después, navegue hasta él.

mkdir htmlapp

cd htmlapp

2. Ejecute el siguiente comando git para clonar el repositorio de aplicaciones de ejemplo en el directorio htmlapp.

git clone <https://github.com/Azure-Samples/html-docs-hello-world.git>

3. Establezca variables para contener el grupo de recursos y los nombres de la aplicación mediante la ejecución de los comandos siguientes.

resourceGroup=\$(az group list --query "[].{id:name}" -o tsv)

appName=az204app\$RANDOM

```
claudia3574 [ ~ ]$ mkdir htmlapp
claudia3574 [ ~ ]$ cd htmlapp
claudia3574 [ ~/htmlapp ]$ git clone https://github.com/Azure-Samples/html-docs-hello-world.git
Cloning into 'html-docs-hello-world'...
remote: Enumerating objects: 50, done.
remote: Total 50 (delta 0), reused 0 (delta 0), pack-reused 50 (from 1)
Receiving objects: 100% (50/50), 342.09 KiB | 8.14 MiB/s, done.
Resolving deltas: 100% (10/10), done.
claudia3574 [ ~/htmlapp ]$ resourceGroup=$(az group list --query "[].{id:name}" -o tsv)
appName=az204app$RANDOM
claudia3574 [ ~/htmlapp ]$
```

Creación de la aplicación web

1. Cambie al directorio que contiene el código de ejemplo y ejecute el comando az webapp up.

cd html-docs-hello-world

az webapp up -g \$resourceGroup -n \$appName --html

Este comando puede tardar unos minutos en ejecutarse. Mientras el comando se ejecuta, muestra información similar a la del ejemplo siguiente.

```

claudia3574 [ ~/htmlapp ]$ cd html-docs-hello-world

az webapp up -g $resourceGroup -n $appName --html
/usr/lib64/az/lib/python3.9/site-packages/paramiko/pkey.py:100: CryptographyDeprecationWarning: TripleDES has been moved to cryptography.hazmat.decrepit.ciphers.algorithms.TripleDES and will be removed from this module in 48.0.0.
  "cipher": algorithms.TripleDES,
/usr/lib64/az/lib/python3.9/site-packages/paramiko/transport.py:259: CryptographyDeprecationWarning: TripleDES has been moved to cryptography.hazmat.decrepit.ciphers.algorithms.TripleDES and will be removed from this module in 48.0.0.
  "class": algorithms.TripleDES,
The webapp 'az204app5831' doesn't exist
Creating AppServicePlan 'claudia3574_asp_8701' or Updating if already exists
Readonly attribute name will be ignored in class <class 'azure.mgmt.web.v2023_01_01.models._models_py3.AppServicePlan'>
Creating webapp 'az204app5831' ...
Configuring default logging for the app, if not already enabled
Creating zip with contents of dir /home/claudia3574/htmlapp/html-docs-hello-world ...
Getting scm site credentials for zip deployment
Starting zip deployment. This operation can take a while to complete ...
Deployment endpoint responded with status code 202
Polling the status of async deployment. Start Time: 2024-10-25 18:21:46.447909+00:00 UTC
You can launch the app at http://az204app5831.azurewebsites.net
Setting 'az webapp up' default arguments for current directory. Manage defaults with 'az configure --scope local'
--resource-group/-g default: learn-d57e0718-a2a0-427f-a854-5dde9d9b858b
--sku default: F1
--plan/-p default: claudia3574_asp_8701
--location/-l default: canadacentral
--name/-n default: az204app5831
{
  "URL": "http://az204app5831.azurewebsites.net",
  "appserviceplan": "claudia3574_asp_8701",
  "location": "canadacentral",
  "name": "az204app5831",
  "os": "Windows",
  "resourcegroup": "learn-d57e0718-a2a0-427f-a854-5dde9d9b858b",
  "runtime_version": "-",
  "runtime_version_detected": "-",
  "sku": "FREE",
  "src_path": "//home/claudia3574/htmlapp/html-docs-hello-world"
}
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$

```

- Abra una pestaña nueva en el explorador, vaya a la dirección URL de la aplicación (<https://<myAppName>.azurewebsites.net>) y compruebe que la aplicación está en ejecución; anote el título de la parte superior de la página. Deje el explorador abierto en la aplicación para la sección siguiente.



Azure App Service - Sample Static HTML Site




Azure App Service Web Apps

App Service Web Apps is a fully managed compute platform that is optimized for hosting websites and web applications. This platform-as-a-service (PaaS) offering of Microsoft Azure lets you focus on your business logic while Azure takes care of the infrastructure to run and scale your apps.

Actualización de la aplicación y nueva implementación

1. En Cloud Shell, escriba code index.html para abrir el editor. En la etiqueta de encabezado <h1>, cambie Azure App Service - Sample Static HTML Site a Azure App Service Updated - o a cualquier otra cosa que desee.



```
claudia3574 [ ~/htmlapp ]$ resourceGroup=$(az group list --query "[].{id:name}" -o tsv)
appName=az204app$RANDOM
claudia3574 [ ~/htmlapp ]$ cd html-docs-hello-world

az webapp up -g $resourceGroup -n $appName --html
/usr/lib64/az/lib/python3.9/site-packages/paramiko/pkey.py:100: CryptographyDeprecationWarning: TripleDES has been moved to cryptography.hazmat.decrepit.ciphers.algorithms.TripleDES and will be removed from this module in 48.0.0.
  "cipher": algorithms.TripleDES,
/usr/lib64/az/lib/python3.9/site-packages/paramiko/transport.py:259: CryptographyDeprecationWarning: TripleDES has been moved to cryptography.hazmat.decrepit.ciphers.algorithms.TripleDES and will be removed from this module in 48.0.0.
  "class": algorithms.TripleDES,
The webapp 'az204app5831' doesn't exist
Creating AppServicePlan 'claudia3574_asp_8701' or Updating if already exists
ReadOnly attribute name will be ignored in class <class 'azure.mgmt.web.v2023_01_01.models._models_py3.AppServicePlan'>
Creating webapp 'az204app5831' ...
Configuring default logging for the app
Creating zip with contents of dir /home/
Getting scm site credentials for zip deployment
Starting zip deployment. This operation may take a few minutes.
Deployment endpoint responded with status 202
Polling the status of async deployment
You can launch the app at http://az204app5831.azurewebsites.net:
Setting 'az webapp up' default arguments
--resource-group/-g default: learn-d57e0718-a2a0-427f-a854-5dde9d9b858b
--sku default: F1
--plan/-p default: claudia3574_asp_8701
--location/-l default: canadacentral
--name/-n default: az204app5831
{
  "URL": "http://az204app5831.azurewebsites.net",
  "appserviceplan": "claudia3574_asp_8701",
  "location": "canadacentral",
  "name": "az204app5831",
  "os": "Windows",
  "resourcegroup": "learn-d57e0718-a2a0-427f-a854-5dde9d9b858b",
  "runtime_version": "-",
  "runtime_version_detected": "-",
  "sku": "FREE",
  "src_path": "//home//claudia3574//htmlapp//html-docs-hello-world"
}
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$ code index.html
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$
```

Cambiar a versión clásica de Cloud Shell

Esta característica no está disponible en la experiencia de usuario actual.

¿Desea volver a la experiencia anterior?

Confirmar **Cancelar**

```
index.html
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="utf-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1">
7   <meta name="description" content="">
8   <meta name="author" content="">
9
10  <title>Azure App Service - Sample Static HTML Site</title>
11
12  <!-- Bootstrap core CSS -->
13  <link href="css/bootstrap.min.css" rel="stylesheet">
14 </head>
15
16 <body>
17   <div class="navbar-wrapper">
18     <div class="container">
19       <h1>Azure App Service - Sample Static HTML Site</h1>
20       <hr/>
21     </div>
22   </div>
23
24   <!-- Wrap the rest of the page in another container to center all the content. -->
25
26   <div class="container">
27     <div class="row">
28       <div class="col-xs-12 col-sm-6">
29         
30         <h2>Azure App Service Web Apps</h2>
31         <p>App Service Web Apps is a fully managed compute platform that is optimized for hosting websites and
32
33       </div>
34     </div>
35   </div>
36
37   <!-- Bootstrap core JavaScript
38   ===== -->
39   <!-- Placed at the end of the document so the pages load faster -->
40   <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
41   <script window.jQuery || document.write('<script src=.../assets/js/vendor/jquery.min.js></script>')</script>
```

Requesting a Cloud Shell.Succeeded.
Connecting terminal...

```
claudia3574 [ ~ ]$ cd htmlapp/html-docs-hello-world/
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$ code index.html
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$
```

2. Use los comandos ctrl-s para guardar y ctrl-q para salir.

```
Azure Cloud Shell
index.html
7 <meta name="description" content="">
8 <meta name="author" content="">
9
10 <title>Azure App Service - Sample Static HTML Site</title>
11
12 <!-- Bootstrap core CSS -->
13 <link href="css/bootstrap.min.css" rel="stylesheet">
14 </head>
15
16 <body>
17   <div class="navbar-wrapper">
18     <div class="container">
19       <h1>Creación de una aplicación web (LEDOLDIS) </h1>
20       <hr/>
21     </div>
22   </div>
23
24   <!-- Wrap the rest of the page in another container to center all the content. -->
25
26   <div class="container">
27     <div class="row">
28       <div class="col-xs-12 col-sm-6">
29         
30         <h2>Azure App Service Web Apps</h2>
31         <p>App Service Web Apps is a fully managed compute platform that is optimized for hosting websites and
32
33       </div>
34     </div>
35   </div>
36
37   <!-- Bootstrap core JavaScript
38   ===== -->
39   <!-- Placed at the end of the document so the pages load faster -->
40   <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
41   <script window.jQuery || document.write('<script src=.../assets/js/vendor/jquery.min.js></script>')</script>
```

Requesting a Cloud Shell.Succeeded.
Connecting terminal...

```
claudia3574 [ ~ ]$ cd htmlapp/html-docs-hello-world/
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$ code index.html
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$
```

3. Vuelva a implementar la aplicación con el mismo comando `az webapp up` que ha usado antes. En mi caso sería:


`az webapp up -g learn-d57e0718-a2a0-427f-a854-5dde9d9b858b -n az204app5831 --html`

```
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$ az webapp up -g learn-d57e0718-a2a0-427f-a854-5dde9d9b858b -n az204app5831 --html
/usr/lib64/az/lib/python3.9/site-packages/paramiko/pkey.py:100: CryptographyDeprecationWarning: TripleDES has been moved to cryptography.hazmat.decrepit.ciphers.algorithms.TripleDES and will be removed from this module in 48.0.0.
  "cipher": algorithms.TripleDES,
/usr/lib64/az/lib/python3.9/site-packages/paramiko/transport.py:259: CryptographyDeprecationWarning: TripleDES has been moved to cryptography.hazmat.decrepit.ciphers.algorithms.TripleDES and will be removed from this module in 48.0.0.
  "class": algorithms.TripleDES,
Webapp 'az204app5831' already exists. The command will deploy contents to the existing app.
Creating AppServicePlan 'claudia3574_asp_8701' or Updating if already exists
Readonly attribute name will be ignored in class <class 'azure.mgmt.web.v2023_01_01.models._models_py3.AppServicePlan'>
Creating zip with contents of dir /home/claudia3574/htmlapp/html-docs-hello-world ...
Getting scm site credentials for zip deployment
Starting zip deployment. This operation can take a while to complete ...
Deployment endpoint responded with status code 202
Polling the status of async deployment. Start Time: 2024-10-25 18:38:39.346959+00:00 UTC
You can launch the app at http://az204app5831.azurewebsites.net
Setting 'az webapp up' default arguments for current directory. Manage defaults with 'az configure --scope local'
--resource-group/-g default: learn-d57e0718-a2a0-427f-a854-5dde9d9b858b
--sku default: F1
--plan/-p default: claudia3574_asp_8701
--location/-l default: canadacentral
--name/-n default: az204app5831
{
  "URL": "http://az204app5831.azurewebsites.net",
  "appserviceplan": "claudia3574_asp_8701",
  "location": "canadacentral",
  "name": "az204app5831",
  "os": "Windows",
  "resourcegroup": "learn-d57e0718-a2a0-427f-a854-5dde9d9b858b",
  "runtime_version": "-",
  "runtime_version_detected": "-",
  "sku": "FREE",
  "src_path": "//home//claudia3574//htmlapp/html-docs-hello-world"
}
claudia3574 [ ~/htmlapp/html-docs-hello-world ]$
```

4. Una vez que se complete la implementación, vuelva al explorador del paso 2 de la sección "Creación de la aplicación web" y actualice la página.



Creación de una aplicación web (LEDOLDIS)



Azure App Service Web Apps

App Service Web Apps is a fully managed compute platform that is optimized for hosting websites and web applications. This platform-as-a-service (PaaS) offering of Microsoft Azure lets you focus on your business logic while Azure takes care of the infrastructure to run and scale your apps.