CS 192 Software Engineering II Beta Testing Checklist

| Project Name: | Dark Night | Project ID: | |
|-------------------|-------------------------------|-----------------|--|
| | | (if applicable) | |
| Developer's Name: | Legends (Arceo, Capiral, Tan) | | |

This checklist is to be used to assess if beta testing goals have been achieved. There are two categories of goals. One is the functional goals and the other is the usability goals. Functional goals are the target features of the software that should have been built during the semester. They are based on user acceptance criteria identified. Usability goals are used to test how usable the user interface of the application is.

Target Audience: UP Students

Tester Information:

| Tester's Name: | Year Level | Gender Male |
|----------------|------------|----------------|
| Ryann Ng | 2nd | |

Instructions: Place a check mark ($\sqrt{}$) if the software complies with the criteria. Place a cross mark (X) if it does not, and place a comment on its non-compliance.

Functional Goals:

| User Acceptance Criteria | Compliance | | Remarks |
|--|------------|----------|---|
| | Yes | No | |
| The player moves the in-game character with W, A, S, D, or arrow keys. When a button is pressed, the game plays a sound indicating movement. | | | |
| The player combats an in-game entity. The player enters combat through the course of the story. | ✓ | | |
| While in combat, the player controls when to block/attack the opponent. Successful attacks reduce enemy health, successful blocks prevent damage. The player cannot block and attack at the same time. | | ✓ | blocks don't seem to workat least in that tutorial battle but that was the only battle really |
| The player may take damage during a fight. Whenever the player gets hit by an opponent, a portion of health will be subtracted. | | ✓ | no legit fight in the tutorial except whacking the knight captain |
| When the player encounters a game plot scene on map, the game transitions to next scene. | ✓ | | |

Tester's Comments:

<u>Usability Goals¹:</u>
This is the System Usability Scale (SUS) used to measure users' perceived usability of a product or system. It is highly reliable (0.91). Mark the most appropriate box that shows how much you agree with the statement.

| System Usability Scale Standard Version | Strongly Disagree | | | | Strongly Agree |
|--|----------------------|----------|---|----------|-------------------|
| | 1 | 2 | 3 | 4 | 5 |
| 1. I think that I would like to use this system. | | ✓ | | | |
| 2. I found the system unnecessarily complex. | ✓ | | | | |
| 3. I thought the system was easy to use. | | | | ✓ | |
| 4. I think that I would need the support of a technical person to be able to use this system | ✓ | | | | |
| 5. I found the various functions in the system were well integrated. | | | | ~ | |
| 6. I thought there was too much inconsistency in this system. | ✓ | | | | |
| 7. I would imagine that most people would learn to use this system very quickly. | | | | ~ | |
| 8. I found the system very cumbersome to use. | | ✓ | | | |
| 9. I felt very confident using the system. | | | | ✓ | |
| 10. I needed to learn a lot of things before I could get going with this system. | | √ | | | |

Computation of SUS Score:

| For odd it | tems: subtract one from the user response. |
|------------|---|
| | For odd items: subtract one from the user response. |
| | For even items: subtract the user response from 5. |
| | This scales all values from 0-4 (with 4 being the most positive response). |
| | Add up the converted responses for each user and multiply that total to 2.5. This converts the range of possible values from 0 to 100 instead of from 0-40. |
| SUS Score | e: |
| Tester's C | Comments: |