

Memory sheet: the whole exam on one page

Five domains, weights 31, 26, 20, 12, and 11 percent. Each branch is one domain. Read top to bottom, then answer the flash questions in each domain sheet.


AIP exam: five domains
Domain 1 FM integration and data
Task 1.1 GenAI design
Name the constraint first
Bedrock for managed model access
Bounded PoC with pass and fail
Task 1.2 Select and set up FMs
Test candidates on your own prompts
AppConfig validates route changes
Registry approval gates deployment
Task 1.3 FM input pipelines
Validate data before the model
Format each request per model API
Clean text and entities first
Task 1.4 Vector stores
Pick the store by query pattern
Typed metadata drives filters
Incremental sync keeps data fresh
Task 1.5 Retrieval mechanisms
Managed chunking is the default
Hybrid search for exact terms
Reranker reorders retrieved chunks
Task 1.6 Prompt governance
Versioned prompts with approvals
Guardrails enforce policy per call
CloudTrail and logs record access
Domain 2 implement
Task 2.1 Agentic AI and tools
Model picks steps means agent
Standard workflows for waits
Stop conditions and timeouts
Task 2.2 Model deployment
Match capacity to traffic pattern
Endpoint type follows the caller
Count weights before picking GPUs
Task 2.3 Enterprise patterns
Facade for legacy callers
Events for loose coupling
Federation and least privilege
Task 2.4 FM API integrations
Converse for chat messages
ConverseStream for incremental text
Backoff, throttling, and fallbacks
Task 2.5 App integration tools
Idempotency keys for safe retries
Strands versus Step Functions loops
X-Ray traces, Logs Insights search
Domain 3 AI safety and governance
Task 3.1 Safety controls
Guardrails act on model traffic
Comprehend locates PII spans
Layer checks before and after model
Task 3.2 Privacy and security
Private subnets and endpoints only
Redact before the model call
Tokens need a separate secure map
Task 3.3 Governance
Catalog entries and version IDs


CloudTrail records caller identity
Model cards document intended use
Task 3.4 Responsible AI
Citations and agent traces explain
LLM judge and bias metrics
Guardrails enforce policy on text
Task 4.1 Cost optimization
Count input tokens before each call
Small models for simple queries
Caching avoids repeat invocations
Domain 4 operationa
Task 4.2 App performance
Streaming shows first words sooner
Hybrid search catches exact terms
Cap concurrency by token rate
Task 4.3 GenAI monitoring
Metrics for trends and X-Ray traces
Invocation logs keep prompt text
Golden sets catch hallucinations
Task 5.1 Evaluation system
LLM as a judge with a rubric
Evaluation jobs compare configs
Golden dataset regression gates
Domain 5 testing and troubleshooting
Task 5.2 Troubleshooting
Read stop reasons before content
Check route, DNS, and policy in VPC
Test retrieval before generation