
Memory sheet: Task 1.3 Implement data validation and processing pipelines for FM consumption

Domain 1, weight 31 percent. Read this sheet, then answer the flash questions aloud.



Deciding rules

When the stem says	Think of	Not when
Cataloged table that needs suggested rules	Glue Data Quality on the Data Catalog entry point	Failed rows must be listed inside an ETL job
Failed row list needed for quarantine inside a job	Glue Data Quality ETL entry point with row results	Rule recommendations are needed, and the ETL entry point offers none
Speech in an audio file already stored in S3	Amazon Transcribe batch transcription job	The speaker is still talking on a live media stream
Scanned PDF table and no custom prompt to tune	Bedrock Data Automation parser	A custom extraction instruction is named, which points to the foundation model parser
Custom business logic or an external lookup for each record	Lambda validation function in the VPC	A table rule that DQDL can express, which points to Glue Data Quality
Large payload or long run and no caller waiting	SageMaker AI asynchronous inference with S3	The caller must hold for the answer, which points to a real time endpoint
Private Lambda calls Bedrock with no internet route	Interface endpoint for bedrock-runtime with private DNS	The destination is a third party API on the public internet
Private VPC code reads an S3 bucket in the same Region	Gateway endpoint for S3 with a route table entry	The caller sits on premises over a VPN, which needs an interface endpoint

Etch lines

1. Read the data type and the consumer before reading any option.
2. Run checks so a bad record never reaches the embedding step.
3. A pass rate metric cannot name the rows to quarantine.
4. Files already in S3 go to a batch transcription job.
5. Converse gives one message shape, while InvokeModel follows the body of each model.
6. Skip NAT for Bedrock or S3 when an endpoint exists.

Flash questions

- Q: Which Glue Data Quality entry point gives rule suggestions for a cataloged table? A: The Data Catalog entry point, since the ETL entry point offers no recommendations.
- Q: Which Glue Data Quality entry point names the failed rows for quarantine? A: The ETL entry point, which can identify the records that failed a check.
- Q: When does a PDF need the foundation model parser instead of Bedrock Data Automation? A: When the extraction needs a custom instruction, because that parser accepts a prompt.
- Q: Why does a gateway endpoint for S3 not serve an on-premises caller? A: It serves only callers inside the VPC, so the on-premises path needs an interface endpoint.
- Q: Which endpoint style suits a payload up to 1 GB when no caller waits? A: Asynchronous inference, which reads the payload from S3 and writes the result there.
- Q: Why is a Lambda validator the wrong first choice for a rule DQDL can express? A: It recreates the scoring and result storage that Glue Data Quality already provides.
- Q: What does a Lambda function in a VPC need before it can call an external API? A: A route to the internet through a NAT gateway, since the call otherwise times out.
- Q: When is InvokeModel the right operation instead of Converse? A: When the required field exists only in the body format of one model.

Source: Task 1.3 sections on the deciding constraint, Skill 1.3.1, Skill 1.3.2, Skill 1.3.3, Skill 1.3.4, X versus Y confusable pairs, and Distractor patterns. AWS docs and the study guide sections above, no practice-test text.