Claude Certified Architect, Professional. Console steps

Each step names its official docs page. The docs pages show the official screenshots. This file does not copy them, because the reuse terms for docs images are not stated. A unit without official console steps shows "Not in source."

F1 Architecture and business foundations

1. Open the Workspaces page in the Claude Console.[1]
2. Select the workspace and click Spend limits.[1]

F2 LLM foundations

Not in source.

F3 Software and distributed systems

Not in source.

F4 Security and identity

1. Open the API keys page in the Claude Console.[2]
2. Create a key, name it, and select its expiration.[3]
3. Set Linked account to yourself or a service account.[2]

D1.1 Business problem to Claude solution

Not in source.

D1.2 End-to-end architecture

Not in source.

D1.3 Architectural pattern selection

Not in source.

D1.4 Multi-agent orchestration

Not in source.

D1.5 Task decomposition

Not in source.

D1.6 Business-value alignment

Not in source.

D2.1 Model selection and tier trade-offs

Not in source.

D2.2 System prompts, templates, and guardrails

Not in source.

D2.3 Prompt techniques

Not in source.

D2.4 Context and token management

Not in source.

D2.5 Reuse and prompt caching

Not in source.

D3.1 Tool capability scope

Not in source.

D3.2 Authentication and authorization in integrations

1. Open the Workspaces page in the Claude Console.[1]

D3.3 Accuracy and latency trade-offs

1. Open the Rate limits page in the Claude Console.[4]

D3.4 Observability at scale

1. Add a destination in the Claude Console for API tracing.[5]

D3.5 The RAG pipeline

Not in source.

D3.6 Retrieval strategies

Not in source.

D3.7 Integration mechanisms

Not in source.

D3.8 Progressive discovery and monolithic context

Not in source.

D4.1 Evaluation metrics

Not in source.

D4.2 Evaluation datasets and frameworks

Not in source.

D4.3 A/B tests and iteration

Not in source.

D4.4 Diagnosis at the correct layer

Not in source.

D4.5 Optimization under quality floors

Not in source.

D4.6 Production monitoring

1. Open the Usage and Cost pages in the Claude Console.[6]
2. Open the OpenTelemetry settings in the Claude Console and click Add destination.[5]

D5.1 Guardrails and safety controls

1. Run /sandbox in a Claude Code session to turn on the sandbox.[7]

D5.2 Risks and failure modes

1. Open the Workspaces page in the Claude Console.[1]
2. Select the workspace and click Spend limits to set a monthly cap.[1]
3. Open the Usage page in the Claude Console and click Export.[8]

D5.3 Human-in-the-loop validation

1. Open the session in the Claude Console session viewer to see what the agent did.[9]

D5.4 Regulatory compliance and data controls

1. Open the Data retention page in the Claude Console to enable HIPAA readiness or review retention.[10]
2. Open the Workspaces page and create a workspace that shows the Workspace geo field.[11]
3. Attach the CMEK key to a new workspace in the Claude Console.[12]

D5.5 Responsible AI

Not in source.

D6.1 Structured discovery

Not in source.

D6.2 Trade-off communication

Not in source.

D6.3 Feedback and expectation alignment

1. Open the Workspaces page in the Claude Console.[1]
2. Select the workspace, then click Spend limits.[1]
3. Open the Usage page in the Claude Console.[6]

D6.4 Architecture documentation

Not in source.

D6.5 Lifecycle phases

1. Open the Usage page in the Claude Console.[8]
2. Click Export on the Usage page.[8]
3. Review the downloaded CSV by API key and model.[8]

D7.1 Team configuration for Claude Code

Not in source.

D7.2 AI-assisted workflows with Claude Code

Not in source.

D7.3 Diagnosis and operational resolution

Not in source.

Sources

1. Workspaces. https://platform.claude.com/docs/en/manage-claude/workspaces
2. Get your Claude API key. https://platform.claude.com/docs/en/get-api-key
3. Authentication. https://platform.claude.com/docs/en/manage-claude/authentication
4. Rate limits. https://platform.claude.com/docs/en/api/rate-limits
5. Set up OpenTelemetry with the Claude API. https://platform.claude.com/docs/en/manage-claude/opentelemetry/api
6. Usage and Cost API. https://platform.claude.com/docs/en/manage-claude/usage-cost-api
7. Configure the sandboxed Bash tool. https://code.claude.com/docs/en/sandboxing
8. Model deprecations. https://platform.claude.com/docs/en/about-claude/model-deprecations
9. Review and monitor agent sessions. https://platform.claude.com/docs/en/managed-agents/secure-deployment-monitoring
10. API and data retention. https://platform.claude.com/docs/en/manage-claude/api-and-data-retention
11. Data residency. https://platform.claude.com/docs/en/manage-claude/data-residency
12. Customer-managed encryption keys. https://platform.claude.com/docs/en/manage-claude/cmek